



Assembly Instruction

Note that blinders are necessary to eliminate gaps on end of run inserts.


1a

Peel adhesive protector on foam and place foam in 2 locations for full height blinder or 1 location for epicenter blinder.




1b

In some cases where an Epicenter blinder is required, a Full Height blinder is provided instead. To convert a Full Height blinder into an Epicenter blinder, cut at notches. See Figure C.



2

For markerboard, slat wall, and slat/tack combo inserts, remove attached trim pieces before installing blinders.



Proper product installation, in accordance with these instructions, is the responsibility of the installing agent. If you have any questions concerning these instructions, please call National Customer Service 800.482.1717.

Blinders

Recommend Tools

- Screw Driver
- Shears/Metal Cutting Tool for Steel

Package Contents

Qty.

- | | |
|--------------------|-----------|
| • Blinders | 2 |
| • Rubber Washer | Per Order |
| • #6 - 3/8" Screws | Per Order |
| • Adhesive Foam | Per Order |

NATIONAL

Furniture with Personality™

Telephone 800.482.1717
 Fax 812.482.8800
www.NationalOfficeFurniture.com

Part # 2508094
 Rev. B

Printed in U.S.A.
 © 2013 Kimball International, Inc.

Assembly Instruction

- 3a** For Veneer and Laminate inserts, lay inset on flat surface and use screw to secure blinder. Do not over tighten screws. If panel is tack board, hand tighten screw.





Figure E

*Note that it is necessary to secure blinders on the top and bottom of tile.


Blinders

- 3b** For markerboards, slat walls, tackboards, and slat/tack combo tiles, install the Epicenter blinders according to the figures below:




- **Markerboard:**
Screw blinder into top of marker board insert.

Figure F



- **Slat Wall or Slat/Tack Combo Insert:** Locate washer 20mm from edge of slat wall. Bend washer in half into slat wall groove and screw blinder into washer.

Figure G



- **Tackboard Insert:** For tack board insert, hand turn screw into top of panel.

Figure H

Proper product installation, in accordance with these instructions, is the responsibility of the installing agent. If you have any questions concerning these instructions, please call National Customer Service 800.482.1717.

NATIONAL

Furniture with Personality™

Telephone 800.482.1717
Fax 812.482.8800
www.NationalOfficeFurniture.com

Part # 2508094
Rev, B

Printed in U.S.A.
© 2013 Kimball International, Inc.

Assembly Instruction

4

Install inserts onto Epicenter. Adjust blinders accordingly.




Figure I

5

In some scenarios, Full Height blinder may be used with Epicenter inserts along with modesty panels. See Figure J.




Figure J

- To do this, remove 1 tab off Full Height blinder depending on application (Figure K).




Figure K




Figure L: Inserting blinder from the top of setup (Bases not shown)




Figure M: Final setup (Bases not shown)

- Install modesty panel and Epicenter insert onto frame. Then slide blinder down onto insert and behind work surface so that modesty panel can be pushed up against blinder. See Figures L and M.

Blinders

NATIONAL

Furniture with Personality™

Telephone 800.482.1717
Fax 812.482.8800
www.NationalOfficeFurniture.com

Part # 2508094
Rev. B

Printed in U.S.A.
© 2013 Kimball International, Inc.

Proper product installation, in accordance with these instructions, is the responsibility of the installing agent. If you have any questions concerning these instructions, please call National Customer Service 800.482.1717.