

## COM YARDAGE REQUIREMENTS

### COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
<b>BOX/FILE HEIGHT STORAGE CUSHIONS</b>						
NAC1820CUSH, NAC1820CUSHT		0.70	0.90	1.60	3.10	12
NAC1824CUSH, NAC1824CUSHT		0.70	1.20	1.50	2.70	12
NAC1830CUSH, NAC1830CUSHT		0.90	1.40	1.70	2.70	17
NAC1836CUSH, NAC1836CUSHT		1.10	1.40	1.70	2.70	20
NAC1840CUSH, NAC1840CUSHT		1.00	1.40	2.00	2.20	20
NAC1848CUSH, NAC1848CUSHT		1.10	1.40	1.70	2.70	20
NAC1860CUSH, NAC1860CUSHT		1.60	1.80	2.90	4.20	32
NAC1872CUSH, NAC1872CUSHT		1.70	2.10	2.90	4.20	37
NAC2024CUSH, NAC2024CUSHT		0.70	1.30	2.00	3.20	12
NAC24CUSH, NAC24CUSHT		0.80	1.30	2.30	2.20	15
NAC2424CUSH, NAC2424CUSHT		0.80	1.70	2.30	2.70	14.5
NAC2430CUSH, NAC2430CUSHT		1.20	1.70	2.30	2.70	23
NAC2436CUSH, NAC2436CUSHT		1.20	1.70	2.30	2.70	23
NAC2440CUSH, NAC2440CUSHT		1.20	1.70	2.60	3.20	24
NAC2448CUSH, NAC2448CUSHT		1.20	1.60	2.30	2.70	24
NAC2460CUSH, NAC2460CUSHT		2.10	2.70	3.80	4.20	42
NAC2472CUSH, NAC2472CUSHT		2.10	2.70	3.80	4.20	42
NAC2552CUSH, NAC2552CUSHT		1.90	2.80	4.10	4.60	37
NAC2727CUSH, NAC2727CUSHT		1.40	1.80	2.50	2.70	28
NAC2828CUSH, NAC2828CUSHT		1.50	1.90	2.60	3.20	29
NAC36CUSH, NAC36CUSHT		1.60	2.00	2.60	3.60	30
NAC3636CUSH, NAC3636CUSHT		1.70	2.10	2.60	4.10	33
<b>TOSS ACCENT PILLOWS</b>						
N10PBL1806		0.60	0.70	0.70	0.90	12
N10PBL1806X	Upholstery	0.60	0.70	0.70	0.90	6
	Accent	0.30	0.30	0.50	0.70	3
N10PBL1806P		0.60	0.70	0.70	0.90	12
N10PBL1806PX	Upholstery	0.60	0.70	0.70	0.90	6
	Piping	0.10	0.10	0.10	0.10	2
	Accent	0.30	0.30	0.50	0.70	3
N10PSQ1414		0.60	0.70	0.70	0.80	12
N10PSQ1414X	Upholstery	0.60	0.70	0.70	0.80	6
	Back	0.60	0.70	0.70	0.80	6
N10PSQ1414P		0.70	0.70	0.70	0.80	14
N10PSQ1414PX	Upholstery	0.60	0.70	0.70	0.80	6
	Back	0.60	0.70	0.70	0.80	6
	Piping	0.10	0.10	0.10	0.10	2
N10PSQ1414B		0.60	0.70	0.70	0.80	12
N10PSQ1414BX	Upholstery	0.60	0.70	0.70	0.80	6
	Back	0.60	0.70	0.70	0.80	6
	Accent	0.10	0.10	0.10	0.10	1
N10PSQ1414BP		0.70	0.70	0.70	0.80	14
N10PSQ1414BPX	Upholstery	0.60	0.70	0.70	0.80	6
	Back	0.60	0.70	0.70	0.80	6
	Piping	0.10	0.10	0.10	0.10	2
	Accent	0.10	0.10	0.10	0.10	1
N10PSQ1616		0.70	0.80	1.10	2.00	13
N10PSQ1616X	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
N10PSQ1616P		0.70	1.10	1.10	2.00	14

COM YARDAGE

# COM YARDAGE REQUIREMENTS

## COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N10PSQ1616PX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
	Piping	0.20	0.20	0.20	0.20	4
N10PSQ1616B		0.70	0.80	1.10	2.00	13
N10PSQ1616BX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1616BP		0.70	0.80	1.10	2.00	14
N10PSQ1616PBX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
	Piping	0.20	0.20	0.20	0.20	4
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1818		0.70	0.90	1.70	2.40	14
N10PSQ1818X	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
N10PSQ1818P		0.80	0.90	1.70	2.40	13
N10PSQ1818PX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
	Piping	0.20	0.20	0.20	0.20	4
N10PSQ1818B		0.70	0.90	1.70	2.40	14
N10PSQ1818BX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1818BP		0.80	0.90	1.70	2.40	15
N10PSQ1818PBX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
	Piping	0.20	0.20	0.20	0.20	13
	Accent	0.20	0.20	0.20	0.20	1
N10PRT1508		0.40	0.50	0.60	1.30	8
N10PRT1508X	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
N10PRT1508L, N10PRT1508R, N10PRT1508C		0.40	0.50	0.60	1.30	8
N10PRT1508LX, N10PRT1508RX, N10PRT1508CX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
	Accent	0.40	0.50	0.60	0.80	4
N10PRT1508P		0.50	0.50	0.60	1.30	10
N10PRT1508PX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
	Piping	0.10	0.10	0.10	0.10	2
N10PRT1508LP, N10PRT1508RP, N10PRT1508CP		0.50	0.50	0.60	1.30	10
N10PRT1508LPX, N10PRT1508RPX, N10PRT1508CPX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
	Piping	0.10	0.10	0.10	0.10	2
	Accent	0.40	0.50	0.60	0.80	4

COM YARDAGE

## COM YARDAGE REQUIREMENTS

### COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
<b>WEDGES</b>						
N10PWD1816		0.90	1.20	1.50	1.80	
N10PWD1816X	Upholstery	0.70	0.70	1.00	1.20	
	Back	0.60	0.60	0.90	0.80	
	Accent	0.60	0.60	0.90	0.80	
N10PWD2116		1.10	1.20	1.50	1.80	
N10PWD2116X	Upholstery	0.70	0.70	1.00	1.20	
	Back	0.60	0.60	0.90	0.80	
	Accent	0.60	0.60	0.90	0.80	
N10PWD2416		1.20	1.50	1.90	1.80	
N10PWD2416X	Upholstery	0.70	0.70	1.00	1.20	
	Back	0.60	0.60	0.90	0.80	
	Accent	0.60	0.60	0.90	0.80	
<b>MOBILE PEDS</b>						
CLN2016PMBFC		0.90	1.00	1.10	1.00	
25N2315PMBFCL		0.90	1.00	1.10	1.00	
25N2315PMBFCW		0.90	1.00	1.10	1.00	
75N2315PMBFC		0.90	1.00	1.10	1.00	
WW2315PMBFCL		0.90	1.00	1.10	1.00	
WW2315PMBFCW		0.90	1.00	1.10	1.00	
WW2315PMBFCM		1.00	1.00	1.00	1.00	
WW2315PMBFC2M		1.00	1.00	1.00	1.00	
<b>TESSERA</b>						
59N1872BN1F		1.50	1.80	2.80	4.60	30
59N1860BN1F		1.50	1.80	2.80	4.60	29
59N1854BN1F		1.50	1.80	2.80	4.60	29
59N1848BN1F		0.90	1.20	1.90	3.00	17
59N1842BN1F		0.90	1.20	1.90	3.00	17
<b>LOCHLYN</b>						
69N17LNRF		19.70	0.60	0.80	1.30	1.6
69N23LNRF		25.10	0.70	1.10	1.60	3.1
69N29LNRF		38.50	1.10	1.50	1.60	3.1

## COM YARDAGE REQUIREMENTS

TACKABLE	YARDAGE
11N1834TBA	1.00
11N1836TBA	1.00
11N1837TBA	1.00
11N1848TBA	1.00
11N1849TBA	1.00
11N20WMVF	0.75
11N20WMVFA	0.25
11N2434SWTBF	1.10
11N2434SWTBFA	1.50
11N2434SWTBP	0.50
11N2434SWTBPA	0.80
11N2434TBA	1.00
11N2436SWTBF	1.10
11N2436SWTBFA	1.30
11N2436SWTBP	0.50
11N2436SWTBPA	0.80
11N2436TBA	1.00
11N2437SWTBF	1.20
11N2437SWTBFA	1.30
11N2437SWTBP	0.50
11N2437SWTBPA	0.80
11N2437TBA	1.00
11N2448SWTBF	1.50
11N2448SWTBFA	1.10
11N2448SWTBP	0.90
11N2448SWTBPA	0.80
11N2448TBA	1.00
11N2449SWTBF	1.50
11N2449SWTBFA	1.10
11N2449SWTBP	0.90
11N2449SWTBPA	0.80
11N2449TBA	1.00
11N3034SWTBF	1.10
11N3034SWTBFA	1.60
11N3034SWTBP	0.50
11N3034SWTBPA	1.00
11N3034TBA	1.25
11N3036SWTBF	1.10
11N3036SWTBFA	1.50
11N3036SWTBP	0.50
11N3036SWTBPA	1.00
11N3036TBA	1.25
11N3037SWTBF	1.20
11N3037SWTBFA	1.50
11N3037SWTBP	0.50
11N3037SWTBPA	1.00
11N3037TBA	1.25
11N3048SWTBF	1.50
11N3048SWTBFA	1.30
11N3048SWTBP	0.90
11N3048SWTBPA	1.00
11N3048TBA	1.25
11N3049SWTBF	1.50
11N3049SWTBFA	1.30
11N3049SWTBP	0.90
11N3049SWTBPA	1.00
11N3049TBA	1.25

TACKABLE	YARDAGE
11N31WMVF	1.00
11N31WMVFA	0.25
11N34TCF	1.00
11N34TCFA	0.25
11N3634SWTBF	1.10
11N3634SWTBFA	1.80
11N3634SWTBP	0.50
11N3634SWTBPA	1.10
11N3634TBA	1.50
11N3636SWTBF	1.10
11N3636SWTBFA	1.60
11N3636SWTBP	0.50
11N3636SWTBPA	1.10
11N3636TBA	1.50
11N3637SWTBF	1.20
11N3637SWTBFA	1.60
11N3637SWTBP	0.50
11N3637SWTBPA	1.10
11N3637TBA	1.50
11N3648SWTBF	1.50
11N3648SWTBFA	1.50
11N3648SWTBP	0.90
11N3648SWTBPA	1.10
11N3648TBA	1.50
11N3649SWTBF	1.50
11N3649SWTBFA	1.50
11N3649SWTBP	0.90
11N3649SWTBPA	1.10
11N3649TBA	1.50
11N36TCF	1.25
11N36TCFA	0.25
11N37TCF	1.25
11N37TCFA	0.25
11N4234SWTBF	1.10
11N4234SWTBFA	2.00
11N4234SWTBP	0.50
11N4234SWTBPA	1.30
11N4234TBA	1.50
11N4236SWTBF	1.10
11N4236SWTBFA	1.80
11N4236SWTBP	0.50
11N4236SWTBPA	1.30
11N4236TBA	1.50
11N4237SWTBF	1.20
11N4237SWTBFA	1.80
11N4237SWTBP	0.50
11N4237SWTBPA	1.30
11N4237TBA	1.50
11N4248SWTBF	1.50
11N4248SWTBFA	1.60
11N4248SWTBP	0.90
11N4248SWTBPA	1.30
11N4248TBA	1.50
11N4249SWTBF	1.50
11N4249SWTBFA	1.60
11N4249SWTBP	0.90
11N4249SWTBPA	1.30

## COM YARDAGE REQUIREMENTS

TACKABLE	YARDAGE
11N4249TBA	1.50
11N4834SWTBF	1.10
11N4834SWTBFA	2.10
11N4834SWTBP	0.50
11N4834SWTBPA	1.50
11N4834TBA	1.75
11N4836SWTBF	1.10
11N4836SWTBFA	2.00
11N4836SWTBP	0.50
11N4836SWTBPA	1.50
11N4836TBA	1.75
11N4837SWTBF	1.20
11N4837SWTBFA	2.00
11N4837SWTBP	0.50
11N4837SWTBPA	1.50
11N4837TBA	1.75
11N4848SWTBF	1.50
11N4848SWTBFA	1.80
11N4848SWTBP	0.90
11N4848SWTBPA	1.50
11N4848TBA	1.75
11N4849SWTBF	1.50
11N4849SWTBFA	1.80
11N4849SWTBP	0.90
11N4849SWTBPA	1.50
11N4849TBA	1.75
11N48TCF	1.50
11N48TCFA	0.25
11N49TCF	1.50
11N49TCFA	0.25
11N5434TBA	2.00
11N5436TBA	2.00
11N5437TBA	2.00
11N5448TBA	2.00
11N5449TBA	2.00
11N6034TBA	2.00
11N6036TBA	2.00
11N6037TBA	2.00
11N6048TBA	2.00
11N6049TBA	2.00
26N2411SWTBA	0.80
26N2411TBA	0.80
26N2432TBA	0.80
26N2439TBA	0.80
26N3011SWTBA	1.00
26N3011TBA	1.00
26N3032TBA	1.00
26N3039TBA	1.00
26N3611SWTBA	1.10
26N3611TBA	1.10
26N3632TBA	1.10
26N3639TBA	1.20
26N4211SWTBA	1.30
26N4211TBA	1.30
26N4232TBA	1.30
26N4239TBA	1.30
26N4811SWTBA	1.50

TACKABLE	YARDAGE
26N4811TBA	1.50
26N4832TBA	1.50
26N4839TBA	1.50
26N5411SWTBA	1.60
26N5411TBA	1.60
26N5432TBA	1.70
26N5439TBA	1.70
26N6011SWTBA	1.80
26N6011TBA	1.80
26N6032TBA	1.80
26N6039TBA	1.80
26N6611SWTBA	2.00
26N6611TBA	2.00
26N6632TBA	2.00
26N6639TBA	2.00
26N7211SWTBA	2.10
26N7211TBA	2.10
26N7232TBA	2.20
26N7239TBA	2.20
NAC1811TBRA	1.00
NAC1819TBRA	0.75
NAC1819TBRA	0.75
NAC2211TBDA2	0.75
NAC2211TBRA	1.00
NAC2811TBRA	1.00
NAC3017TBRA	1.00
NAC3018TBRA	1.00
NAC3019TBRA	1.00
NAC3019TBRA	1.00
NAC3219TBRA	1.00
NAC3220TBM	0.70
NAC3220TBMA	1.00
NAC3519TBRA	1.25
NAC3617TBRA	1.25
NAC3618TBRA	1.25
NAC3619TBRA	1.25
NAC3619TBRA	1.25
NAC3819TBRA	1.50
NAC3820TBM	0.70
NAC3820TBMA	1.20
NAC3916TBRA	1.50
NAC4219TBRA	1.50
NAC4219TBRA	1.50
NAC4419TBRA	1.50
NAC4420TBM	0.70
NAC4420TBMA	1.40
NAC4516TBRA	1.50
NAC4619TBRA	1.50
NAC4810TBDA	1.50
NAC4811TBDA	1.50
NAC4819TBRA	1.50
NAC4819TBRA	1.50
NAC4919TBRA	1.50
NAC5019TBRA	1.50
NAC5219TBRA	1.75
NAC5417TBRA	1.60
NAC5419TBRA	1.75

COM YARDAGE

## COM YARDAGE REQUIREMENTS

TACKABLE	YARDAGE
NAC5517TBRA	1.60
NAC5616TBRA	1.70
NAC5619TBRA	1.75
NAC5620TBM	N/A
NAC5620TBMA	1.70
NAC5710TBDA	1.75
NAC5711TBDA	1.75
NAC5716TBRA	1.75
NAC5720TBRA	1.70
NAC5819TBRA	1.75
NAC6010TBDA	2.00
NAC6011TBDA	2.00
NAC6017TBRA	2.00
NAC6019TBRA	2.00
NAC6019TBSA	2.00
NAC6114TBDA	2.00
NAC6117TBRA	2.00
NAC6119TBRA	2.00
NAC6216TBRA	2.00
NAC6219TBRA	2.00
NAC6316TBRA	2.00
NAC6317TBRA	2.00
NAC6319TBRA	2.00
NAC6320TBRA	2.00
NAC6414TBDA	2.00
NAC6415TBDA	2.00
NAC6419TBRA	2.00
NAC6617TBRA	2.00
NAC6619TBRA	2.00
NAC6619TBSA	2.00
NAC6713TBDA	2.00
NAC6714TBDA	2.00
NAC6717TBRA	2.00
NAC6719TBRA	2.00
NAC6813TBDA	2.00
NAC6816TBRA	2.00
NAC6819TBRA	2.00
NAC6820TBMA	2.10
NAC6912TBDA	2.00
NAC6916TBRA	2.25
NAC6917TBRA	2.25
NAC6919TBRA	2.25
NAC6920TBRA	2.25
NAC7014TBDA	2.25
NAC7015TBDA	2.25
NAC7019TBRA	2.25
NAC7212TBDA	2.25
NAC7219TBRA	2.25
NAC7219TBSA	2.25
NAC7317TBRA	2.10
NAC7419TBRA	2.25
NAC7420TBRA	2.20
NAC7517TBRA	2.20
NAC7616TBRA	2.20
NAC7619TBRA	2.25

TACKABLE	YARDAGE
NAC7917TBRA	2.30
NAC8020TBRA	2.30
NAC8117TBRA	2.40
NAC8219TBRA	2.50
NAC8416TBRA	2.50
NAC8819TBRA	2.75
NAC2132PVMC2PFA	1.50
NAC2432PVMC2PFA	1.75
NAC2732PVMC2PFA	1.75
NAC3032PVMC2PFA	2.00
NAC3632PVMC2PFA	2.25
NAC4232PVMC2PFA	2.60
NAC4832PVMC2PFA	3.00
NAC5432PVMC2PFA	3.25
NAC6032PVMC2PFA	3.60
NAC6632PVMC2PFA	4.00
NAC7232PVMC2PFA	4.25
NAC2124PVC2PFA	0.75
NAC2424PVC2PFA	1.00
NAC2724PVC2PFA	1.00
NAC3024PVC2PFA	1.00
NAC3624PVC2PFA	1.25
NAC4224PVC2PFA	1.50
NAC4824PVC2PFA	1.50
NAC5424PVC2PFA	1.75
NAC6024PVC2PFA	2.00
NAC6624PVC2PFA	2.00
NAC7224PVC2PFA	2.25
NAC2118PVS2PFA	0.75
NAC2418PVS2PFA	1.00
NAC2718PVS2PFA	1.00
NAC3018PVS2PFA	1.00
NAC3618PVS2PFA	1.25
NAC4218PVS2PFA	1.50
NAC4818PVS2PFA	1.50
NAC5418PVS2PFA	1.75
NAC6018PVS2PFA	2.00
NAC6618PVS2PFA	2.00
NAC7218PVS2PFA	2.25
71N4518PVBPFA	1.50
71N5118PVBPFA	2.00
71N5718PVBPFA	2.00
71N6318PVBPFA	2.00
71N6918PVBPFA	2.50
71N4623PVC2PFA	1.50
71N5223PVC2PFA	2.00
71N5823PVC2PFA	2.00
71N6423PVC2PFA	2.00
71N7023PVC2PFA	2.50
71N3824PVBPFA	1.50
71N4424PVBPFA	1.50
71N5024PVBPFA	2.00
71N5624PVBPFA	2.00
71N6224PVBPFA	2.00