
ARLINGTON

Product Specifications	48
Fabrics and Options	49
Product Pages	50
COM Yardage Requirements	52



ARLINGTON PRODUCT SPECIFICATIONS

FRAME CONSTRUCTION

- Interior and exterior frame constructed of kiln-dried hardwoods, with joints double doweled and securely glued for maximum joint stability
- Tie screws are installed at all critical joints for added strength
- 48-E model side-to-side rails provide strength and mounting platform for the swivel tilt mechanism
- Guest conference models have seat joints supported with additional corner blocks secured with high tensile screws

SEAT AND BACK CONSTRUCTION

- High grade polyurethane foam covers high tension strip webbing for comfort
- 64X-GWXX back offers a high grade polyurethane foam covering a non-stretch suspension with an extra layer of suspension in the lumbar area for increased support

CONTROL MECHANISM/LIFT (48-EK)

- A standard knee tilt mechanism with a forward locking lever, features a heavy-duty adjustable tension spring for a variety of body sizes
- The standard pneumatic gas cylinder lift allows the seat to raise and lower 2½" and provides spring action for added comfort
- Fingertip adjustment is quick and easy

CONTROL MECHANISM/LIFT (48-ES)

- The standard swivel tilt control features a heavy-duty adjustable tension spring for a variety of body sizes. Made of heavy-duty steel, it operates on dual coil springs with self-lubricating nylon bushings and a quiet rubber stop cushion
- The standard pneumatic gas cylinder lift allows the seat to raise and lower 2½" and provides spring action for added comfort

BASE AND CASTERS

- A 5-prong, rigid steel understructure base ensures long life
- Caster posts fit directly into steel sleeves, greatly reducing caster socket failure
- A self-lubricating nylon hub liner is standard
- Decorative hardwood caps complement the chair design
- English hooded ball casters are standard

JURY BASE

- Pneumatic jury base
- Auto return swivel



GLIDES

- Guest models feature non-marring nylon glides

TUFTING

- Button tufting utilizes a metal prong unit pulled through both the foam and fabric, then inserted through a self-locking steel washer that is clinched for long life

TRIM NAILS

- Decorative antique brass trim nails are individually hand applied to the arm and seat base for a clean, tailored appearance

FINISH

- All finishes feature a catalyzed top coat which resists denting, peeling and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

WOOD SPECIES

- Maple



All Arlington models may be ordered to meet TB133 fire code.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: 48-EKF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, COM, Designtex, Maharam, Momentum, Stinson, or Ultrafabrics fabric.

FABRICS

Grade 1	Cali Input Plush Ridge Stardust Vessel	Grade 3	COL Jacks Silvertex	Grade 6	Essence/Ultraleather
Grade 2	Bliss Brilliant COM Dorset Orbit Phrase Pixie Sedona Strand	Grade 4	Connect Four Echo Masquerade	Grade 7	Brisa Brisa Distressed Reef Pro Silica Silica Etch Tottori
		Grade 5	Mode	Grade L7	Davenport
				Grade L8	Florence

FINISHES

AC	Autumn	PB	Portobello
AD	Almond	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	405	Designer White
IM	Brighton	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*
NM	Natural		

*Acorn is the finish complement to
Clear Walnut finish

ARLINGTON

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

• See page 49 for Arlington options

Due to the contour shapes and tufted appearance, striped patterns are not recommended on tufted models. Should you require such a selection, such orders are not subject to return.

See page 52 for COM fabric yardage

HIGH BACK WRAPPED ARMS



MODEL NO.


GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
48-EK	Knee Tilt	\$	1797	1875	1907	1965	2026	2131	2270	2931	3146
48-EKN	Knee Tilt/Trim Nails		1797	1875	1907	1965	2026	2131	2270	2931	3146
48-ES	Swivel Tilt		1570	1659	1695	1761	1831	1950	2108	2860	3105
48-ESN	Swivel Tilt/Trim Nails		1570	1659	1695	1761	1831	1950	2108	2860	3105
48-EKJ	Knee Tilt, Jury Base		2058	2136	2168	2226	2287	2392	2531	3192	3407
48-EKNJ	Knee Tilt/Trim Nails, Jury Base		2058	2136	2168	2226	2287	2392	2531	3192	3407
48-ESJ	Swivel Tilt, Jury Base		1831	1920	1956	2022	2092	2211	2369	3121	3366
48-ESNJ	Swivel Tilt/Trim Nails, Jury Base		1831	1920	1956	2022	2092	2211	2369	3121	3366

DIMENSIONS

		48-EK & EKN		48-ES & ESN			
Width	26½	Height	37¾-40¾	Height	38½-41¼	Weight	50
Depth	30¾	Arm Height	25¾-28¾	Arm Height	26-28¾	Cubic Ft.	15.9
Seat Depth	18½	Seat Height	17½-20½	Seat Height	18½-21¼		
Seat Width	23½						

GUEST WRAPPED ARMS




			1	2/COM	3/COL	4	5	6	7	L7	L8
48-GC		\$	1196	1274	1306	1364	1425	1530	1669	2330	2545
48-GCN	Trim Nails		1196	1274	1306	1364	1425	1530	1669	2330	2545

DIMENSIONS

Width	26	Arm Height	26¾	Seat Width	19¾	Weight	43
Depth	28	Seat Height	19½			Cubic Ft.	15.9
Height	38½	Seat Depth	19				


GUEST CLUB



			1	2/COM	3/COL	4	5	6	7	L7	L8
451	Non-tufted/Trim Nails, Static	\$	1240	1329	1365	1431	1501	1620	1778	2530	2775
451T	Tufted/Trim Nails, Static		1282	1379	1419	1491	1566	1696	1869	2690	2956
452	Non-tufted/Trim Nails, Mobile	\$	1259	1348	1384	1450	1520	1639	1797	2549	2794
452T	Tufted/Trim Nails, Mobile		1296	1393	1433	1505	1580	1710	1883	2704	2970

DIMENSIONS

Width	28¾	Arm Height	25¾	Seat Width	20	Weight	52
Depth	27¾	Seat Height	19½			Cubic Ft.	15.0
Height	32	Seat Depth	19				



TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

• See page 49 for Arlington options

Due to the contour shapes and tufted appearance, striped patterns are not recommended on tufted models. Should you require such a selection, such orders are not subject to return.


See page 52 for COM fabric yardage

GUEST CAPTAIN



MODEL NO.	GRADE / LIST PRICE										
		1	2/COM	3/COL	4	5	6	7	L7	L8	
72X-GUXX	Non-tufted	\$ 775	807	821	845	870	913	971	1244	1333	
72X-GUXT	Non-tufted/Trim Nails	779	811	825	849	874	917	975	1248	1337	
DIMENSIONS											
Width	25¼	Arm Height	26	Seat Width	18½	Weight	36				
Depth	22¼	Seat Height	18½	Weight		Cubic Ft.	14.6				
Height	30½	Seat Depth	18								

GUEST WOOD ARMS



MODEL NO.	GRADE / LIST PRICE										
		1	2/COM	3/COL	4	5	6	7	L7	L8	
64X-GWXX		\$ 863	900	915	942	970	1019	1085	1395	1495	
DIMENSIONS											
Width	22¼	Arm Height	25¼	Seat Width	19½	Weight	27				
Depth	25	Seat Height	17¼	Weight		Cubic Ft.	16.6				
Height	35	Seat Depth	17¼								

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
451		3.30	4.05	5.35	5.90	67
451T		3.60	4.15	5.30	5.90	73
452		3.30	4.05	5.35	5.90	67
452T		3.60	4.15	5.30	5.90	73
48-EK, 48-EKN		2.90	3.10	3.90	3.90	59
48-ES, 48-ESN		2.90	3.10	3.90	3.90	59
48-GC, 48-GCN		2.90	3.10	3.90	3.90	59
64X-GWXX		1.36	1.58	2.97	2.97	28
72X-GUXT, 72-GUXX		1.20	1.70	1.80	2.20	25