
FIERCE

Product Specifications	188
Fabrics and Options	188
Product Pages	189



FIERCE

FIERCE PRODUCT SPECIFICATIONS

BACK AND SEAT CONSTRUCTION

- Injection molded frame

MESH

- Elastomer (Hytrel) 40% and Polyester 60%
- Cleaning code: W

ARMS

- Encased uprights are made of reinforced glass filled nylon
- Height adjustable arm adjusts in height with a push button to one of 6 positions with a 3 $\frac{3}{8}$ " range

CONTROL

- Weight balanced synchro control with seat slide
- 3 positions available in the seat slide depth adjustment range of 1 $\frac{1}{4}$ "

BASE AND CASTERS

- Black nylon 5-prong base features glass filled nylon
- Black, hard double wheel casters, which work on multiple surfaces, are standard
- Black, soft double wheel casters are available for use on hard floors



UPHOLSTERY

Black Mesh only



Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 8 for additional program information.

TO ORDER, SPECIFY:

1. Model Number

**BLACK MESH BACK
BLACK SEAT
HEIGHT ADJUSTABLE
ARMS**



48

MODEL NO.

LIST PRICE

N76MM2SB		\$ 613
N10CSC4	Set of 5 Soft Casters	36

DIMENSIONS

Width	26¼	Seat Height	16½-20¼	Arm Height	27¼-31	Weight	40
Depth	28	Seat Depth	16¾-18½	Back Height	22¾	Cubic Ft.	6.05
Height	37¾-41¼	Seat Width	18¾	Back Width	16¾		

- Specify model number only
- Ships KD, tool included

