

---

# KARID

Product Specifications	338
Fabrics and Options	339
Contrasting Fabrics Specifications	340
Product Pages	341
COM Yardage Requirements	342

## KARID PRODUCT SPECIFICATIONS

### BACK CONSTRUCTION

- Back consists of a metal frame with a 1½" thick polyurethane molded foam overlay with horizontal decorative stitching

### HEADREST CONSTRUCTION

- Headrest on high back unit has 4¼" thick molded foam

### SEAT CONSTRUCTION

- Seat consists of a plywood core panel with a 4" molded polyurethane foam with piping around the seat edge

### ARM CONSTRUCTION

- Static arms are aluminum with a polyurethane black arm cap

### CONTRASTING FABRICS

- Contrasting fabric available on all models except the 48 hour Quick Delivery

### CONTROL MECHANISM—SYNCHRONOUS TILT


- In synchronous one lock tilt, the backrest and seat pan of a chair recline at a different ratio. For every 2" of back recline, the seat angle tilts 1" (2:1 ratio) as you lean back. This minimizes the seat pan rise as you tilt, allowing your feet to remain on the floor while your gaze remains straight ahead
- Tension control allows for greater spring tension control for a firmer or softer tilting motion. Turn knob counterclockwise to decrease. Tension control is important so that a chair can be adjusted to accommodate users of different body types and sizes and for different work styles. It regulates the amount of resistance you feel when leaning back in the chair, and the effort required to recline backwards

### HEIGHT ADJUSTMENT

- The pneumatic height adjustment raises or lowers the seat to the desired height
- Seat height should be adjusted to allow your legs to maintain a 90° angle to the floor or footrest. This keeps pressure off the back of your legs, so blood flow isn't restricted
- 5-star swivel base gives 5" of height adjustment and swivels 360°
- Base comes in polished aluminum or black nylon

### CASTERS

- Black/polished 65mm, hard dual-wheel casters are standard
- Soft dual-wheel casters are available as an option on configurable task models



**FABRICS**

- Grade 1 Cali  
 Entwine  
 Input  
 Melange  
 Ridge  
 Spark  
 Vessel  
 Zig Zag

- Grade 2 Bliss  
 Brilliant  
 COM  
 Dolce  
 Dorset  
 Intuition  
 Orbit  
 Phrase  
 Pixie  
 Sedona  
 Stencil  
 Strand

- Grade 3 COL  
 Silververtex

- Grade 4 Connect Four  
 Echo  
 Masquerade

- Grade 5 Mode

- Grade 6 Essence/Ultraleather

- Grade 7 Brisa  
 Brisa Distressed  
 Reef Pro  
 Silica  
 Silica Etch  
 Tottori

- Grade L7 Davenport

- Grade L8 Florence

**BASE**

- 462 Black  
 497 Polished Aluminum (add \$121 list)

**CASTERS**

- C62 Hard 65mm Polished/Black Dual Wheel  
 For Use On Carpet  
 C63 Soft 65mm Polished/Black Dual Wheel  
 For Use On Hard Floors (add \$37 list)

**PACK**

- KD Ready To Assemble  
 FA Full Assembly (add \$104 list)

## TO ORDER CONTRASTING FABRIC, SPECIFY


---

### KARID

Mid Back page 341

High Back page 341

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Seat Fabric Grade Number/Cover Number
4. Base
5. Casters



Contrasting Upholstery



Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 8 for additional program information.

**TO ORDER, SPECIFY:**

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Base
5. Casters

- See page 339 for Karid options
- See page 342 for COM fabric yardage

**EXECUTIVE MID BACK  
CONFERENCE ARMS  
SYNCHRONOUS**



48

**MODEL NO.**

**GRADE / LIST PRICE**

N42BME8SA Black Faux Leather, Polished Aluminum Base \$ 1032

**DIMENSIONS**

Width	25¼	Seat Height	16½-21¼	Arm Height	24¼	Weight	46.3
Depth	25½	Seat Depth	18¼	Arm Width	2	Cubic Ft.	7.1
Height	38¼	Seat Width	19¼				

- Pack option is not available on Quick Delivery models

**EXECUTIVE MID BACK  
CONFERENCE ARMS  
SYNCHRONOUS**




	1	2/COM	3/COL	4	5	6	7	L7	L8
N42ME8S	\$ 1571	1619	1640	1676	1714	1780	1867	2281	2413

**DIMENSIONS**

Width	25¼	Seat Height	16½-21¼	Arm Height	24¼	FA Weight	47
Depth	25½	Seat Depth	18¼	Arm Width	2	KD Weight	45.9
Height	38¼	Seat Width	19¼			FA Cubic Ft.	14.4
						KD Cubic Ft.	15

- Contrasting fabric option – specify X (i.e., N42ME8SX); see page 340. For list pricing, use your electronic specification tool or contact customer service

**EXECUTIVE HIGH BACK  
CONFERENCE ARMS  
SYNCHRONOUS**



	1	2/COM	3/COL	4	5	6	7	L7	L8
N42HE8S	\$ 1674	1732	1757	1800	1845	1924	2029	2525	2684

**DIMENSIONS**

Width	25¼	Seat Height	16½-21¼	Arm Height	24¼	FA Weight	51
Depth	25½	Seat Depth	18¼	Arm Width	2	KD Weight	50.8
Height	47¼	Seat Width	19¼			FA Cubic Ft.	27.7
						KD Cubic Ft.	18.5

- Contrasting fabric option – specify X (i.e., N42HE8SX); see page 340. For list pricing, use your electronic specification tool or contact customer service

## COM YARDAGE REQUIREMENTS

### COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N42HE8S		1.80	2.40	3.10	4.70	34.87
N42HE8SX	Back	1.30	1.60	2.80	4.00	25.46
	Seat	0.90	1.10	1.40	1.70	18.82
N42ME8S		1.50	2.10	3.00	3.70	29.6
N42ME8SX	Back	1.00	1.40	2.70	3.00	19.92
	Seat	0.90	1.10	1.40	1.70	18.82