
POWER/DATA ELECTRICAL

POWER/DATA ELECTRICAL

POWER/DATA ELECTRICAL SPECIFICATIONS

PIVOTING POWER GROMMET (MHO-B) (G12A, G12B, AND G12C)

- Field installable
- 1 touch door remains open during use
- Silver, black, or white powder coat
- (G12A) 2 power outlets, 1 blank port and 1 dual USB-A port
- (G12B) 2 power outlets and 2 USB-A + C combo
- (G12C) 4 power outlets with 72" circuit breaker cord
- Must be ordered separately and installed in the field – top should be ordered with CUT-G12C option
- Hardwire available
- Specify model number only
- 6 ft. cord
- UL Listed

GLENBEIGH PIVOTING POWER GROMMET (G17A, G17B, G17C)

- 1 touch hinged door remains open during use
- Accommodates table thickness of ¾"-1¾"
- 10 ft. power cord with 3-prong molded plug
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- 15 amp, 120v (hardwire models)
- 10 ft. metal conduit (hardwire models)
- UL Listed
- G17A available with 2 power outlets
- G17B available with 1 power outlet and 1 USB-A + C combo port
- G17C available with 1 power outlet

POWER GROMMET (G23)




- Field installable when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes 2 power outlets and 2 power USB ports
- Silver, black, or white
- Hardwire available
- 9 foot, 15 amp cord
- UL Listed

SIDEKICK

- Felt sofa arm overlay
- Heather Gray unit features power and a braided cord in Poppy. Camel unit features a power and braided cord in Dusk
- 108" cord
- Features a felt pocket to store items while charging
- ETL and UL Listed

TO ORDER, SPECIFY:





1. Model Number

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
PIVOTING POWER GROMMET (MHO-B) (G12A)  NACG12AELPGB	NACG12AELPGB Black	\$ 609	4%	8%	1½	—	—	2 lbs.	0.2
	NACG12AELPGS Silver	609	4%	8%	1½	—	—	2 lbs.	0.2
	NACG12AELPGW White	609	4%	8%	1½	—	—	2 lbs.	0.2
	NACG12AELHCB Hardwire, Black	\$ 609	4%	8%	1½	—	—	3 lbs.	0.2
	NACG12AELHCS Hardwire, Silver	609	4%	8%	1½	—	—	3 lbs.	0.2
	NACG12AELHCW Hardwire, White	609	4%	8%	1½	—	—	3 lbs.	0.2
	• 2 power outlets, 1 dual USB-A port, and 1 blank port • Units are powder coated								
PIVOTING POWER GROMMET (MHO-B) (G12B)  NACG12BELPGB	NACG12BELPGB Black	\$ 652	4%	8%	1½	—	—	2 lbs.	0.2
	NACG12BELPGS Silver	652	4%	8%	1½	—	—	2 lbs.	0.2
	NACG12BELPGW White	652	4%	8%	1½	—	—	2 lbs.	0.2
	NACG12BELHCB Hardwire, Black	\$ 652	4%	8%	1½	—	—	3 lbs.	0.2
	NACG12BELHCS Hardwire, Silver	652	4%	8%	1½	—	—	3 lbs.	0.2
	NACG12BELHCW Hardwire, White	652	4%	8%	1½	—	—	3 lbs.	0.2
	• 2 power outlets and 2 USB-A + C ports • Units are powder coated								
PIVOTING POWER GROMMET (MHO-B) (G12C)  NACG12CELPGB	NACG12CELPGB Black	\$ 451	4%	8%	1½	—	—	2 lbs.	0.2
	NACG12CELPGS Silver	451	4%	8%	1½	—	—	2 lbs.	0.2
	NACG12CELPGW White	451	4%	8%	1½	—	—	2 lbs.	0.2
	NACG12CELHCB Hardwire, Black	\$ 451	4%	8%	1½	—	—	3 lbs.	0.2
	NACG12CELHCS Hardwire, Silver	451	4%	8%	1½	—	—	3 lbs.	0.2
	NACG12CELHCW Hardwire, White	451	4%	8%	1½	—	—	3 lbs.	0.2
	• 4 power outlets with 72" circuit breaker cord • Units are powder coated								

POWER/DATA ELECTRICAL

TO ORDER, SPECIFY:


1. Model Number

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
1 TOUCH PIVOTING POWER GROMMET (G17A) 	NACG17AELPGB Black	\$ 345	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELPGS Silver	345	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELPGW White	345	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELHCB Hardwire, Black	\$ 364	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELHCS Hardwire, Silver	364	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELHCW Hardwire, White	364	4¼	5¼	2½	—	—	3 lbs.	0.15
	<ul style="list-style-type: none"> • Includes 2 power outlets • Units are powder coated • See page 608 for details 								
1 TOUCH PIVOTING POWER GROMMET (G17B) 	NACG17BELPGB Black	\$ 354	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELPGS Silver	354	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELPGW White	354	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELHCB Hardwire, Black	\$ 428	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELHCS Hardwire, Silver	428	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELHCW Hardwire, White	428	4¼	5¼	2½	—	—	3 lbs.	0.15
	<ul style="list-style-type: none"> • Includes 1 power outlet and 1 dual USB-A + C combo • Units are powder coated • See page 608 for details 								
1 TOUCH PIVOTING POWER GROMMET (G17C) 	NACG17CELPGB Black	\$ 340	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELPGS Silver	340	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELPGW White	340	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELHCB Hardwire, Black	\$ 359	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELHCS Hardwire, Silver	359	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELHCW Hardwire, White	359	4¼	5¼	2½	—	—	3 lbs.	0.15
	<ul style="list-style-type: none"> • Includes 1 power outlet • Units are powder coated • See page 608 for details 								
POWER GROMMET (G23) 	NACG23ELB Black	\$ 499	2½	4½	3¼	—	—	2.3 lbs.	0.2
	NACG23ELS Silver	499	2½	4½	3¼	—	—	2.3 lbs.	0.2
	NACG23ELHCB Black/Hardwire Chicago	\$ 556	2½	4½	3¼	—	—	2.3 lbs.	0.2
	NACG23ELHCS Silver/Hardwire Chicago	556	2½	4½	3¼	—	—	2.3 lbs.	0.2
	<ul style="list-style-type: none"> • Not intended for use on conference tables • Includes 2 power outlets and 2 power USB ports • Units are powder coated 								

TO ORDER, SPECIFY:

1. Model Number


POWER/USB GROMMET - PLUGGED



MODEL NO.		LIST PRICE	CARTONED WEIGHT	CUBIC FEET
NACG35AELPGB	Black	\$ 444	1.5 lbs.	0.3
NACG35AELPGS	Silver	444	1.5 lbs.	0.3
NACG35AELPGW	White	444	1.5 lbs.	0.3

- Features 1 power outlet and 1 USB (A+C) combo ports
- Includes black 72" long 3-prong power cord
- Power outlet provides 15 amps


POWER/USB GROMMET HARDWIRE



NACG35AELHCB	Hardwire, Black	\$ 513	1.75 lbs.	0.3
NACG35AELHCS	Hardwire, Silver	513	1.75 lbs.	0.3
NACG35AELHCW	Hardwire, White	513	1.75 lbs.	0.3

- Features 1 power outlet and 1 USB (A+C) combo ports
- Metal conduit hardwire is 72" long
- Power outlet provides 15 amps


POWER/USB GROMMET 4-TRAC



NACG35AELPDB	Black	\$ 456	2.0 lbs.	0.3
NACG35AELPDS	Silver	456	2.0 lbs.	0.3
NACG35AELPDW	White	456	2.0 lbs.	0.3

- Non-sequential daisy chain solution
- Must use with power entry and electrical kit
- Features 1 power outlet and 1 USB (A+C) combo ports
- 36" long cord
- Up to 20 grommets can be linked together for each power entry


POWER/USB GROMMET - PLUGGED



NACG38AELPGB	Black	\$ 385	1.5 lbs.	0.3
NACG38AELPGS	Silver	385	1.5 lbs.	0.3
NACG38AELPGW	White	385	1.5 lbs.	0.3

- Features 1 power outlet and 1 USB (A+C) combo ports
- Includes black 108" long 3-prong power cord
- Power outlet provides 15 amps

POWER/USB GROMMET HARDWIRE



NACG38AELHCB	Hardwire, Black	\$ 464	1.75 lbs.	0.3
NACG38AELHCS	Hardwire, Silver	464	1.75 lbs.	0.3
NACG38AELHCW	Hardwire, White	464	1.75 lbs.	0.3


- Features 1 power outlet and 1 USB (A+C) combo ports
- Metal conduit hardwire is 108" long
- Power outlet provides 15 amps

POWER/DATA ELECTRICAL

TO ORDER, SPECIFY:

1. Model Number


POWER ENTRY 4-TRAC



Plug View

MODEL NO.	DESCRIPTION	LIST PRICE	CARTONED WEIGHT	CUBIC FEET
NAC72ELE4H	72" Hardwire	\$ 151	1.95 lbs.	0.38
NAC48ELE4P	48" Plug	220	1.95 lbs.	0.38
NAC72ELE4P	72" Plug	249	1.95 lbs.	0.38


- Must be ordered with 4-Trac electrical kit and 4-Trac power/USB grommet
- 1 power entry is necessary to power 1 or multiple units
- Power entry provides 20 amps



ELECTRICAL KIT 4-TRAC

NACEL4KTA1	1 H-Block, 42" Jumper Male / Male End	\$ 105	1.36 lbs.	0.38
------------	---------------------------------------	--------	-----------	------

UNDERMOUNT USB POWER UNIT




NAC03ELUPDC	Black only	\$ 287	2 lbs.	0.3
-------------	------------	--------	--------	-----

DIMENSIONS

Width	3
Depth	3
Height	1½

- Can be mounted to the underside of any flat surface
- Features 1 power outlet and 2 USB (A) ports
- 72" 15 amp cord

TULLY




NAC06ELPG3TUAW	White	\$ 466	3.05 lbs.	0.40
NAC06ELPG3TUAB	Black	466	3.05 lbs.	0.40
NAC06ELPG3TUAG	Fog	466	3.05 lbs.	0.40

DIMENSIONS

Width	5%
Depth	2¼
Height	12¾

- 120" cord
- Includes 2 USB-A, 1 USB-C and Power

SIDEKICK



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
NAC29ELPG2SKAG Heather Gray Felt	\$ 387	2¾	15	29½	—	—	2 lbs.	0.59
NAC29ELPG2SKAC Camel Felt	387	2¾	15	29½	—	—	2 lbs.	0.59

- Felt sofa arm overlay
- Includes 1 power, 1 Dual USB-A, and felt pocket
- Heather Gray unit features power and a braided cord in Poppy. Camel unit features a power and braided cord in Dusk
- 108" power cord
- UL Listed