
CONFERENCE TABLE BASES

Product Specifications	144
Options	145
Wood/Laminate Bases	146
Metal Bases	155

CONFERENCE TABLE BASES

SQUARE BASES

- Veneer is slipmatched maple for all finishes except Almond, Portobello and Sable (quarter cut walnut), Sonoma (quarter cut oak), and Clear Walnut (plain sliced bookmatched walnut)
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- All joints are securely fastened by screws, dowels and fasteners to ensure maximum strength
- Wire access door features removable panel

CYLINDER BASES

- Veneer is slipmatched maple for all finishes except Almond, Portobello and Sable (quarter cut walnut), Sonoma (quarter cut oak), and Clear Walnut (plain sliced bookmatched walnut)
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- Wire access door is hinged with touch latch

PANEL BASE KITS AND THICK PANELS

- Veneer is slipmatched maple for all finishes except Almond, Portobello and Sable (quarter cut walnut), Sonoma (quarter cut oak), and Clear Walnut (plain sliced bookmatched walnut)
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- All joints are securely fastened by screws, dowels and fasteners to ensure maximum strength
- Wire access door features removable panel
- Panel base kit features 2 support rails that run from base to base

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

METAL BASES

- Bases are formed metal with a powder coat finish
- Both mobile and fixed height bases are available
- Mobile bases have locking casters
- Glides are standard on fixed height bases
- Oval wire management cutout optional on some bases for an additional upcharge

TABLE BASE GUIDE CAN BE FOUND ON PAGES 40-59

DIMENSION KEY	
D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

WOOD FINISHES

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
EW	Clear Walnut*
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
SM	Sonoma
TF	Truffle
792	Sable

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2	Autumn 2
AD	Almond
BZ	Brazilwood
CI	Chai
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
KN	Kona
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PC	Porcini
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
WL	Willow
792	Sable
793	Acorn*

SOLID LAMINATE

405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear


GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 18 for Gallery program details and upcharges

*Acorn is the laminate complement to Clear Walnut finish

BASE DETAIL OPTIONS



Basic (P1)



Barrington (P2)
(wood only)




Escalade (P3)
(wood only)

TAPERED BASE PAINT COLORS

405	Designer White
423	Concrete
462	Cinder
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

EPIC BASE DETAIL



FOOT COLORS (EPIC ONLY)

FR462	Cinder
FR501	Platinum Metallic
FR503	Satin Nickel Metallic

METAL BASE COLUMN PAINT COLORS


405	Designer White
423	Concrete
462	Cinder
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

METAL BASE FOOT PAINT COLORS

265	Polished
405	Designer White
423	Concrete
462	Cinder
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

METAL BASE COLUMN WIRE MANAGEMENT

- Ellipse shaped wire management cutout optional
- | | |
|-----|------------------------|
| CUL | Cutouts, Upper & Lower |
| CU | Cutout, Upper |
| X | No Cutout |
- \$25 list upcharge for cutout



QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Finish/Laminate: Must specify Honey (HN/HN2), Amber (MC) or Cordovan (CW)

CONFERENCE TABLE BASES

CONFERENCE TABLE BASES



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Finish (wood only)
4. Laminate (laminated only)

SAMPLE MODEL NUMBER:

BW-16 CW

- See page 145 for all options available in Conference Table Bases

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
		D	W	H	A	KW			
CYLINDER BASE (NO WIRE ACCESS)		WOOD		DI		H			
BW-16	16" Diameter	\$ 1298	16	—	27¾	—	—	145 lbs.	5.3
QBW-18	18" Diameter	1448	18	—	27¾	—	—	160 lbs.	5.3
BW-18	18" Diameter	1448	18	—	27¾	—	—	160 lbs.	5.3
BW-24	24" Diameter	1497	24	—	27¾	—	—	180 lbs.	7.2
LAMINATE									
BP-16	16" Diameter	\$ 773	16	—	27¾	—	—	145 lbs.	5.3
QBP-18	18" Diameter	962	18	—	27¾	—	—	160 lbs.	5.3
BP-18	18" Diameter	962	18	—	27¾	—	—	160 lbs.	5.3
BP-24	24" Diameter	1111	24	—	27¾	—	—	180 lbs.	7.2

- Do not specify base detail
- Bases are weighted for stabilization
- Reference pages 40-59 for table base guide
- Adjustable glides standard

CYLINDER BASE WITH WIRE ACCESS



Basic (P1)

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
		D	W	H	A	KW			
WOOD									
10N1628CYBW	16" Diameter	\$ 2136	16	—	27¾	—	—	145 lbs.	6.3
10N1828CYBW	18" Diameter	2313	18	—	27¾	—	—	150 lbs.	5.3
10N2428CYBW	24" Diameter	2492	24	—	27¾	—	—	180 lbs.	7.2
LAMINATE									
10N1628CYBL	16" Diameter	\$ 1497	16	—	27¾	—	—	145 lbs.	6.3
10N1828CYBL	18" Diameter	1674	18	—	27¾	—	—	150 lbs.	5.3
10N2428CYBL	24" Diameter	2207	24	—	27¾	—	—	180 lbs.	7.2

- Only the Basic (P1) option is available
- Bases are weighted for stabilization
- Reference pages 40-59 for table base guide
- Base has wire access with access to floor mounted electrical
- Adjustable glides standard
- 6" diameter opening

CONFERENCE TABLE BASES

WOOD/LAMINATE

CONFERENCE TABLE BASES




TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Finish (wood only)
4. Laminate (laminated only)

SAMPLE MODEL NUMBER:

10N6027TPBW AD
 10N6027TPBP 423
 BW-1616 CW

• See page 145 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED CUBIC		
			D	W	H	A	KW	WEIGHT	FEET
TAPERED BASES WITH WIRE ACCESS 	10N6027TPBW Wood	\$ 5400	60	27 $\frac{3}{4}$	—	—	lbs.		
	10N6027TPBP Painted	3696	60	27 $\frac{3}{4}$	—	—	lbs.		
	<ul style="list-style-type: none"> • To support a 96" round top • Features a 12" taper • 2 pc. base (assembly required) • Can be used with a G10 or G15 grommet 								
	10N3627TPBW Wood	\$ 5195	36 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	lbs.		
	10N3627TPBP Painted	3492	36 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	lbs.		
	<ul style="list-style-type: none"> • To support a 72" or 60" round top • Features a 10" taper • Can be used with a G10 or G15 grommet 								
TAPERED BASES NO WIRE ACCESS 	10N2427TPBW Wood	\$ 5094	24 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	lbs.		
	10N2427TPBP Painted	3389	24 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	lbs.		
	<ul style="list-style-type: none"> • To support a 54", 48", or 42" round or square top • Features a 9" taper • Can be used with a G10 or G15 grommet 								
	10N1827TPBW Wood	\$ 4992	18 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	lbs.		
	10N1827TPBP Painted	3288	18 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	lbs.		
	<ul style="list-style-type: none"> • To support a 36" round or square top • Does NOT have a wire access door • Features an 8" taper 								
SOFTENED SQUARE BASE (NO WIRE ACCESS) 	BW-1616 Wood	\$ 1179	16	16	27 $\frac{1}{2}$	—	—	140 lbs.	5.3
	<ul style="list-style-type: none"> • Do not specify base detail • Base is weighted for stabilization • Reference pages 40-59 for table base guide • AD Almond, PB Portobello, 792 Sable, SM Sonoma, and EW Clear Walnut not available 								

CONFERENCE TABLE BASES

WOOD/LAMINATE

CONFERENCE TABLE BASES

TO ORDER, SPECIFY:


1. Model Number
2. Base Detail
3. Foot Color (Epic only)
4. Finish (wood only)
5. Laminate (laminate only)

SAMPLE MODEL NUMBER:

25N1628SQBXW FR462 MH

- See page 145 for all options available in Conference Table Bases


EPIC SQUARE BASE (NO WIRE ACCESS)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
WOOD								
25N1628SQBXW 16" Square	\$ 1566	16	16	28	—	—	145 lbs.	5.3
25N1828SQBXW 18" Square	1587	18	18	28	—	—	150 lbs.	6.3
25N2428SQBXW 24" Square	1659	24	24	28	—	—	180 lbs.	7.2
LAMINATE								
25N1628SQBXL 16" Square	\$ 893	16	16	28	—	—	145 lbs.	5.3
25N1828SQBXL 18" Square	1076	18	18	28	—	—	150 lbs.	6.3
25N2428SQBXL 24" Square	1244	24	24	28	—	—	180 lbs.	7.2

- 16" and 18" bases are weighted for stabilization
- Reference pages 40-59 for table base guide
- Adjustable glides standard


SQUARE BASE (NO WIRE ACCESS)



Basic (P1)



Barrington (P2)
(wood only)




Escalade (P3)
(wood only)

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
WOOD								
10N1628SQBXW 16" Square	\$ 1412	16	16	28	—	—	145 lbs.	5.3
10N1828SQBXW 18" Square	1428	18	18	28	—	—	150 lbs.	6.3
10N2428SQBXW 24" Square	1497	24	24	28	—	—	180 lbs.	7.2
LAMINATE								
10N1628SQBXL 16" Square	\$ 797	16	16	28	—	—	145 lbs.	5.3
10N1828SQBXL 18" Square	962	18	18	28	—	—	150 lbs.	6.3
10N2428SQBXL 24" Square	1111	24	24	28	—	—	180 lbs.	7.2

- 16" and 18" bases are weighted for stabilization
- Reference pages 40-59 for table base guide
- Adjustable glides standard

EPIC SQUARE BASE WITH WIRE ACCESS



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
WOOD								
25N1628SQBW 16" Square	\$ 1818	16	16	28	—	—	145 lbs.	5.3
25N1828SQBW 18" Square	2014	18	18	28	—	—	150 lbs.	6.3
25N2428SQBW 24" Square	2212	24	24	28	—	—	180 lbs.	7.2
LAMINATE								
25N1628SQBL 16" Square	\$ 1278	16	16	28	—	—	145 lbs.	5.3
25N1828SQBL 18" Square	1555	18	18	28	—	—	150 lbs.	6.3
25N2428SQBL 24" Square	1913	24	24	28	—	—	180 lbs.	7.2

- 16" and 18" bases are weighted for stabilization
- Reference pages 40-59 for table base guide
- Base has wire access with access to floor mounted electrical
- Adjustable glides standard
- 6" diameter opening

CONFERENCE TABLE BASES



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.








TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Finish (wood only)
4. Laminate (laminated only)

SAMPLE MODEL NUMBER:

BW-2427S CW

• See page 145 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
SQUARE BASE WITH WIRE ACCESS										
WOOD										
 Basic (P1)	10N1628SQBW	16" Square	\$ 1637	16	16	28	—	—	145 lbs.	5.3
	10N1828SQBW	18" Square	1814	18	18	28	—	—	150 lbs.	6.3
	10N2428SQBW	24" Square	1994	24	24	28	—	—	180 lbs.	7.2
 Barrington (P2) (wood only)	LAMINATE									
	10N1628SQBL	16" Square	\$ 1139	16	16	28	—	—	145 lbs.	5.3
	10N1828SQBL	18" Square	1387	18	18	28	—	—	150 lbs.	6.3
 Escalade (P3) (wood only)	10N2428SQBL	24" Square	1709	24	24	28	—	—	180 lbs.	7.2
	<ul style="list-style-type: none"> • 16" and 18" bases are weighted for stabilization • Reference pages 40-59 for table base guide • Base has wire access with access to floor mounted electrical • Adjustable glides standard • 6" diameter opening 									
	WOOD QUEEN ANNE BASE									
	TBW-4	Wood	\$ 1584	—	38	27½	—	—	35 lbs.	25.0
	<ul style="list-style-type: none"> • Available in Judicial, Cordovan, Mocha or Truffle • Do not specify base detail • Reference pages 40-59 for table base guide • Cannot be used with grommet or cutout options on conference tops • Not to be used with 48" square tops 									
NYLON QUEEN ANNE BASE										
	TB-4P	Nylon	\$ 561	—	30½	27	—	—	35 lbs.	25.0
	<ul style="list-style-type: none"> • Available in Judicial, Cordovan or Mocha • Do not specify base detail • Reference pages 40-59 for table base guide • Cannot be used with grommet or cutout options on conference tops • Not to be used with 48" square or round tops 									
THIN PANEL BASE										
	QBW-2427S	Wood	\$ 647	2	24	27½	—	—	37 lbs.	1.7
	BW-2427S	Wood	647	2	24	27½	—	—	37 lbs.	1.7
	QBP-2427S	Laminate	265	1½	24	27½	—	—	37 lbs.	1.7
	BP-2427S	Laminate	265	1½	24	27½	—	—	37 lbs.	1.7
<ul style="list-style-type: none"> • Do not specify base detail • Reference pages 40-59 for table base guide • Not to be used with a 48" x 240", 216", 144", or 120" top that has a grommet cutout • Laminate base comes with additional angle bracket for installation 										
CURVED PANEL BASE										
	BP-2427C	Laminate	\$ 443	2	22½	27½	—	—	39 lbs.	2.9
	<ul style="list-style-type: none"> • Do not specify base detail • Reference pages 40-59 for table base guide 									

CONFERENCE TABLE BASES

WOOD/LAMINATE

CONFERENCE TABLE BASES

TO ORDER, SPECIFY:


1. Model Number
2. Base Detail
3. Foot Color (Epic only)
4. Finish (wood only)
5. Laminate (laminated only)

SAMPLE MODEL NUMBERS:

10N1828PNW P3 DW
10N1828PNL P1 MC

• See page 145 for all options available in Conference Table Bases


EPIC THICK PANEL BASE WITH WIRE ACCESS




MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
WOOD								
25N1828PNW 18"	\$ 1818	8	18	27 $\frac{3}{4}$	—	—	73 lbs.	5.3
25N2428PNW 24"	2053	8	24	27 $\frac{3}{4}$	—	—	95 lbs.	7.0
LAMINATE								
25N1828PNL 18"	\$ 1238	8	18	27 $\frac{3}{4}$	—	—	73 lbs.	5.3
25N2428PNL 24"	1432	8	24	27 $\frac{3}{4}$	—	—	95 lbs.	7.0

• Reference pages 40-59 for table base guide


THICK PANEL BASE WITH WIRE ACCESS



Basic (P1)



Barrington (P2)
(wood only)



Escalade (P3)
(wood only)

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
WOOD								
10N1828PNW 18"	\$ 1637	8	18	27 $\frac{3}{4}$	—	—	73 lbs.	5.3
10N2428PNW 24"	1852	8	24	27 $\frac{3}{4}$	—	—	95 lbs.	7.0
LAMINATE								
10N1828PNL 18"	\$ 1103	8	18	27 $\frac{3}{4}$	—	—	73 lbs.	5.3
10N2428PNL 24"	1282	8	24	27 $\frac{3}{4}$	—	—	95 lbs.	7.0

• Reference pages 40-59 for table base guide

CONFERENCE TABLE BASES

TO ORDER, SPECIFY:


1. Model Number
2. Foot Color (Epic only)
3. Modified Width
4. Finish (wood only)
5. Laminate (laminated only)

SAMPLE MODEL NUMBER:

25N72PNKW FR462 AC

- See page 145 for all options available in Conference Table Bases

EPIC THICK PANEL BASE KIT (FOR USE WITH 36", 42" AND 48" DEEP TOPS)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H	A			
WOOD								
25N72PNKW For 72" Top	\$ 3901	18	47	27 $\frac{3}{4}$	—	33	145 lbs.	5.3
25N84PNKW For 84" Top	3981	18	53	27 $\frac{3}{4}$	—	39	150 lbs.	5.3
25N96PNKW For 96" Top	4059	18	59	27 $\frac{3}{4}$	—	45	150 lbs.	5.3
25N120PNKW For 120" Top	5765	18	91	27 $\frac{3}{4}$	—	69 $\frac{3}{4}$	170 lbs.	6.2
25N144PNKW For 144" Top	5923	18	107	27 $\frac{3}{4}$	—	85 $\frac{3}{4}$	175 lbs.	6.2
25N168PNKW For 168" Top	7582	18	136 $\frac{3}{4}$	27 $\frac{3}{4}$	—	108 $\frac{1}{2}$	195 lbs.	7.9
25N192PNKW For 192" Top	7741	18	154 $\frac{3}{4}$	27 $\frac{3}{4}$	—	126 $\frac{1}{2}$	200 lbs.	7.9
25N216PNKW For 216" Top	7896	18	172 $\frac{3}{4}$	27 $\frac{3}{4}$	—	144 $\frac{1}{2}$	210 lbs.	8.2
25N240PNKW For 240" Top	8056	18	190 $\frac{3}{4}$	27 $\frac{3}{4}$	—	162 $\frac{1}{2}$	210 lbs.	8.2
LAMINATE								
25N72PNKL For 72" Top	\$ 3030	18	47	27 $\frac{3}{4}$	—	33	145 lbs.	5.3
25N84PNKL For 84" Top	3108	18	53	27 $\frac{3}{4}$	—	39	150 lbs.	5.3
25N96PNKL For 96" Top	3190	18	59	27 $\frac{3}{4}$	—	45	150 lbs.	5.3
25N120PNKL For 120" Top	4145	18	91	27 $\frac{3}{4}$	—	69 $\frac{3}{4}$	170 lbs.	6.2
25N144PNKL For 144" Top	4306	18	107	27 $\frac{3}{4}$	—	85 $\frac{3}{4}$	175 lbs.	6.2
25N168PNKL For 168" Top	5423	18	136 $\frac{3}{4}$	27 $\frac{3}{4}$	—	108 $\frac{1}{2}$	195 lbs.	7.9
25N192PNKL For 192" Top	5584	18	154 $\frac{3}{4}$	27 $\frac{3}{4}$	—	126 $\frac{1}{2}$	200 lbs.	7.9
25N216PNKL For 216" Top	5740	18	172 $\frac{3}{4}$	27 $\frac{3}{4}$	—	144 $\frac{1}{2}$	210 lbs.	8.2
25N240PNKL For 240" Top	5901	18	190 $\frac{3}{4}$	27 $\frac{3}{4}$	—	162 $\frac{1}{2}$	210 lbs.	8.2

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 72", 84" and 96" base kits will have 2 panel bases
- 120" and 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 40-59 for table base guide
- Modified width is available; refer to the chart on page 23 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

CONFERENCE TABLE BASES

WOOD/LAMINATE

CONFERENCE TABLE BASES



TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Modified Width
4. Finish (wood only)
5. Laminate (laminated only)

SAMPLE MODEL NUMBER:

10N72PNKL P1 AC

- See page 145 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC		
			D	W	H	A	KW	WEIGHT	FEET	
THICK PANEL BASE KIT (FOR USE WITH 36", 42" AND 48" DEEP TOPS)										
WOOD										
 <p>Basic (P1)</p>	10N72PNKW	For 72" Top	\$ 3518	18	47	27¾	—	33	145 lbs.	5.3
	10N84PNKW	For 84" Top	3589	18	53	27¾	—	39	150 lbs.	5.3
	10N96PNKW	For 96" Top	3660	18	59	27¾	—	45	150 lbs.	5.3
	10N120PNKW	For 120" Top	5196	18	91	27¾	—	69¾	170 lbs.	6.2
	10N144PNKW	For 144" Top	5341	18	107	27¾	—	85¾	175 lbs.	6.2
	10N168PNKW	For 168" Top	6837	18	136¾	27¾	—	108½	195 lbs.	7.9
	10N192PNKW	For 192" Top	6977	18	154¾	27¾	—	126½	200 lbs.	7.9
	10N216PNKW	For 216" Top	7121	18	172¾	27¾	—	144½	210 lbs.	8.2
	10N240PNKW	For 240" Top	7263	18	190¾	27¾	—	162½	210 lbs.	8.2
	LAMINATE									
 <p>Barrington (P2) (wood only)</p> <p>Escalade (P3) (wood only)</p>	10N72PNKL	For 72" Top	\$ 2706	18	47	27¾	—	33	145 lbs.	5.3
	10N84PNKL	For 84" Top	2779	18	53	27¾	—	39	150 lbs.	5.3
	10N96PNKL	For 96" Top	2846	18	59	27¾	—	45	150 lbs.	5.3
	10N120PNKL	For 120" Top	3702	18	91	27¾	—	69¾	170 lbs.	6.2
	10N144PNKL	For 144" Top	3844	18	107	27¾	—	85¾	175 lbs.	6.2
	10N168PNKL	For 168" Top	4842	18	136¾	27¾	—	108½	195 lbs.	7.9
	10N192PNKL	For 192" Top	4984	18	154¾	27¾	—	126½	200 lbs.	7.9
	10N216PNKL	For 216" Top	5127	18	172¾	27¾	—	144½	210 lbs.	8.2
	10N240PNKL	For 240" Top	5268	18	190¾	27¾	—	162½	210 lbs.	8.2

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 72", 84" and 96" base kits will have 2 panel bases
- 120" and 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 40-59 for table base guide
- Modified width is available; refer to the chart on page 23 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

CONFERENCE TABLE BASES

TO ORDER, SPECIFY:


1. Model Number
2. Foot Color (Epic only)
3. Modified Width
4. Finish (wood only)
5. Laminate (laminated only)

SAMPLE MODEL NUMBER:

25N60144PNKW FR462 AC

- See page 145 for all options available in Conference Table Bases

EPIC THICK PANEL BASE KIT (FOR USE WITH 60" DEEP TOPS)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
WOOD								
25N60144PNKW For 144" Top	\$ 7699	24	107	27¾	—	85¾	181 lbs.	6.5
25N60168PNKW For 168" Top	9856	24	136¾	27¾	—	108½	198 lbs.	6.5
25N60192PNKW For 192" Top	10061	24	154¾	27¾	—	126½	218 lbs.	7.9
25N60216PNKW For 216" Top	10266	24	172¾	27¾	—	144½	223 lbs.	7.9
25N60240PNKW For 240" Top	10473	24	190¾	27¾	—	162½	243 lbs.	8.3
LAMINATE								
25N60144PNKL For 144" Top	\$ 5598	24	107	27¾	—	85¾	181 lbs.	6.5
25N60168PNKL For 168" Top	7050	24	136¾	27¾	—	108½	198 lbs.	6.5
25N60192PNKL For 192" Top	7259	24	154¾	27¾	—	126½	218 lbs.	7.9
25N60216PNKL For 216" Top	7463	24	172¾	27¾	—	144½	223 lbs.	7.9
25N60240PNKL For 240" Top	7670	24	190¾	27¾	—	162½	243 lbs.	8.3

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 40-59 for table base guide
- Modified width is available; refer to the chart on page 23 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

CONFERENCE TABLE BASES

WOOD/LAMINATE

CONFERENCE TABLE BASES

TO ORDER, SPECIFY:


1. Model Number
2. Base Detail
3. Modified Width
4. Finish (wood only)
5. Laminate (laminated only)

SAMPLE MODEL NUMBER:


10N60144PNKL P1 AC

- See page 145 for all options available in Conference Table Bases


THICK PANEL BASE KIT (FOR USE WITH 60" DEEP TOPS)



Basic (P1)



Barrington (P2)
(wood only)



Escalade (P3)
(wood only)

MODEL NO./DESCRIPTION

WOOD

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
10N60144PNKW For 144" Top	\$ 6941	24	107	27¾	—	85¾	181 lbs.	6.5
10N60168PNKW For 168" Top	8888	24	136¾	27¾	—	108½	198 lbs.	6.5
10N60192PNKW For 192" Top	9072	24	154¾	27¾	—	126½	218 lbs.	7.9
10N60216PNKW For 216" Top	9256	24	172¾	27¾	—	144½	223 lbs.	7.9
10N60240PNKW For 240" Top	9442	24	190¾	27¾	—	162½	243 lbs.	8.3

LAMINATE

10N60144PNKL For 144" Top	\$ 4998	24	107	27¾	—	85¾	181 lbs.	6.5
10N60168PNKL For 168" Top	6295	24	136¾	27¾	—	108½	198 lbs.	6.5
10N60192PNKL For 192" Top	6479	24	154¾	27¾	—	126½	218 lbs.	7.9
10N60216PNKL For 216" Top	6664	24	172¾	27¾	—	144½	223 lbs.	7.9
10N60240PNKL For 240" Top	6849	24	190¾	27¾	—	162½	243 lbs.	8.3

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 40-59 for table base guide
- Modified width is available; refer to the chart on page 23 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

CONFERENCE TABLE BASES







TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color
4. Foot Paint Color

SAMPLE MODEL NUMBER:

CBV2828P4BP CUL 265 462

- See page 145 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
2-PRONG BASE 	CBV2928P2BP	\$ 299	—	29	28	—	—	22 lbs.	1.5
	<ul style="list-style-type: none"> • Reference pages 40-59 for table base guide • Some assembly required • Optional upper and lower (CUL) base column wire management • Specify base column and base foot paint colors • Not available in 265 Polished paint 								
COLUMN LEG STATIC 	CBV0228COBP	\$ 118	2	—	27 $\frac{3}{4}$	—	—	6 lbs.	0.6
	<ul style="list-style-type: none"> • Adjustable glide standard • Reference pages 40-59 for table base guide • Optional upper and lower (CUL) base column wire management 								
COLUMN LEG MOBILE 	CBV0228COBMP	\$ 142	2	—	27 $\frac{3}{4}$	—	—	6 lbs.	0.6
	<ul style="list-style-type: none"> • Dual wheel locking caster • Some assembly required • Reference pages 40-59 for table base guide • Optional upper and lower (CUL) base column wire management 								
4-PRONG BASE 	CBV2828P4BP	\$ 384	—	28	28	—	—	32 lbs.	1.4
	CBV3428P4BP	501	—	34	28	—	—	32 lbs.	2.5
	<ul style="list-style-type: none"> • Reference pages 40-59 for table base guide • Some assembly required • Optional upper and lower (CUL) base column wire management • Specify base column and base foot paint colors • Not available in 265 Polished paint • Not recommended to be placed directly over a grommet cutout 								
WOOD CAPPED BASE 	BW-4	\$ 508	—	32 $\frac{1}{2}$	27 $\frac{1}{2}$	—	—	21 lbs.	3.0
	<ul style="list-style-type: none"> • Specify wood finish after model number • Reference pages 40-59 for table base guide • AD Almond, PB Portobello, 792 Sable, SM Sonoma, and EW Clear Walnut not available • Not recommended to be placed directly over a grommet cutout 								
X BASE WORKSURFACE HEIGHT 	CBV4028XBP	\$ 823	—	38 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	36 lbs.	12.0
	CBV3228XBP	616	—	31 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	33 lbs.	12.0
	CBV2728XBP	523	—	27 $\frac{7}{16}$	27 $\frac{3}{4}$	—	—	33 lbs.	12.0
	<ul style="list-style-type: none"> • Adjustable glides standard • Some assembly required • Reference pages 40-59 for table base guide • Optional upper (CU) base column wire management • Specify base column and base foot paint colors • Not recommended to be placed directly over a grommet cutout 								

CONFERENCE TABLE BASES

METAL

CONFERENCE TABLE BASES

TO ORDER, SPECIFY:


1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color
4. Foot Paint Color

SAMPLE MODEL NUMBERS:

CBV4028XBMP CU 265 462
 CBV3241XBP X 462 462

• See page 145 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
X BASE WORKSURFACE HEIGHT, MOBILE	CBV4028XBMP	\$ 858	—	38 ¹ / ₁₆	27 ³ / ₄	—	—	36 lbs.	12.0
	CBV3228XBMP	660	—	31 ¹ / ₁₆	27 ³ / ₄	—	—	33 lbs.	12.0
	CBV2728XBMP	563	—	27 ³ / ₁₆	27 ³ / ₄	—	—	33 lbs.	12.0



- Dual wheel locking casters
- Some assembly required
- Reference pages 40-59 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors
- Not recommended to be placed directly over a grommet cutout


X BASE WORKSURFACE HEIGHT, WIRE MANAGEMENT



			D	W	H	A	KW	WEIGHT	FEET
CBV4728XB	Cinder	\$ 947	4	47	27 ³ / ₄	—	—	55 lbs.	15.0
CBV4728XS	Platinum Metallic	947	4	47	27 ³ / ₄	—	—	55 lbs.	15.0
CBV4728XN	Satin Nickel Metallic	947	4	47	27 ³ / ₄	—	—	55 lbs.	15.0

- Base can be used with 54" and 60" round or square conference tops
- Adjustable glides are standard
- Some assembly required
- 4" column has hole through center to allow wire access and can be used with the G10 and NACG10EL Conference Grommet


X BASE COUNTER HEIGHT



CBV3235XBP		\$ 857	2 ¹ / ₂	32	33 ¹ / ₁₆	—	—	32 lbs.	12.0
CBV2735XBP		730	2 ¹ / ₂	27 ³ / ₁₆	33 ¹ / ₁₆	—	—	32 lbs.	12.0

- Adjustable glides standard
- Some assembly required
- Reference pages 40-59 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors
- Not recommended to be placed directly over a grommet cutout


X BASE BAR HEIGHT



CBV3241XBP		\$ 943	2 ¹ / ₂	32	40 ¹ / ₁₆	—	—	33 lbs.	14.0
CBV2741XBP		801	2 ¹ / ₂	27 ³ / ₁₆	40 ¹ / ₁₆	—	—	33 lbs.	14.0

- Adjustable glides standard
- Some assembly required
- Reference pages 40-59 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors
- Not recommended to be placed directly over a grommet cutout

ADJUSTABLE HEIGHT BASE MOBILE



CBV3226XBAB	Cinder	\$ 2136	2 ¹ / ₂	32	26-40 ¹ / ₁₆	—	—	33 lbs.	12.0
CBV3226XBAS	Platinum Metallic	2136	2 ¹ / ₂	32	26-40 ¹ / ₁₆	—	—	33 lbs.	12.0
CBV3226XBAN	Satin Nickel Metallic	2136	2 ¹ / ₂	32	26-40 ¹ / ₁₆	—	—	33 lbs.	12.0

- Some assembly required
- Paddle arm release allows pneumatic adjustment
- Locking casters only
- Reference pages 40-59 for table base guide
- Not recommended to be placed directly over a grommet cutout

CONFERENCE TABLE BASES

METAL



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.





TO ORDER, SPECIFY:

1. Model Number
2. Column Paint Color (if applicable)
3. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBER:

CBV2715DRNBP 265 462

• See page 145 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
DISC BASE OCCASIONAL TABLE HEIGHT	CBV2715DRNBP	\$ 812	3	27 ³ / ₁₆	16	—	—	60 lbs.	1.9
	CBV2215DRNBP	613	3	22	16	—	—	43 lbs.	1.9
	<ul style="list-style-type: none"> • 3" column base • Some assembly required • Reference Base Requirements Chart on pages 643-644 in the Caseloads Book 2 Price List • Glide adjustment of +/- 1/8" • Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic • Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic • Not recommended to be placed directly over a grommet cutout 								
SOFT SQUARE BASE OCCASIONAL TABLE HEIGHT	CBV2715DSQBP	\$ 945	3	27 ³ / ₁₆	16	—	—	60 lbs.	1.9
	CBV2215DSQBP	744	3	22	16	—	—	50 lbs.	1.9
	<ul style="list-style-type: none"> • 3" column base • Some assembly required • Reference Base Requirements Chart on pages 643-644 in the Caseloads Book 2 Price List • Glide adjustment of +/- 1/8" • Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic • Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic • Not recommended to be placed directly over a grommet cutout 								
DISC BASE WORKSURFACE HEIGHT	CBV2728DRNBP	\$ 864	3	27 ³ / ₁₆	27 ³ / ₁₆	—	—	73 lbs.	2.8
	CBV2228DRNBP	647	3	22	27 ³ / ₁₆	—	—	56 lbs.	2.8
	<ul style="list-style-type: none"> • 3" column base • Some assembly required • Reference Base Requirements Chart on pages 643-644 in the Caseloads Book 2 Price List • Glide adjustment of +/- 1/8" • Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic • Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic • Not recommended to be placed directly over a grommet cutout 								
SOFT SQUARE BASE WORKSURFACE HEIGHT	CBV2728DSQBP	\$ 999	3	27 ³ / ₁₆	27 ³ / ₁₆	—	—	84 lbs.	2.8
	QCBV2228DSQBP	779	3	22	27 ³ / ₁₆	—	—	63 lbs.	2.8
	CBV2228DSQBP	779	3	22	27 ³ / ₁₆	—	—	63 lbs.	2.8
	<ul style="list-style-type: none"> • 3" column base • Some assembly required • Reference Base Requirements Chart on pages 643-644 in the Caseloads Book 2 Price List • Glide adjustment of +/- 1/8" • Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic • Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic • Not recommended to be placed directly over a grommet cutout 								

CONFERENCE TABLE BASES





TO ORDER, SPECIFY:

1. Model Number
2. Column Paint Color (if applicable)
3. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBER:

CBV2735DRNBP 265 462

• See page 145 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
DISC BASE COUNTER HEIGHT 	CBV2735DRNBP	\$ 933	3	27 ³ / ₁₆	35	—	—	75 lbs.	3.4
	CBV2235DRNBP	900	3	22	35	—	—	58 lbs.	3.4
	<ul style="list-style-type: none"> • 3" column base • Some assembly required • Reference Base Requirements Chart on pages 643-644 in the Casegoods Book 2 Price List • Glide adjustment of +/- 1/8" • Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic • Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic • Not recommended to be placed directly over a grommet cutout 								
SOFT SQUARE BASE COUNTER HEIGHT 	CBV2735DSQBP	\$ 1067	3	27 ³ / ₁₆	35	—	—	86 lbs.	3.4
	CBV2235DSQBP	1032	3	22	35	—	—	65 lbs.	3.4
	<ul style="list-style-type: none"> • 3" column base • Some assembly required • Reference Base Requirements Chart on pages 643-644 in the Casegoods Book 2 Price List • Glide adjustment of +/- 1/8" • Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic • Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic • Not recommended to be placed directly over a grommet cutout 								
DISC BASE BAR HEIGHT 	CBV2740DRNBP	\$ 999	3	27 ³ / ₁₆	40 ³ / ₄	—	—	76 lbs.	3.8
	CBV2240DRNBP	964	3	22	40 ³ / ₄	—	—	59 lbs.	3.8
	<ul style="list-style-type: none"> • 3" column base • Some assembly required • Reference Base Requirements Chart on pages 643-644 in the Casegoods Book 2 Price List • Glide adjustment of +/- 1/8" • Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic • Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic • Not recommended to be placed directly over a grommet cutout 								
SOFT SQUARE BASE BAR HEIGHT 	CBV2740DSQBP	\$ 1130	3	27 ³ / ₁₆	40 ³ / ₄	—	—	87 lbs.	3.8
	CBV2240DSQBP	1097	3	22	40 ³ / ₄	—	—	66 lbs.	3.8
	<ul style="list-style-type: none"> • 3" column base • Some assembly required • Reference Base Requirements Chart on pages 643-644 in the Casegoods Book 2 Price List • Glide adjustment of +/- 1/8" • Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic • Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic • Not recommended to be placed directly over a grommet cutout 								

CONFERENCE TABLE BASES

METAL