

---

# CONFERENCE TABLE BASES

Product Specifications	144
Options	145
Wood/Laminate Bases	146
Metal Bases	155

# CONFERENCE TABLE BASES

## SQUARE BASES

- Veneer is slipmatched maple for all finishes except Almond, Portobello and Sable (quarter cut walnut), Sonoma (quarter cut oak), and Clear Walnut (plain sliced bookmatched walnut)
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- All joints are securely fastened by screws, dowels and fasteners to ensure maximum strength
- Wire access door features removable panel

## CYLINDER BASES

- Veneer is slipmatched maple for all finishes except Almond, Portobello and Sable (quarter cut walnut), Sonoma (quarter cut oak), and Clear Walnut (plain sliced bookmatched walnut)
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- Wire access door is hinged with touch latch

## PANEL BASE KITS AND THICK PANELS

- Veneer is slipmatched maple for all finishes except Almond, Portobello and Sable (quarter cut walnut), Sonoma (quarter cut oak), and Clear Walnut (plain sliced bookmatched walnut)
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- All joints are securely fastened by screws, dowels and fasteners to ensure maximum strength
- Wire access door features removable panel
- Panel base kit features 2 support rails that run from base to base

## FINISH APPLICATION

- Finish is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

## METAL BASES

- Bases are formed metal with a powder coat finish
- Both mobile and fixed height bases are available
- Mobile bases have locking casters
- Glides are standard on fixed height bases
- Oval wire management cutout optional on some bases for an additional upcharge

**TABLE BASE GUIDE CAN BE FOUND ON PAGES 40-59**

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

**WOOD FINISHES**

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
EW	Clear Walnut*
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
SM	Sonoma
TF	Truffle
792	Sable

**LAMINATE COLORS**

**WOODGRAIN LAMINATE**

AC2	Autumn 2
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
792	Sable
793	Acorn*

**SOLID LAMINATE**

405	Designer White
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear


**GALLERY LAMINATE**

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru


See page 18 for Gallery program details and upcharges

\*Acorn is the laminate complement to Clear Walnut finish

**BASE DETAIL OPTIONS**



**Basic (P1)**



**Barrington (P2)  
(wood only)**




**Escalade (P3)  
(wood only)**

**TAPERED BASE PAINT COLORS**

405	Designer White
423	Concrete
462	Cinder
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

**EPIC BASE DETAIL**



**FOOT COLORS (EPIC ONLY)**

FR462	Cinder
FR501	Platinum Metallic
FR503	Satin Nickel Metallic

**METAL BASE COLUMN PAINT COLORS**

405	Designer White
423	Concrete
462	Cinder
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

**METAL BASE FOOT PAINT COLORS**


265	Polished
405	Designer White
423	Concrete
462	Cinder
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

**METAL BASE COLUMN WIRE MANAGEMENT**

• Ellipse shaped wire management cutout optional

CUL	Cutouts, Upper & Lower
CU	Cutout, Upper
X	No Cutout

\$25 list upcharge for cutout



CONFERENCE TABLE BASES



**QUICK DELIVERY MODELS**

Models starting with a "Q" will have the following options in stock:

Finish/Laminate: Must specify Honey (HN/HN2), Amber (MC) or Cordovan (CW)

# CONFERENCE TABLE BASES



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

### TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Finish (wood only)
4. Laminate (laminated only)

### SAMPLE MODEL NUMBER:

BW-16 CW

- See page 145 for all options available in Conference Table Bases

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
		D	W	H	A	KW			
<b>CYLINDER BASE (NO WIRE ACCESS)</b>		<b>WOOD</b>		<b>DI</b>		<b>H</b>			
BW-16	16" Diameter	\$ 1236	16	—	27¾	—	—	145 lbs.	5.3
QBW-18	18" Diameter	1379	18	—	27¾	—	—	160 lbs.	5.3
BW-18	18" Diameter	1379	18	—	27¾	—	—	160 lbs.	5.3
BW-24	24" Diameter	1426	24	—	27¾	—	—	180 lbs.	7.2
<b>LAMINATE</b>									
BP-16	16" Diameter	\$ 736	16	—	27¾	—	—	145 lbs.	5.3
QBP-18	18" Diameter	916	18	—	27¾	—	—	160 lbs.	5.3
BP-18	18" Diameter	916	18	—	27¾	—	—	160 lbs.	5.3
BP-24	24" Diameter	1058	24	—	27¾	—	—	180 lbs.	7.2

- Do not specify base detail
- Bases are weighted for stabilization
- Reference pages 40-59 for table base guide
- Adjustable glides standard

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
		D	W	H	A	KW			
<b>CYLINDER BASE WITH WIRE ACCESS</b>		<b>WOOD</b>		<b>DI</b>		<b>H</b>			
10N1628CYBW	16" Diameter	\$ 2034	16	—	27¾	—	—	145 lbs.	6.3
10N1828CYBW	18" Diameter	2203	18	—	27¾	—	—	150 lbs.	5.3
10N2428CYBW	24" Diameter	2373	24	—	27¾	—	—	180 lbs.	7.2
<b>LAMINATE</b>									
10N1628CYBL	16" Diameter	\$ 1426	16	—	27¾	—	—	145 lbs.	6.3
10N1828CYBL	18" Diameter	1594	18	—	27¾	—	—	150 lbs.	5.3
10N2428CYBL	24" Diameter	2102	24	—	27¾	—	—	180 lbs.	7.2

- Only the Basic (P1) option is available
- Bases are weighted for stabilization
- Reference pages 40-59 for table base guide
- Base has wire access with access to floor mounted electrical
- Adjustable glides standard
- 6" diameter opening



Basic (P1)

CONFERENCE TABLE BASES

WOOD/LAMINATE

# CONFERENCE TABLE BASES




## TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Finish (wood only)
4. Laminate (laminated only)

## SAMPLE MODEL NUMBER:

10N6027TPBW AD  
 10N6027TPBP 423  
 BW-1616 CW

• See page 145 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED CUBIC		
			D	W	H	A	KW	WEIGHT	FEET
<b>TAPERED BASES WITH WIRE ACCESS</b> 	10N6027TPBW Wood	\$ 5143	60	27 $\frac{3}{4}$	—	—	lbs.		
	10N6027TPBP Painted	3520	60	27 $\frac{3}{4}$	—	—	lbs.		
	<ul style="list-style-type: none"> <li>• To support a 96" round top</li> <li>• Features a 12" taper</li> <li>• 2 pc. base (assembly required)</li> <li>• Can be used with a G10 or G15 grommet</li> </ul>								
	10N3627TPBW Wood	\$ 4948	36 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	lbs.		
	10N3627TPBP Painted	3326	36 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	lbs.		
	<ul style="list-style-type: none"> <li>• To support a 72" or 60" round top</li> <li>• Features a 10" taper</li> <li>• Can be used with a G10 or G15 grommet</li> </ul>								
<b>TAPERED BASES NO WIRE ACCESS</b> 	10N2427TPBW Wood	\$ 4851	24 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	lbs.		
	10N2427TPBP Painted	3228	24 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	lbs.		
	<ul style="list-style-type: none"> <li>• To support a 54", 48", or 42" round or square top</li> <li>• Features a 9" taper</li> <li>• Can be used with a G10 or G15 grommet</li> </ul>								
	10N1827TPBW Wood	\$ 4754	18 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	lbs.		
	10N1827TPBP Painted	3131	18 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	lbs.		
	<ul style="list-style-type: none"> <li>• To support a 36" round or square top</li> <li>• Does NOT have a wire access door</li> <li>• Features an 8" taper</li> </ul>								
<b>SOFTENED SQUARE BASE (NO WIRE ACCESS)</b> 	BW-1616 Wood	\$ 1123	16	16	27 $\frac{1}{2}$	—	—	140 lbs.	5.3
	<ul style="list-style-type: none"> <li>• Do not specify base detail</li> <li>• Base is weighted for stabilization</li> <li>• Reference pages 40-59 for table base guide</li> <li>• AD Almond, PB Portobello, 792 Sable, SM Sonoma, and EW Clear Walnut not available</li> </ul>								

CONFERENCE TABLE BASES

WOOD/LAMINATE

# CONFERENCE TABLE BASES

## TO ORDER, SPECIFY:


1. Model Number
2. Base Detail
3. Foot Color (Epic only)
4. Finish (wood only)
5. Laminate (laminated only)

## SAMPLE MODEL NUMBER:

25N1628SQBXW FR462 MH

- See page 145 for all options available in Conference Table Bases


### EPIC SQUARE BASE (NO WIRE ACCESS)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
<b>WOOD</b>								
25N1628SQBXW 16" Square	\$ 1491	16	16	28	—	—	145 lbs.	5.3
25N1828SQBXW 18" Square	1511	18	18	28	—	—	150 lbs.	6.3
25N2428SQBXW 24" Square	1580	24	24	28	—	—	180 lbs.	7.2
<b>LAMINATE</b>								
25N1628SQBXL 16" Square	\$ 850	16	16	28	—	—	145 lbs.	5.3
25N1828SQBXL 18" Square	1025	18	18	28	—	—	150 lbs.	6.3
25N2428SQBXL 24" Square	1185	24	24	28	—	—	180 lbs.	7.2

- 16" and 18" bases are weighted for stabilization
- Reference pages 40-59 for table base guide
- Adjustable glides standard


### SQUARE BASE (NO WIRE ACCESS)



Basic (P1)



Barrington (P2)  
(wood only)




Escalade (P3)  
(wood only)

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
<b>WOOD</b>								
10N1628SQBXW 16" Square	\$ 1345	16	16	28	—	—	145 lbs.	5.3
10N1828SQBXW 18" Square	1360	18	18	28	—	—	150 lbs.	6.3
10N2428SQBXW 24" Square	1426	24	24	28	—	—	180 lbs.	7.2
<b>LAMINATE</b>								
10N1628SQBXL 16" Square	\$ 759	16	16	28	—	—	145 lbs.	5.3
10N1828SQBXL 18" Square	916	18	18	28	—	—	150 lbs.	6.3
10N2428SQBXL 24" Square	1058	24	24	28	—	—	180 lbs.	7.2

- 16" and 18" bases are weighted for stabilization
- Reference pages 40-59 for table base guide
- Adjustable glides standard

### EPIC SQUARE BASE WITH WIRE ACCESS



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
<b>WOOD</b>								
25N1628SQBW 16" Square	\$ 1731	16	16	28	—	—	145 lbs.	5.3
25N1828SQBW 18" Square	1918	18	18	28	—	—	150 lbs.	6.3
25N2428SQBW 24" Square	2107	24	24	28	—	—	180 lbs.	7.2
<b>LAMINATE</b>								
25N1628SQBL 16" Square	\$ 1217	16	16	28	—	—	145 lbs.	5.3
25N1828SQBL 18" Square	1481	18	18	28	—	—	150 lbs.	6.3
25N2428SQBL 24" Square	1822	24	24	28	—	—	180 lbs.	7.2

- 16" and 18" bases are weighted for stabilization
- Reference pages 40-59 for table base guide
- Base has wire access with access to floor mounted electrical
- Adjustable glides standard
- 6" diameter opening

# CONFERENCE TABLE BASES



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.








### TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Finish (wood only)
4. Laminate (laminated only)

### SAMPLE MODEL NUMBER:

BW-2427S CW

• See page 145 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
			D	W	H					
<b>SQUARE BASE WITH WIRE ACCESS</b>										
<b>WOOD</b>										
 Basic (P1)	10N1628SQBW	16" Square	\$ 1559	16	16	28	—	—	145 lbs.	5.3
	10N1828SQBW	18" Square	1728	18	18	28	—	—	150 lbs.	6.3
	10N2428SQBW	24" Square	1899	24	24	28	—	—	180 lbs.	7.2
 Barrington (P2) (wood only)	<b>LAMINATE</b>									
	10N1628SQBL	16" Square	\$ 1085	16	16	28	—	—	145 lbs.	5.3
	10N1828SQBL	18" Square	1321	18	18	28	—	—	150 lbs.	6.3
 Escalade (P3) (wood only)	10N2428SQBL	24" Square	1628	24	24	28	—	—	180 lbs.	7.2
	<ul style="list-style-type: none"> <li>• 16" and 18" bases are weighted for stabilization</li> <li>• Reference pages 40-59 for table base guide</li> <li>• Base has wire access with access to floor mounted electrical</li> <li>• Adjustable glides standard</li> <li>• 6" diameter opening</li> </ul>									
	<b>WOOD QUEEN ANNE BASE</b>									
	TBW-4	Wood	\$ 1509	—	38	27½	—	—	35 lbs.	25.0
	<ul style="list-style-type: none"> <li>• Available in Judicial, Cordovan, Mocha or Truffle</li> <li>• Do not specify base detail</li> <li>• Reference pages 40-59 for table base guide</li> <li>• Cannot be used with grommet or cutout options on conference tops</li> <li>• Not to be used with 48" square tops</li> </ul>									
<b>NYLON QUEEN ANNE BASE</b>										
	TB-4P	Nylon	\$ 534	—	30½	27	—	—	35 lbs.	25.0
	<ul style="list-style-type: none"> <li>• Available in Judicial, Cordovan or Mocha</li> <li>• Do not specify base detail</li> <li>• Reference pages 40-59 for table base guide</li> <li>• Cannot be used with grommet or cutout options on conference tops</li> <li>• Not to be used with 48" square or round tops</li> </ul>									
<b>THIN PANEL BASE</b>										
	QBW-2427S	Wood	\$ 616	2	24	27½	—	—	37 lbs.	1.7
	BW-2427S	Wood	616	2	24	27½	—	—	37 lbs.	1.7
	QBP-2427S	Laminate	252	1½	24	27½	—	—	37 lbs.	1.7
	BP-2427S	Laminate	252	1½	24	27½	—	—	37 lbs.	1.7
<ul style="list-style-type: none"> <li>• Do not specify base detail</li> <li>• Reference pages 40-59 for table base guide</li> <li>• Not to be used with a 48" x 240", 216", 144", or 120" top that has a grommet cutout</li> <li>• Laminate base comes with additional angle bracket for installation</li> </ul>										
<b>CURVED PANEL BASE</b>										
	BP-2427C	Laminate	\$ 422	2	22½	27½	—	—	39 lbs.	2.9
	<ul style="list-style-type: none"> <li>• Do not specify base detail</li> <li>• Reference pages 40-59 for table base guide</li> </ul>									

CONFERENCE TABLE BASES

WOOD/LAMINATE

# CONFERENCE TABLE BASES

### TO ORDER, SPECIFY:


1. Model Number
2. Base Detail
3. Foot Color (Epic only)
4. Finish (wood only)
5. Laminate (laminated only)

### SAMPLE MODEL NUMBERS:

10N1828PNW P3 DW  
10N1828PNL P1 MC

• See page 145 for all options available in Conference Table Bases


#### EPIC THICK PANEL BASE WITH WIRE ACCESS




MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
<b>WOOD</b>								
25N1828PNW 18"	\$ 1731	8	18	27 $\frac{3}{4}$	—	—	73 lbs.	5.3
25N2428PNW 24"	1955	8	24	27 $\frac{3}{4}$	—	—	95 lbs.	7.0
<b>LAMINATE</b>								
25N1828PNL 18"	\$ 1179	8	18	27 $\frac{3}{4}$	—	—	73 lbs.	5.3
25N2428PNL 24"	1364	8	24	27 $\frac{3}{4}$	—	—	95 lbs.	7.0

• Reference pages 40-59 for table base guide


#### THICK PANEL BASE WITH WIRE ACCESS



Basic (P1)



Barrington (P2)  
(wood only)



Escalade (P3)  
(wood only)

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
<b>WOOD</b>								
10N1828PNW 18"	\$ 1559	8	18	27 $\frac{3}{4}$	—	—	73 lbs.	5.3
10N2428PNW 24"	1764	8	24	27 $\frac{3}{4}$	—	—	95 lbs.	7.0
<b>LAMINATE</b>								
10N1828PNL 18"	\$ 1050	8	18	27 $\frac{3}{4}$	—	—	73 lbs.	5.3
10N2428PNL 24"	1221	8	24	27 $\frac{3}{4}$	—	—	95 lbs.	7.0

• Reference pages 40-59 for table base guide



# CONFERENCE TABLE BASES

## TO ORDER, SPECIFY:


1. Model Number
2. Foot Color (Epic only)
3. Modified Width
4. Finish (wood only)
5. Laminate (laminated only)

## SAMPLE MODEL NUMBER:

25N72PNKW FR462 AC

- See page 145 for all options available in Conference Table Bases

### EPIC THICK PANEL BASE KIT (FOR USE WITH 36", 42" AND 48" DEEP TOPS)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H	A			
<b>WOOD</b>								
25N72PNKW For 72" Top	\$ 3715	18	47	27 $\frac{3}{4}$	—	33	145 lbs.	5.3
25N84PNKW For 84" Top	3791	18	53	27 $\frac{3}{4}$	—	39	150 lbs.	5.3
25N96PNKW For 96" Top	3866	18	59	27 $\frac{3}{4}$	—	45	150 lbs.	5.3
25N120PNKW For 120" Top	5490	18	91	27 $\frac{3}{4}$	—	69 $\frac{1}{4}$	170 lbs.	6.2
25N144PNKW For 144" Top	5641	18	107	27 $\frac{3}{4}$	—	85 $\frac{1}{4}$	175 lbs.	6.2
25N168PNKW For 168" Top	7221	18	136 $\frac{1}{4}$	27 $\frac{3}{4}$	—	108 $\frac{1}{2}$	195 lbs.	7.9
25N192PNKW For 192" Top	7372	18	154 $\frac{3}{4}$	27 $\frac{3}{4}$	—	126 $\frac{1}{2}$	200 lbs.	7.9
25N216PNKW For 216" Top	7520	18	172 $\frac{3}{4}$	27 $\frac{3}{4}$	—	144 $\frac{1}{2}$	210 lbs.	8.2
25N240PNKW For 240" Top	7672	18	190 $\frac{3}{4}$	27 $\frac{3}{4}$	—	162 $\frac{1}{2}$	210 lbs.	8.2
<b>LAMINATE</b>								
25N72PNKL For 72" Top	\$ 2886	18	47	27 $\frac{3}{4}$	—	33	145 lbs.	5.3
25N84PNKL For 84" Top	2960	18	53	27 $\frac{3}{4}$	—	39	150 lbs.	5.3
25N96PNKL For 96" Top	3038	18	59	27 $\frac{3}{4}$	—	45	150 lbs.	5.3
25N120PNKL For 120" Top	3948	18	91	27 $\frac{3}{4}$	—	69 $\frac{1}{4}$	170 lbs.	6.2
25N144PNKL For 144" Top	4101	18	107	27 $\frac{3}{4}$	—	85 $\frac{1}{4}$	175 lbs.	6.2
25N168PNKL For 168" Top	5165	18	136 $\frac{1}{4}$	27 $\frac{3}{4}$	—	108 $\frac{1}{2}$	195 lbs.	7.9
25N192PNKL For 192" Top	5318	18	154 $\frac{3}{4}$	27 $\frac{3}{4}$	—	126 $\frac{1}{2}$	200 lbs.	7.9
25N216PNKL For 216" Top	5467	18	172 $\frac{3}{4}$	27 $\frac{3}{4}$	—	144 $\frac{1}{2}$	210 lbs.	8.2
25N240PNKL For 240" Top	5620	18	190 $\frac{3}{4}$	27 $\frac{3}{4}$	—	162 $\frac{1}{2}$	210 lbs.	8.2

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 72", 84" and 96" base kits will have 2 panel bases
- 120" and 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 40-59 for table base guide
- Modified width is available; refer to the chart on page 23 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

# CONFERENCE TABLE BASES




## TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Modified Width
4. Finish (wood only)
5. Laminate (laminated only)

## SAMPLE MODEL NUMBER:

10N72PNKL P1 AC

- See page 145 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC		
			D	W	H	A	KW	WEIGHT	FEET	
<b>THICK PANEL BASE KIT (FOR USE WITH 36", 42" AND 48" DEEP TOPS)</b>										
<b>WOOD</b>										
 <p>Basic (P1)</p>	10N72PNKW	For 72" Top	\$ 3350	18	47	27¾	—	33	145 lbs.	5.3
	10N84PNKW	For 84" Top	3418	18	53	27¾	—	39	150 lbs.	5.3
	10N96PNKW	For 96" Top	3486	18	59	27¾	—	45	150 lbs.	5.3
	10N120PNKW	For 120" Top	4949	18	91	27¾	—	69¾	170 lbs.	6.2
	10N144PNKW	For 144" Top	5087	18	107	27¾	—	85¾	175 lbs.	6.2
	10N168PNKW	For 168" Top	6511	18	136¾	27¾	—	108½	195 lbs.	7.9
	10N192PNKW	For 192" Top	6645	18	154¾	27¾	—	126½	200 lbs.	7.9
	10N216PNKW	For 216" Top	6782	18	172¾	27¾	—	144½	210 lbs.	8.2
	10N240PNKW	For 240" Top	6917	18	190¾	27¾	—	162½	210 lbs.	8.2
	<b>LAMINATE</b>									
 <p>Barrington (P2) (wood only)</p>	10N72PNKL	For 72" Top	\$ 2577	18	47	27¾	—	33	145 lbs.	5.3
	10N84PNKL	For 84" Top	2647	18	53	27¾	—	39	150 lbs.	5.3
	10N96PNKL	For 96" Top	2710	18	59	27¾	—	45	150 lbs.	5.3
	10N120PNKL	For 120" Top	3526	18	91	27¾	—	69¾	170 lbs.	6.2
	10N144PNKL	For 144" Top	3661	18	107	27¾	—	85¾	175 lbs.	6.2
	10N168PNKL	For 168" Top	4611	18	136¾	27¾	—	108½	195 lbs.	7.9
	10N192PNKL	For 192" Top	4747	18	154¾	27¾	—	126½	200 lbs.	7.9
	10N216PNKL	For 216" Top	4883	18	172¾	27¾	—	144½	210 lbs.	8.2
	10N240PNKL	For 240" Top	5017	18	190¾	27¾	—	162½	210 lbs.	8.2
	 <p>Escalade (P3) (wood only)</p>	<ul style="list-style-type: none"> <li>• Base kit includes amount of bases required to support conference top and horizontal supports</li> <li>• Horizontal support rails will match finish/laminate of panel bases</li> <li>• 72", 84" and 96" base kits will have 2 panel bases</li> <li>• 120" and 144" base kits will have 3 panel bases</li> <li>• 168", 192", 216" and 240" base kits will have 4 panel bases</li> <li>• Some assembly required</li> <li>• Adjustable glides standard</li> <li>• Bases have wire access for access to floor mounted electrical</li> <li>• Reference pages 40-59 for table base guide</li> <li>• Modified width is available; refer to the chart on page 23 for conference top sizing</li> <li>• When using with a modified sized top, specify base kit with modified width to match modified top width</li> </ul>								

CONFERENCE TABLE BASES

WOOD/LAMINATE

# CONFERENCE TABLE BASES

**TO ORDER, SPECIFY:**


1. Model Number
2. Foot Color (Epic only)
3. Modified Width
4. Finish (wood only)
5. Laminate (laminated only)

**SAMPLE MODEL NUMBER:**

25N60144PNKW FR462 AC

- See page 145 for all options available in Conference Table Bases

**EPIC  
THICK PANEL BASE KIT  
(FOR USE WITH 60" DEEP TOPS)**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>WOOD</b>								
25N60144PNKW For 144" Top	\$ 7332	24	107	27¾	—	85¾	181 lbs.	6.5
25N60168PNKW For 168" Top	9387	24	136¾	27¾	—	108½	198 lbs.	6.5
25N60192PNKW For 192" Top	9582	24	154¾	27¾	—	126½	218 lbs.	7.9
25N60216PNKW For 216" Top	9777	24	172¾	27¾	—	144½	223 lbs.	7.9
25N60240PNKW For 240" Top	9974	24	190¾	27¾	—	162½	243 lbs.	8.3
<b>LAMINATE</b>								
25N60144PNKL For 144" Top	\$ 5331	24	107	27¾	—	85¾	181 lbs.	6.5
25N60168PNKL For 168" Top	6714	24	136¾	27¾	—	108½	198 lbs.	6.5
25N60192PNKL For 192" Top	6913	24	154¾	27¾	—	126½	218 lbs.	7.9
25N60216PNKL For 216" Top	7108	24	172¾	27¾	—	144½	223 lbs.	7.9
25N60240PNKL For 240" Top	7305	24	190¾	27¾	—	162½	243 lbs.	8.3

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 40-59 for table base guide
- Modified width is available; refer to the chart on page 23 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

# CONFERENCE TABLE BASES

### TO ORDER, SPECIFY:


1. Model Number
2. Base Detail
3. Modified Width
4. Finish (wood only)
5. Laminate (laminated only)

### SAMPLE MODEL NUMBER:


10N60144PNKL P1 AC

- See page 145 for all options available in Conference Table Bases


### THICK PANEL BASE KIT (FOR USE WITH 60" DEEP TOPS)



Basic (P1)



Barrington (P2)  
(wood only)



Escalade (P3)  
(wood only)

### MODEL NO./DESCRIPTION

#### WOOD

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
10N60144PNKW For 144" Top	\$ 6610	24	107	27¾	—	85¾	181 lbs.	6.5
10N60168PNKW For 168" Top	8465	24	136¾	27¾	—	108½	198 lbs.	6.5
10N60192PNKW For 192" Top	8640	24	154¾	27¾	—	126½	218 lbs.	7.9
10N60216PNKW For 216" Top	8815	24	172¾	27¾	—	144½	223 lbs.	7.9
10N60240PNKW For 240" Top	8992	24	190¾	27¾	—	162½	243 lbs.	8.3

#### LAMINATE

10N60144PNKL For 144" Top	\$ 4760	24	107	27¾	—	85¾	181 lbs.	6.5
10N60168PNKL For 168" Top	5995	24	136¾	27¾	—	108½	198 lbs.	6.5
10N60192PNKL For 192" Top	6170	24	154¾	27¾	—	126½	218 lbs.	7.9
10N60216PNKL For 216" Top	6347	24	172¾	27¾	—	144½	223 lbs.	7.9
10N60240PNKL For 240" Top	6523	24	190¾	27¾	—	162½	243 lbs.	8.3

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 40-59 for table base guide
- Modified width is available; refer to the chart on page 23 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

# CONFERENCE TABLE BASES







## TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color
4. Foot Paint Color

## SAMPLE MODEL NUMBER:

CBV2828P4BP CUL 265 462

- See page 145 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>2-PRONG BASE</b> 	CBV2928P2BP	\$ 285	—	29	28	—	—	22 lbs.	1.5
	<ul style="list-style-type: none"> <li>• Reference pages 40-59 for table base guide</li> <li>• Some assembly required</li> <li>• Optional upper and lower (CUL) base column wire management</li> <li>• Specify base column and base foot paint colors</li> </ul>								
<b>COLUMN LEG STATIC</b> 	CBV0228COBP	\$ 112	2	—	27 $\frac{3}{4}$	—	—	6 lbs.	0.6
	<ul style="list-style-type: none"> <li>• Adjustable glide standard</li> <li>• Reference pages 40-59 for table base guide</li> <li>• Optional upper and lower (CUL) base column wire management</li> </ul>								
<b>COLUMN LEG MOBILE</b> 	CBV0228COBMP	\$ 135	2	—	27 $\frac{3}{4}$	—	—	6 lbs.	0.6
	<ul style="list-style-type: none"> <li>• Dual wheel locking caster</li> <li>• Some assembly required</li> <li>• Reference pages 40-59 for table base guide</li> <li>• Optional upper and lower (CUL) base column wire management</li> </ul>								
<b>4-PRONG BASE</b> 	CBV2828P4BP	\$ 366	—	28	28	—	—	32 lbs.	1.4
	CBV3428P4BP	477	—	34	28	—	—	32 lbs.	2.5
	<ul style="list-style-type: none"> <li>• Reference pages 40-59 for table base guide</li> <li>• Some assembly required</li> <li>• Optional upper and lower (CUL) base column wire management</li> <li>• Specify base column and base foot paint colors</li> <li>• Not recommended to be placed directly over a grommet cutout</li> </ul>								
<b>WOOD CAPPED BASE</b> 	BW-4	\$ 484	—	32 $\frac{1}{2}$	27 $\frac{1}{2}$	—	—	21 lbs.	3.0
	<ul style="list-style-type: none"> <li>• Specify wood finish after model number</li> <li>• Reference pages 40-59 for table base guide</li> <li>• AD Almond, PB Portobello, 792 Sable, SM Sonoma, and EW Clear Walnut not available</li> <li>• Not recommended to be placed directly over a grommet cutout</li> </ul>								
<b>X BASE WORKSURFACE HEIGHT</b> 	CBV4028XBP	\$ 784	—	38 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	36 lbs.	12.0
	CBV3228XBP	587	—	31 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	33 lbs.	12.0
	CBV2728XBP	498	—	27 $\frac{7}{16}$	27 $\frac{3}{4}$	—	—	33 lbs.	12.0
	<ul style="list-style-type: none"> <li>• Adjustable glides standard</li> <li>• Some assembly required</li> <li>• Reference pages 40-59 for table base guide</li> <li>• Optional upper (CU) base column wire management</li> <li>• Specify base column and base foot paint colors</li> <li>• Not recommended to be placed directly over a grommet cutout</li> </ul>								

CONFERENCE TABLE BASES

METAL

# CONFERENCE TABLE BASES

## TO ORDER, SPECIFY:


1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color
4. Foot Paint Color

## SAMPLE MODEL NUMBERS:

CBV4028XBMP CU 265 462  
 CBV3241XBP X 462 462

• See page 145 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
<b>X BASE WORKSURFACE HEIGHT, MOBILE</b>	CBV4028XBMP	\$ 817	—	38 <sup>3</sup> / <sub>16</sub>	27 <sup>3</sup> / <sub>4</sub>	—	—	36 lbs.	12.0
	CBV3228XBMP	629	—	31 <sup>1</sup> / <sub>16</sub>	27 <sup>3</sup> / <sub>4</sub>	—	—	33 lbs.	12.0
	CBV2728XBMP	536	—	27 <sup>3</sup> / <sub>16</sub>	27 <sup>3</sup> / <sub>4</sub>	—	—	33 lbs.	12.0




- Dual wheel locking casters
- Some assembly required
- Reference pages 40-59 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors
- Not recommended to be placed directly over a grommet cutout

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
<b>X BASE WORKSURFACE HEIGHT, WIRE MANAGEMENT</b>	CBV4728XB Cinder	\$ 902	4	47	27 <sup>3</sup> / <sub>4</sub>	—	—	55 lbs.	15.0
	CBV4728XS Platinum Metallic	902	4	47	27 <sup>3</sup> / <sub>4</sub>	—	—	55 lbs.	15.0
	CBV4728XN Satin Nickel Metallic	902	4	47	27 <sup>3</sup> / <sub>4</sub>	—	—	55 lbs.	15.0




- Base can be used with 54" and 60" round or square conference tops
- Adjustable glides are standard
- Some assembly required
- 4" column has hole through center to allow wire access and can be used with the G10 and NACG10EL Conference Grommet

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
<b>X BASE COUNTER HEIGHT</b>	CBV3235XBP	\$ 816	2 <sup>1</sup> / <sub>2</sub>	32	33 <sup>1</sup> / <sub>16</sub>	—	—	32 lbs.	12.0
	CBV2735XBP	695	2 <sup>1</sup> / <sub>2</sub>	27 <sup>3</sup> / <sub>16</sub>	33 <sup>1</sup> / <sub>16</sub>	—	—	32 lbs.	12.0




- Adjustable glides standard
- Some assembly required
- Reference pages 40-59 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors
- Not recommended to be placed directly over a grommet cutout

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
<b>X BASE BAR HEIGHT</b>	CBV3241XBP	\$ 898	2 <sup>1</sup> / <sub>2</sub>	32	40 <sup>1</sup> / <sub>16</sub>	—	—	33 lbs.	14.0
	CBV2741XBP	763	2 <sup>1</sup> / <sub>2</sub>	27 <sup>3</sup> / <sub>16</sub>	40 <sup>1</sup> / <sub>16</sub>	—	—	33 lbs.	14.0



- Adjustable glides standard
- Some assembly required
- Reference pages 40-59 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors
- Not recommended to be placed directly over a grommet cutout

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
<b>ADJUSTABLE HEIGHT BASE MOBILE</b>	CBV3226XBAB Cinder	\$ 2034	2 <sup>1</sup> / <sub>2</sub>	32	26-40 <sup>1</sup> / <sub>16</sub>	—	—	33 lbs.	12.0
	CBV3226XBAS Platinum Metallic	2034	2 <sup>1</sup> / <sub>2</sub>	32	26-40 <sup>1</sup> / <sub>16</sub>	—	—	33 lbs.	12.0
	CBV3226XBAN Satin Nickel Metallic	2034	2 <sup>1</sup> / <sub>2</sub>	32	26-40 <sup>1</sup> / <sub>16</sub>	—	—	33 lbs.	12.0



- Some assembly required
- Paddle arm release allows pneumatic adjustment
- Locking casters only
- Reference pages 40-59 for table base guide
- Not recommended to be placed directly over a grommet cutout

CONFERENCE TABLE BASES

METAL



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.





**TO ORDER, SPECIFY:**

1. Model Number
2. Column Paint Color (if applicable)
3. Foot Paint Color (if applicable)

**SAMPLE MODEL NUMBER:**

CBV2715DRNBP 265 462

• See page 145 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
<b>DISC BASE</b> <b>OCCASIONAL TABLE HEIGHT</b> 	CBV2715DRNBP	\$ 773	3	27 <sup>3</sup> / <sub>16</sub>	16	—	—	60 lbs.	1.9
	CBV2215DRNBP	584	3	22	16	—	—	43 lbs.	1.9
	<ul style="list-style-type: none"> <li>• 3" column base</li> <li>• Some assembly required</li> <li>• Reference Base Requirements Chart on pages 643-644 in the Caseloads Book 2 Price List</li> <li>• Glide adjustment of +/- 1/8"</li> <li>• Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic</li> <li>• Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic</li> <li>• Not recommended to be placed directly over a grommet cutout</li> </ul>								
<b>SOFT SQUARE BASE</b> <b>OCCASIONAL TABLE HEIGHT</b> 	CBV2715DSQBP	\$ 900	3	27 <sup>3</sup> / <sub>16</sub>	16	—	—	60 lbs.	1.9
	CBV2215DSQBP	709	3	22	16	—	—	50 lbs.	1.9
	<ul style="list-style-type: none"> <li>• 3" column base</li> <li>• Some assembly required</li> <li>• Reference Base Requirements Chart on pages 643-644 in the Caseloads Book 2 Price List</li> <li>• Glide adjustment of +/- 1/8"</li> <li>• Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic</li> <li>• Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic</li> <li>• Not recommended to be placed directly over a grommet cutout</li> </ul>								
<b>DISC BASE</b> <b>WORKSURFACE HEIGHT</b> 	CBV2728DRNBP	\$ 823	3	27 <sup>3</sup> / <sub>16</sub>	27 <sup>3</sup> / <sub>16</sub>	—	—	73 lbs.	2.8
	CBV2228DRNBP	616	3	22	27 <sup>3</sup> / <sub>16</sub>	—	—	56 lbs.	2.8
	<ul style="list-style-type: none"> <li>• 3" column base</li> <li>• Some assembly required</li> <li>• Reference Base Requirements Chart on pages 643-644 in the Caseloads Book 2 Price List</li> <li>• Glide adjustment of +/- 1/8"</li> <li>• Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic</li> <li>• Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic</li> <li>• Not recommended to be placed directly over a grommet cutout</li> </ul>								
<b>SOFT SQUARE BASE</b> <b>WORKSURFACE HEIGHT</b> 	CBV2728DSQBP	\$ 951	3	27 <sup>3</sup> / <sub>16</sub>	27 <sup>3</sup> / <sub>16</sub>	—	—	84 lbs.	2.8
	QCBV2228DSQBP	742	3	22	27 <sup>3</sup> / <sub>16</sub>	—	—	63 lbs.	2.8
	CBV2228DSQBP	742	3	22	27 <sup>3</sup> / <sub>16</sub>	—	—	63 lbs.	2.8
	<ul style="list-style-type: none"> <li>• 3" column base</li> <li>• Some assembly required</li> <li>• Reference Base Requirements Chart on pages 643-644 in the Caseloads Book 2 Price List</li> <li>• Glide adjustment of +/- 1/8"</li> <li>• Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic</li> <li>• Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic</li> <li>• Not recommended to be placed directly over a grommet cutout</li> </ul>								

# CONFERENCE TABLE BASES

**TO ORDER, SPECIFY:**


1. Model Number
2. Column Paint Color (if applicable)
3. Foot Paint Color (if applicable)

**SAMPLE MODEL NUMBER:**

CBV2735DRNBP 265 462


• See page 145 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
<b>DISC BASE COUNTER HEIGHT</b>	CBV2735DRNBP	\$ 889	3	27 <sup>3</sup> / <sub>16</sub>	35	—	—	75 lbs.	3.4
	CBV2235DRNBP	857	3	22	35	—	—	58 lbs.	3.4




- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 643-644 in the Casegoods Book 2 Price List
- Glide adjustment of +/- 1/8"
- Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Not recommended to be placed directly over a grommet cutout

<b>SOFT SQUARE BASE COUNTER HEIGHT</b>	CBV2735DSQBP	\$ 1016	3	27 <sup>3</sup> / <sub>16</sub>	35	—	—	86 lbs.	3.4
	CBV2235DSQBP	983	3	22	35	—	—	65 lbs.	3.4




- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 643-644 in the Casegoods Book 2 Price List
- Glide adjustment of +/- 1/8"
- Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Not recommended to be placed directly over a grommet cutout

<b>DISC BASE BAR HEIGHT</b>	CBV2740DRNBP	\$ 951	3	27 <sup>3</sup> / <sub>16</sub>	40 <sup>3</sup> / <sub>4</sub>	—	—	76 lbs.	3.8
	CBV2240DRNBP	918	3	22	40 <sup>3</sup> / <sub>4</sub>	—	—	59 lbs.	3.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 643-644 in the Casegoods Book 2 Price List
- Glide adjustment of +/- 1/8"
- Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Not recommended to be placed directly over a grommet cutout

<b>SOFT SQUARE BASE BAR HEIGHT</b>	CBV2740DSQBP	\$ 1076	3	27 <sup>3</sup> / <sub>16</sub>	40 <sup>3</sup> / <sub>4</sub>	—	—	87 lbs.	3.8
	CBV2240DSQBP	1045	3	22	40 <sup>3</sup> / <sub>4</sub>	—	—	66 lbs.	3.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 643-644 in the Casegoods Book 2 Price List
- Glide adjustment of +/- 1/8"
- Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Not recommended to be placed directly over a grommet cutout