











CONFERENCE TABLE TOP SHAPES AND SIZES

SERIES	SHAPES				
	 ROUND	 SQUARE	 RECTANGLE	 BOAT	 RACETRACK
ARROWOOD MODIFIED SIZING AVAILABLE ON RECTANGLE SEE PAGE 23		30" X 30" 36" X 36" 42" X 42" 48" X 48" 54" X 54" 60" X 60"	36" X 72" 42" X 84" 48" X 96" 48" X 120" 48" X 144" 48" X 168" 48" X 192" 48" X 216" 48" X 240" 60" X 144" 60" X 168" 60" X 192" 60" X 216" 60" X 240"		
BARRINGTON MODIFIED SIZING AVAILABLE ON RECTANGLE AND BOAT SEE PAGE 23	30" 36" 42" 48" 54" 60"	30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	
EPIC MODIFIED SIZING AVAILABLE ON RECTANGLE, BOAT, AND RACETRACK SEE PAGE 23	30" 36" 42" 48" 54" 60"	30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"
ESCALADE MODIFIED SIZING AVAILABLE ON RECTANGLE AND BOAT SEE PAGE 23	30" 36" 42" 48"	30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	
FLOURISH	42"				
UNIVERSAL	24" 30" 36" 42" 48" 54" 60"	24" x 24" 30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"






CONFERENCE TABLE TOP SHAPES AND SIZES

SERIES	SHAPES				
	 ROUND	 SQUARE	 RECTANGLE	 BOAT	 RACETRACK
WAVEWORKS	30"	30" X 30"	36" X 72"	36" X 72"	36" X 72"
	36"	36" X 36"	42" X 84"	42" X 84"	42" X 84"
	42"	42" X 42"	48" X 96"	48" X 96"	48" X 96"
	48"	48" X 48"	48" X 120"	48" X 120"	48" X 120"
	54"	54" X 54"	48" X 144"	48" X 144"	48" X 144"
	60"	60" X 60"	48" X 168"	48" X 168"	48" X 168"
	72"		48" X 192"	48" X 192"	48" X 192"
	96"		48" X 216"	48" X 216"	48" X 216"
			48" X 240"	48" X 240"	48" X 240"
			60" X 144"	60" X 144"	60" X 144"
			60" X 168"	60" X 168"	60" X 168"
			60" X 192"	60" X 192"	60" X 192"
			60" X 216"	60" X 216"	60" X 216"
			60" X 240"	60" X 240"	60" X 240"
MODIFIED SIZING AVAILABLE ON RECTANGLE, BOAT, AND RACETRACK					
SEE PAGE 23					

FUNCTIONAL SEATING CAPACITY

Reference the chart for the number of seats which can be used with each top size. Value ranges between how many can comfortably sit around the table and how many can tightly fit.

N/A denotes the shape is not applicable to a specific top size.

TOP SIZES	TOP SHAPES				
	 ROUND	 SQUARE	 RECTANGLE	 BOAT	 RACETRACK
24" X 24"	4	4	N/A	N/A	N/A
30" x 30"	4	4	N/A	N/A	N/A
36" x 36"	4	4	N/A	N/A	N/A
42" x 42"	4	4	N/A	N/A	N/A
48" x 48"	4	4	N/A	N/A	N/A
54" x 54"	5	4	N/A	N/A	N/A
60" x 60"	6	4-6	N/A	N/A	N/A
72" x 72"	7	N/A	N/A	N/A	N/A
96" x 96"	9-10	N/A	N/A	N/A	N/A
36" x 72"	N/A	N/A	6	6	6
42" x 84"	N/A	N/A	6	6	6
48" x 96"	N/A	N/A	6-8	6-8	6-8
48" x 120"	N/A	N/A	8-10	8-10	8-10
48" x 144"	N/A	N/A	10-12	10-12	10-12
48" x 168"	N/A	N/A	12-14	12-14	12-14
48" x 192"	N/A	N/A	14-16	14-16	14-16
48" x 216"	N/A	N/A	16-18	16-18	16-18
48" x 240"	N/A	N/A	18-20	18-20	18-20
60" x 144"	N/A	N/A	10-12	10-12	10-12
60" x 168"	N/A	N/A	12-14	12-14	12-14
60" x 192"	N/A	N/A	14-16	14-16	14-16
60" x 216"	N/A	N/A	16-18	16-18	16-18
60" x 240"	N/A	N/A	18-20	18-20	18-20






NUMBER OF PIECES PER TABLE TOP

Larger top sizes are composed of multiple pieces. Reference the chart for the number of pieces for each top size.

N/A denotes the shape is not applicable to a specific top size.

- 120" wide tops for the following will be in 1 piece: Tessera, Footings, and Strassa

TOP SHAPES

TOP SIZES					
	ROUND	SQUARE	RECTANGLE	BOAT	RACETRACK
24" X 24"	1	1	N/A	N/A	N/A
30" x 30"	1	1	N/A	N/A	N/A
36" x 36"	1	1	N/A	N/A	N/A
42" x 42"	1	1	N/A	N/A	N/A
48" x 48"	1	1	N/A	N/A	N/A
54" x 54"	1	1	N/A	N/A	N/A
60" x 60"	1	1	N/A	N/A	N/A
72" x 72"	2	N/A	N/A	N/A	N/A
96" x 96"	2	N/A	N/A	N/A	N/A
36" x 72"	N/A	N/A	1	1	1
42" x 84"	N/A	N/A	1	1	1
48" x 96"	N/A	N/A	1	1	1
48" x 120"	N/A	N/A	2	2	2
48" x 144"	N/A	N/A	2	2	2
48" x 168"	N/A	N/A	2	2	2
48" x 192"	N/A	N/A	2	2	2
48" x 216"	N/A	N/A	3	3	3
48" x 240"	N/A	N/A	3	3	3
60" x 144"	N/A	N/A	2	2	2
60" x 168"	N/A	N/A	2	2	2
60" x 192"	N/A	N/A	2	2	2
60" x 216"	N/A	N/A	3	3	3
60" x 240"	N/A	N/A	3	3	3

CONFERENCE TOP SIZE MODIFICATIONS

- Available on all series except Universal
- Modified sizing not available on round/square tables in any series
- Size modifications (cut downs) are available at no upcharge on rectangular, boat, and racetrack conference table tops
- The tops can be cut down in 6" increments on the depth, width, or both
- Available cut down sizes are noted in the chart below
- For specific conference top models that allow modified sizing, see notes under the individual models within the price list


•	STANDARD SIZE
—	MODIFIED SIZE

WIDTH	DEPTH					NUMBER OF PIECES
	36"	42"	48"	54"	60"	
240"		—	•	—	•	3
234"		—	—	—	—	3
228"		—	—	—	—	3
222"		—	—	—	—	3
216"		—	•	—	•	3
210"		—	—	—	—	3
204"		—	—	—	—	3
198"		—	—	—	—	3
192"		—	•	—	•	2
186"		—	—	—	—	2
180"		—	—	—	—	2
174"		—	—	—	—	2
168"		—	•	—	•	2
162"		—	—	—	—	2
156"		—	—	—	—	2
150"		—	—	—	—	2
144"		—	•	—	•	2
138"		—	—	—	—	2
132"		—	—	—	—	2
126"		—	—	—	—	2
120"	—	—	•			2
114"	—	—	—			2
108"	—	—	—			2
102"	—	—	—			2
96"	—	—	•			1
90"	—	—	—			1
84"	—	•	—			1
78"	—	—	—			1
72"	•					1
66"	—					1
	36"	42"	48"	54"	60"	NUMBER OF PIECES

DEPTH

ROUND GROMMET LOCATIONS

- Grommet also offered as field installable solution – reference page 546
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- G10 grommets are shipped installed except for the center option on 120" and 144" tops
- Reference pages 60-61 for Base Placement Guide



- NACG10EL Round Electrical Grommet



- Must be ordered separately

- G10 Round Grommet



± 4¼"


***60" wide tops will be 29½" to the center of the side dimension**

TABLE LENGTHS (IN)


GROMMET LOCATION/ OPTIONS	36"-60"				72"				84"				96"				120" 2 PIECE TOP				
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	
G10C CENTER	36"	18"	-	-	72"	-	36"	-	84"	-	42"	-	96"	-	48"	-	120"	-	60"	-	-
	42"	21"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	48"	24"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	54"	27"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	60"	30"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G10E END	N/A				A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	
	N/A				72"	16"	-	-	84"	19"	-	-	96"	22"	-	-	120"	18"	-	-	-
G10LR LEFT, RIGHT	N/A				A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	
	N/A				72"	16"	-	56"	84"	19"	-	65"	96"	22"	-	74"	120"	18"	-	-	102"
G10A ALL	N/A				A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	
	N/A				72"	16"	36"	-	84"	19"	42"	-	96"	22"	48"	-	74"	120"	18"	60"	-
G10CE CENTER, END	N/A				A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	
	N/A				72"	16"	36"	-	84"	19"	42"	-	96"	22"	48"	-	120"	18"	60"	-	-

ROUND GROMMET LOCATIONS

- Grommet also offered as field installable solution – reference page 546
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- G10 grommets are shipped installed except for the center option on 120" and 144" tops
- Reference pages 60-61 for Base Placement Guide



- NACG10EL Round Electrical Grommet



- Must be ordered separately

- G10 Round Grommet



↳ 4 1/4" ↳


***60" wide tops will be 29 1/2" to the center of the side dimension**

TABLE LENGTHS (IN)


GROMMET LOCATION/ OPTIONS	144" 2 PIECE TOP					168" 2 PIECE TOP					192" 2 PIECE TOP					216" 3 PIECE TOP					240" 3 PIECE TOP				
	A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D	
G10C CENTER	144"	-	72"	-	-	168"	-	61"	107"	-	192"	-	70"	122"	-	216"	-	79"	137"	-	240"	-	88"	152"	-
G10E END	144"	22"	-	-	-	168"	19"	-	-	-	192"	22 1/4"	-	122"	-	216"	25 1/4"	-	-	-	240"	28 1/4"	-	-	-
G10LR LEFT, RIGHT	144"	22"	-	-	122"	168"	19"	-	-	149"	192"	22 1/4"	-	-	169 3/4"	216"	25 1/4"	-	-	190 3/4"	240"	28 1/4"	-	-	211 1/4"
G10A ALL	144"	22"	72"	-	122"	168"	19"	61"	107"	149"	192"	22 1/4"	70"	122"	169 3/4"	216"	25 1/4"	79"	137"	190 3/4"	240"	28 1/4"	88"	152"	211 1/4"
G10CE CENTER, END	144"	22"	72"	-	-	168"	19"	61"	107"	-	192"	22 1/4"	70"	122"	-	216"	25 1/4"	79"	137"	-	240"	28 1/4"	88"	152"	-

1 TOUCH DOUBLE PIVOTING POWER GROMMET CUTOUT LOCATIONS

- Grommet also available as field installable solution, reference pages 550-552
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- Wire managers (NAC0403WM) are included with conference top when CUT-G15 option is selected: 72", 84", and 96" tops will receive 1, 120" and 144" tops will receive 2, and 168", 192", 216", and 240" tops will receive 3
- Reference pages 60-61 for Base Placement Guide




• NACG15AEL Double Pivoting Power Grommet



• Must be ordered separately

• CUT-G15 option




***60" wide tops will be 29 3/8" to the center of the side dimension**

TABLE LENGTHS (IN)


GROMMET LOCATION/ OPTIONS	TABLE LENGTHS (IN)																								
	36"-60"				72"				84"				96"				120" 2 PIECE TOP								
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D					
CUT-G15C CENTER	36"	18"	-	-	-	72"	-	36"	-	-	84"	-	42"	-	-	96"	-	48"	-	-	120"	-	60"	-	-
	42"	21"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	48"	24"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	54"	27"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	60"	30"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CUT-G15E END	N/A				A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	
	N/A				72"	18"	-	-	-	84"	21"	-	-	-	96"	24"	-	-	-	120"	20"	-	-	-	
CUT-G15LR LEFT, RIGHT	N/A				A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	
	N/A				72"	18"	-	-	54"	84"	21"	-	-	63"	96"	24"	-	-	72"	120"	20"	-	-	100"	
CUT-G15A ALL	N/A				A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	
	N/A				72"	-	-	-	-	84"	-	-	-	-	96"	24"	48"	-	-	120"	20"	60"	-	100"	
CUT-G15CE CENTER, END	N/A				A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	
	N/A				72"	-	-	-	-	84"	-	-	-	-	96"	24"	48"	-	-	120"	20"	60"	-	-	

1 TOUCH DOUBLE PIVOTING POWER GROMMET CUTOUT LOCATIONS

- Grommet also available as field installable solution, reference pages 550-552
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- Wire managers (NAC0403WM) are included with conference top when CUT-G15 option is selected: 72", 84", and 96" tops will receive 1, 120" and 144" tops will receive 2, and 168", 192", 216", and 240" tops will receive 3
- Reference pages 60-61 for Base Placement Guide




• NACG15AEL Double Pivoting Power Grommet



• Must be ordered separately

• CUT-G15 option



***60" wide tops will be 29% to the center of the side dimension**


TABLE LENGTHS (IN)

GROMMET LOCATION/OPTIONS	144" 2 PIECE TOP				168" 2 PIECE TOP				192" 2 PIECE TOP				216" 3 PIECE TOP				240" 3 PIECE TOP								
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D					
CUT-G15C CENTER	144"	-	72"	-	168"	-	63"	105"	-	192"	-	72"	120"	-	216"	-	81"	135"	-	240"	-	90"	150"	-	
CUT-G15E END	144"	24 1/4"	-	-	168"	21 1/4"	-	-	-	192"	24 1/4"	-	-	-	216"	27 1/4"	-	-	-	240"	30 3/4"	-	-	-	
CUT-G15LR LEFT, RIGHT	144"	24 1/4"	-	-	119 3/4"	168"	21 1/4"	-	-	146 3/4"	192"	24 1/4"	-	-	167 3/4"	216"	27 1/4"	-	-	188 3/4"	240"	30 3/4"	-	-	209 3/4"
CUT-G15A ALL	144"	24 1/4"	72"	-	119 3/4"	168"	21 1/4"	63"	105"	146 3/4"	192"	24 1/4"	72"	120"	167 3/4"	216"	27 1/4"	81"	135"	188 3/4"	240"	30 3/4"	90"	150"	209 3/4"
CUT-G15CE CENTER, END	144"	24 1/4"	72"	-	168"	21 1/4"	63"	105"	-	192"	24 1/4"	72"	120"	-	216"	27 1/4"	81"	135"	-	240"	30 3/4"	90"	150"	-	


POWER/DATA OASIS CUTOUT LOCATIONS

- Grommet is not field installable
- The Power/Data Oasis may be utilized with any wire access base with the exception of 120" and 144" wide tops with the G16 grommet options will not allow for square or cylinder bases to be utilized with a G16 grommet cutout installed on the ends of the unit. However, for the cleanest aesthetic, specify the panel base kit
- Center grommet on 168" and 192" tops will be located on a seam
- Wire managers (NAC0403WM) are included with conference top when CUT-G16 option is selected: 72", 84", and 96" tops will receive 1, 120" and 144" tops will receive 2, and 168", 192", 216", and 240" tops will receive 3
- Reference pages 60-61 for Base Placement Guide

***60" wide tops will be 29 1/2" to the center of the side dimension**



- NACG162EL Data/Power Oasis



- Must be ordered separately

- CUT-G16 option





TABLE LENGTHS (IN)


GROMMET LOCATION/ OPTIONS	72"				84"				96"				120" 2 PIECE TOP				144" 2 PIECE TOP			
		A	B	C		A	B	C		A	B	C		A	B	C		A	B	C
CUT-G16C CENTER	72"	—	36"	—	84"	—	42"	—	96"	—	48"	—	120"	—	—	—	144"	—	—	—
CUT-G16E END	72"	—	—	—	84"	—	—	—	96"	—	—	—	120"	40"	—	—	144"	48"	—	—
CUT-G16LR LEFT, RIGHT	72"	—	—	—	84"	—	—	—	96"	—	—	—	120"	40"	—	80"	144"	48"	—	96"
CUT-G16A ALL	72"	—	—	—	84"	—	—	—	96"	—	—	—	120"	—	—	—	144"	—	—	—
CUT-G16CE CENTER, END	72"	—	—	—	84"	—	—	—	96"	—	—	—	120"	—	—	—	144"	—	—	—

POWER/DATA OASIS CUTOUT LOCATIONS

- Grommet is not field installable
- The Power/Data Oasis may be utilized with any wire access base with the exception of 120" and 144" wide tops with the G16 grommet options will not allow for square or cylinder bases to be utilized with a G16 grommet cutout installed on the ends of the unit. However, for the cleanest aesthetic, specify the panel base kit
- Center grommet on 168" and 192" tops will be located on a seam
- Wire managers (NAC0403WM) are included with conference top when CUT-G16 option is selected: 72", 84", and 96" tops will receive 1, 120" and 144" tops will receive 2, and 168", 192", 216", and 240" tops will receive 3
- Reference pages 60-61 for Base Placement Guide




• NACG162EL Data/Power Oasis



• Must be ordered separately

• CUT-G16 option




***60" wide tops will be 29 1/2" to the center of the side dimension**

TABLE LENGTHS (IN)

GROMMET LOCATION/OPTIONS	168" 2 PIECE TOP			192" 2 PIECE TOP			216" 3 PIECE TOP			240" 3 PIECE TOP						
	A	B	C	A	B	C	A	B	C	A	B	C				
CUT-G16C CENTER	168"	—	84"	—	192"	—	96"	—	216"	—	108"	—	240"	—	120"	—
CUT-G16E END	168"	42"	—	—	192"	48 1/4"	—	—	216"	54 1/4"	—	—	240"	60 1/4"	—	—
CUT-G16LR LEFT, RIGHT	168"	42"	—	126"	192"	48 1/4"	—	143 3/4"	216"	54 1/4"	—	161 3/4"	240"	60 1/4"	—	179 3/4"
CUT-G16A ALL	168"	42"	84"	126"	192"	48 1/4"	96"	143 3/4"	216"	54 1/4"	108"	161 3/4"	240"	60 1/4"	120"	179 3/4"
CUT-G16CE CENTER, END	168"	42"	84"	—	192"	48 1/4"	96"	—	216"	54 1/4"	108"	—	240"	60 1/4"	120"	—

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G10 grommet is centered on the table top depth
- Grommet also offered as field installable solution – reference page 546
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- G10 grommets are shipped installed except for the center option on 120" and 144" tops
- Reference pages 60-61 for Base Placement Guide




- G10 Round Grommet



± 4 1/4" ±

- Cutout dimension is 89mm

- NACG10EL Round Electrical Grommet



- Must be ordered separately


***60" wide tops will be 29 1/2" to the center of the side dimension**

TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	72"				84"				96"						
	A	B	C	D	A	B	C	D	A	B	C	D			
G10C CENTER	72"	–	36"	–	–	84"	–	42"	–	–	96"	–	48"	–	–
	66"	–	33"	–	–	78"	–	39"	–	–	90"	–	45"	–	–
G10E END	A	B	C	D	A	B	C	D	A	B	C	D			
	72"	16"	–	–	–	84"	19"	–	–	–	96"	22"	–	–	–
	66"	14 1/2"	–	–	–	78"	17 1/2"	–	–	–	90"	20 1/2"	–	–	–
G10LR LEFT, RIGHT	A	B	C	D	A	B	C	D	A	B	C	D			
	72"	16"	–	–	56"	84"	19"	–	–	65"	96"	22"	–	–	74"
	66"	14 1/2"	–	–	51 1/2"	78"	17 1/2"	–	–	60 1/2"	90"	20 1/2"	–	–	69 1/2"
G10A ALL	A	B	C	D	A	B	C	D	A	B	C	D			
	72"	16"	36"	–	56"	84"	19"	42"	–	65"	96"	22"	48"	–	74"
	66"	14 1/2"	33"	–	51 1/2"	78"	17 1/2"	39"	–	60 1/2"	90"	20 1/2"	45"	–	69 1/2"
G10CE CENTER, END	A	B	C	D	A	B	C	D	A	B	C	D			
	72"	16"	36"	–	–	84"	19"	42"	–	–	96"	22"	48"	–	–
	66"	14 1/2"	33"	–	–	78"	17 1/2"	39"	–	–	90"	20 1/2"	45"	–	–

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G10 grommet is centered on the table top depth
- Grommet also offered as field installable solution – reference page 546
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- G10 grommets are shipped installed except for the center option on 120" and 144" tops
- Reference pages 60-61 for Base Placement Guide



• G10 Round Grommet



↳ 4 1/4" ↳

• Cutout dimension is 89mm

• NACG10EL Round Electrical Grommet



• Must be ordered separately


***60" wide tops will be 29 1/2" to the center of the side dimension**

TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"				144"				168"						
	A	B	C	D	A	B	C	D	A	B	C	D			
G10C CENTER	120"	–	60"	–	–	144"	–	72"	–	–	168"	–	61"	107"	–
	114"	–	57"	–	–	138"	–	69"	–	–	162"	–	58 3/4"	103 1/4"	–
	108"	–	54"	–	–	132"	–	66"	–	–	156"	–	56 1/2"	99 1/2"	–
	102"	–	51"	–	–	126"	–	63"	–	–	150"	–	54 1/4"	95 3/4"	–
G10E END		A	B	C	D		A	B	C	D		A	B	C	D
	120"	18"	–	–	–	144"	22"	–	–	–	168"	19"	–	–	–
	114"	17"	–	–	–	138"	21"	–	–	–	162"	18 1/4"	–	–	–
	108"	16"	–	–	–	132"	20"	–	–	–	156"	17 1/2"	–	–	–
102"	15"	–	–	–	126"	19"	–	–	–	150"	16 3/4"	–	–	–	
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	120"	18"	–	–	102"	144"	22"	–	–	122"	168"	19"	–	–	149"
	114"	17"	–	–	97"	138"	21"	–	–	117"	162"	18 1/4"	–	–	143 3/4"
	108"	16"	–	–	92"	132"	20"	–	–	112"	156"	17 1/2"	–	–	138 1/2"
102"	15"	–	–	87"	126"	19"	–	–	107"	150"	16 3/4"	–	–	133 3/4"	
G10A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	120"	18"	60"	–	102"	144"	22"	72"	–	122"	168"	19"	61"	107"	149"
	114"	17"	57"	–	97"	138"	21"	69"	–	117"	162"	18 1/4"	58 3/4"	103 1/4"	143 3/4"
	108"	16"	54"	–	92"	132"	20"	66"	–	112"	156"	17 1/2"	56 1/2"	99 1/2"	138 1/2"
102"	15"	51"	–	87"	126"	19"	63"	–	107"	150"	16 3/4"	54 1/4"	95 3/4"	133 3/4"	
G10CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	120"	18"	60"	–	–	144"	22"	72"	–	–	168"	19"	61"	107"	–
	114"	17"	57"	–	–	138"	21"	69"	–	–	162"	18 1/4"	58 3/4"	103 1/4"	–
	108"	16"	54"	–	–	132"	20"	66"	–	–	156"	17 1/2"	56 1/2"	99 1/2"	–
102"	15"	51"	–	–	126"	19"	63"	–	–	150"	16 3/4"	54 1/4"	95 3/4"	–	

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G10 grommet is centered on the table top depth
- Grommet also offered as field installable solution – reference page 546
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- G10 grommets are shipped installed except for the center option on 120" and 144" tops
- Reference pages 60-61 for Base Placement Guide



- G10 Round Grommet



± 4 1/4" ±

- Cutout dimension is 89mm

- NACG10EL Round Electrical Grommet



- Must be ordered separately

***60" wide tops will be 29 1/2" to the center of the side dimension**

TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	192"				216"				240"						
	A	B	C	D	A	B	C	D	A	B	C	D			
G10C CENTER	192"	–	70"	122"	–	216"	–	79"	137"	–	240"	–	88"	152"	–
	186"	–	67 3/4"	118 1/4"	–	210"	–	76 3/4"	133 1/4"	–	234"	–	85 3/4"	148 1/4"	–
	180"	–	65 1/2"	114 1/2"	–	204"	–	74 1/2"	129 1/2"	–	228"	–	83 1/2"	144 1/2"	–
	174"	–	63 3/4"	110 3/4"	–	198"	–	72 1/4"	125 3/4"	–	222"	–	81 1/4"	140 3/4"	–
G10E END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	22 1/4"	–	122"	–	216"	25 1/4"	–	–	–	240"	28 1/4"	–	–	–
	186"	21 1/2"	–	118 1/4"	–	210"	24 1/2"	–	–	–	234"	27 1/2"	–	–	–
	180"	20 3/4"	–	114 1/2"	–	204"	23 3/4"	–	–	–	228"	26 3/4"	–	–	–
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	192"	22 1/4"	–	–	169 3/4"	216"	25 1/4"	–	–	190 3/4"	240"	28 1/4"	–	–	211 1/4"
	186"	21 1/2"	–	–	164 1/2"	210"	24 1/2"	–	–	185 1/2"	234"	27 1/2"	–	–	206 1/2"
	180"	20 3/4"	–	–	159 1/4"	204"	23 3/4"	–	–	180 1/4"	228"	26 3/4"	–	–	201 1/4"
G10A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	192"	22 1/4"	70"	122"	169 3/4"	216"	25 1/4"	79"	137"	190 3/4"	240"	28 1/4"	88"	152"	211 1/4"
	186"	21 1/2"	67 3/4"	118 1/4"	164 1/2"	210"	24 1/2"	76 3/4"	133 1/4"	185 1/2"	234"	27 1/2"	85 3/4"	148 1/4"	206 1/2"
	180"	20 3/4"	65 1/2"	114 1/2"	159 1/4"	204"	23 3/4"	74 1/2"	129 1/2"	180 1/4"	228"	26 3/4"	83 1/2"	144 1/2"	201 1/4"
G10CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	22 1/4"	70"	122"	–	216"	25 1/4"	79"	137"	–	240"	28 1/4"	88"	152"	–
	186"	21 1/2"	67 3/4"	118 1/4"	–	210"	24 1/2"	76 3/4"	133 1/4"	–	234"	27 1/2"	85 3/4"	148 1/4"	–
	180"	20 3/4"	65 1/2"	114 1/2"	–	204"	23 3/4"	74 1/2"	129 1/2"	–	228"	26 3/4"	83 1/2"	144 1/2"	–
G10CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	22 1/4"	63 3/4"	110 3/4"	–	198"	23"	72 1/4"	125 3/4"	–	222"	26"	81 1/4"	140 3/4"	–
	186"	21 1/2"	63 3/4"	110 3/4"	–	210"	24 1/2"	72 1/4"	125 3/4"	–	234"	27 1/2"	81 1/4"	140 3/4"	–
	180"	20 3/4"	63 3/4"	110 3/4"	–	204"	23 3/4"	72 1/4"	125 3/4"	–	228"	26 3/4"	81 1/4"	140 3/4"	–

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G15 grommet is centered on the table top depth
- Grommet also offered as field installable solution – reference pages 550-552
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- Reference pages 60-61 for Base Placement Guide

***60" wide tops will be 29½" to the center of the side dimension**






TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	TABLE LENGTH (IN)															
	72"					84"					96"					
	A	B	C	D		A	B	C	D		A	B	C	D		
G15C CENTER	72"	–	36"	–	–	84"	–	42"	–	–	96"	–	48"	–	–	
	66"	–	33"	–	–	78"	–	39"	–	–	90"	–	45"	–	–	
G15E END		A	B	C	D		A	B	C	D		A	B	C	D	
	72"	18"	–	–	–	84"	21"	–	–	–	96"	24"	–	–	–	
	66"	16½"	–	–	–	78"	19½"	–	–	–	90"	22½"	–	–	–	
G15LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D	
	72"	18"	–	–	54"	84"	21"	–	–	63"	96"	24"	–	–	72"	
	66"	16½"	–	–	49½"	78"	19½"	–	–	58½"	90"	22½"	–	–	67½"	
G15A ALL		A	B	C	D		A	B	C	D		A	B	C	D	
	72"	–	–	–	–	84"	–	–	–	–	96"	24"	48"	–	–	
	66"	–	–	–	–	78"	–	–	–	–	90"	22½"	45"	–	–	
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D	
	72"	–	–	–	–	84"	–	–	–	–	96"	24"	48"	–	–	
	66"	–	–	–	–	78"	–	–	–	–	90"	22½"	45"	–	–	

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G15 grommet is centered on the table top depth
- Grommet also offered as field installable solution – reference pages 550-552
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- Reference pages 60-61 for Base Placement Guide

***60" wide tops will be 29½" to the center of the side dimension**



• CUT-G15 option




TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"				144"				168"						
	A	B	C	D	A	B	C	D	A	B	C	D			
G15C CENTER	120"	–	60"	–	–	144"	–	72"	–	–	168"	–	63"	105"	–
	114"	–	57"	–	–	138"	–	69"	–	–	162"	–	60¾"	101¼"	–
	108"	–	54"	–	–	132"	–	66"	–	–	156"	–	58½"	97½"	–
	102"	–	51"	–	–	126"	–	63"	–	–	150"	–	56¾"	93¾"	–
G15E END		A	B	C	D		A	B	C	D		A	B	C	D
	120"	20"	–	–	–	144"	24¾"	–	–	–	168"	21¼"	–	–	–
	114"	19"	–	–	–	138"	23"	–	–	–	162"	20½"	–	–	–
	108"	18"	–	–	–	132"	22"	–	–	–	156"	19¾"	–	–	–
102"	17"	–	–	–	126"	21"	–	–	–	150"	19"	–	–	–	
G15LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	120"	20"	–	–	100"	144"	24¾"	–	–	119¾"	168"	21¼"	–	–	146¾"
	114"	19"	–	–	95"	138"	23"	–	–	115"	162"	20½"	–	–	141½"
	108"	18"	–	–	90"	132"	22"	–	–	110"	156"	19¾"	–	–	136¾"
102"	17"	–	–	85"	126"	21"	–	–	105"	150"	19"	–	–	131"	
G15A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	120"	20"	60"	–	100"	144"	24¾"	72"	–	119¾"	168"	21¼"	63"	105"	146¾"
	114"	19"	57"	–	95"	138"	23"	69"	–	115"	162"	20½"	60¾"	101¼"	141½"
	108"	18"	54"	–	90"	132"	22"	66"	–	110"	156"	19¾"	58½"	97½"	136¾"
102"	17"	51"	–	85"	126"	21"	63"	–	105"	150"	19"	56¾"	93¾"	131"	
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	120"	20"	60"	–	–	144"	24¾"	72"	–	–	168"	21¼"	63"	105"	–
	114"	19"	57"	–	–	138"	23"	69"	–	–	162"	20½"	60¾"	101¼"	–
	108"	18"	54"	–	–	132"	22"	66"	–	–	156"	19¾"	58½"	97½"	–
102"	17"	51"	–	–	126"	21"	63"	–	–	150"	19"	56¾"	93¾"	–	

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G15 grommet is centered on the table top depth
- Grommet also offered as field installable solution – reference pages 550-552
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- Reference pages 60-61 for Base Placement Guide

***60" wide tops will be 29½" to the center of the side dimension**






TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	192"				216"				240"						
	A	B	C	D	A	B	C	D	A	B	C	D			
G15C CENTER	192"	–	72"	120"	–	216"	–	81"	135"	–	240"	–	90"	150"	–
	186"	–	69¾"	116¼"	–	210"	–	78¾"	131¼"	–	234"	–	87¾"	146¼"	–
	180"	–	67½"	112½"	–	204"	–	76½"	127½"	–	228"	–	85½"	142½"	–
	174"	–	65¼"	108¾"	–	198"	–	74¼"	123¾"	–	222"	–	83¾"	138¾"	–
G15E END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	24¼"	–	–	–	216"	27¼"	–	–	–	240"	30¼"	–	–	–
	186"	23½"	–	–	–	210"	26½"	–	–	–	234"	29½"	–	–	–
	180"	22¾"	–	–	–	204"	25¾"	–	–	–	228"	28¾"	–	–	–
G15LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	192"	24¼"	–	–	167¾"	216"	27¼"	–	–	188¾"	240"	30¼"	–	–	209¾"
	186"	23½"	–	–	162½"	210"	26½"	–	–	183½"	234"	29½"	–	–	204½"
	180"	22¾"	–	–	157¼"	204"	25¾"	–	–	178¼"	228"	28¾"	–	–	199¼"
G15A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	192"	24¼"	72"	120"	167¾"	216"	27¼"	81"	135"	188¾"	240"	30¼"	90"	150"	209¾"
	186"	23½"	69¾"	116¼"	162½"	210"	26½"	78¾"	131¼"	183½"	234"	29½"	87¾"	146¼"	204½"
	180"	22¾"	67½"	112½"	157¼"	204"	25¾"	76½"	127½"	178¼"	228"	28¾"	85½"	142½"	199¼"
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	24¼"	72"	120"	–	216"	27¼"	81"	135"	–	240"	30¼"	90"	150"	–
	186"	23½"	69¾"	116¼"	–	210"	26½"	78¾"	131¼"	–	234"	29½"	87¾"	146¼"	–
	180"	22¾"	67½"	112½"	–	204"	25¾"	76½"	127½"	–	228"	28¾"	85½"	142½"	–
G15LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	192"	24¼"	–	–	152"	198"	25"	–	–	173"	222"	28"	–	–	194"
	186"	23½"	–	–	147"	192"	24½"	–	–	168"	216"	27½"	–	–	189"
	180"	22¾"	–	–	142"	186"	24"	–	–	163"	210"	27"	–	–	184"

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G16 grommet is centered on the table top depth
- Grommet is not field installable
- Center grommets in 168" and 192" tops will be located on a seam
- Reference pages 60-61 for Base Placement Guide

***60" wide tops will be 29% to the center of the side dimension**



• CUT-G16 option




TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	72"			84"			96"					
	A	B	C	A	B	C	A	B	C			
G16C CENTER	72"	—	36"	—	84"	—	42"	—	96"	—	48"	—
	66"	—	33"	—	78"	—	39"	—	90"	—	45"	—
G16E END	72"	—	—	—	72"	—	—	—	72"	—	—	—
	66"	—	—	—	66"	—	—	—	66"	—	—	—
G16LR LEFT, RIGHT	72"	—	—	—	72"	—	—	—	72"	—	—	—
	66"	—	—	—	66"	—	—	—	66"	—	—	—
G16A ALL	72"	—	—	—	72"	—	—	—	72"	—	—	—
	66"	—	—	—	66"	—	—	—	66"	—	—	—
G16CE CENTER, END	72"	—	—	—	72"	—	—	—	72"	—	—	—
	66"	—	—	—	66"	—	—	—	66"	—	—	—

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G16 grommet is centered on the table top depth
- Grommet is not field installable
- Center grommets in 168" and 192" tops will be located on a seam
- Reference pages 60-61 for Base Placement Guide

***60" wide tops will be 29 1/2" to the center of the side dimension**






TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"			144"			168"					
	A	B	C	A	B	C	A	B	C			
G16C CENTER	120"	–	–	–	144"	–	–	–	168"	–	84"	–
	114"	–	–	–	138"	–	–	–	162"	–	81"	–
	108"	–	–	–	132"	–	–	–	156"	–	78"	–
	102"	–	–	–	126"	–	–	–	150"	–	75"	–
G16E END		A	B	C		A	B	C		A	B	C
	120"	40"	–	–	144"	48"	–	–	168"	42"	–	–
	114"	38"	–	–	138"	46"	–	–	162"	40 1/2"	–	–
	108"	36"	–	–	132"	44"	–	–	156"	39"	–	–
	102"	34"	–	–	126"	42"	–	–	150"	37 1/2"	–	–
G16LR LEFT, RIGHT		A	B	C		A	B	C		A	B	C
	120"	40"	–	80"	144"	48"	–	96"	168"	42"	–	126"
	114"	38"	–	76"	138"	46"	–	92"	162"	40 1/2"	–	121 1/2"
	108"	36"	–	72"	132"	44"	–	88"	156"	39"	–	117"
	102"	34"	–	68"	126"	42"	–	84"	150"	37 1/2"	–	112 1/2"
G16A ALL		A	B	C		A	B	C		A	B	C
	120"	–	–	–	144"	–	–	–	168"	42"	84"	126"
	114"	–	–	–	138"	–	–	–	162"	40 1/2"	81"	121 1/2"
	108"	–	–	–	132"	–	–	–	156"	39"	78"	117"
	102"	–	–	–	126"	–	–	–	150"	37 1/2"	75"	112 1/2"
G16CE CENTER, END		A	B	C		A	B	C		A	B	C
	120"	–	–	–	144"	–	–	–	168"	42"	84"	–
	114"	–	–	–	138"	–	–	–	162"	40 1/2"	81"	–
	108"	–	–	–	132"	–	–	–	156"	39"	78"	–
	102"	–	–	–	126"	–	–	–	150"	37 1/2"	75"	–

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G16 grommet is centered on the table top depth
- Grommet is not field installable
- Center grommets in 168" and 192" tops will be located on a seam
- Reference pages 60-61 for Base Placement Guide

***60" wide tops will be 29% to the center of the side dimension**



• CUT-G16 option




TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	TABLE LENGTH (IN)											
	192"			216"			240"					
	A	B	C	A	B	C	A	B	C	A	B	C
G16C CENTER	192"	—	96"	—	216"	—	108"	—	240"	—	120"	—
	186"	—	93"	—	210"	—	105"	—	234"	—	117"	—
	180"	—	90"	—	204"	—	102"	—	228"	—	114"	—
	174"	—	87"	—	198"	—	99"	—	222"	—	111"	—
G16E END		A	B	C		A	B	C		A	B	C
	192"	48 1/4"	—	—	216"	54 1/4"	—	—	240"	60 1/4"	—	—
	186"	46 1/2"	—	—	210"	52 3/4"	—	—	234"	58 3/4"	—	—
	180"	45"	—	—	204"	51 1/4"	—	—	228"	57 1/4"	—	—
G16LR LEFT, RIGHT		A	B	C		A	B	C		A	B	C
	192"	48 1/4"	—	143 3/4"	216"	54 1/4"	—	161 3/4"	240"	60 1/4"	—	179 3/4"
	186"	46 1/2"	—	139 1/2"	210"	52 3/4"	—	157 1/4"	234"	58 3/4"	—	175 1/4"
	180"	45"	—	135"	204"	51 1/4"	—	152 3/4"	228"	57 1/4"	—	170 3/4"
G16A ALL		A	B	C		A	B	C		A	B	C
	192"	48 1/4"	96"	143 3/4"	216"	54 1/4"	108"	161 3/4"	240"	60 1/4"	120"	179 3/4"
	186"	46 1/2"	93"	139 1/2"	210"	52 3/4"	105"	157 1/4"	234"	58 3/4"	117"	175 1/4"
	180"	45"	90"	135"	204"	51 1/4"	102"	152 3/4"	228"	57 1/4"	114"	170 3/4"
G16CE CENTER, END		A	B	C		A	B	C		A	B	C
	192"	48 1/4"	96"	—	216"	54 1/4"	108"	—	240"	60 1/4"	120"	—
	186"	46 1/2"	93"	—	210"	52 3/4"	105"	—	234"	58 3/4"	117"	—
	180"	45"	93"	—	204"	51 1/4"	102"	—	228"	57 1/4"	114"	—
G16A ALL		A	B	C		A	B	C		A	B	C
	192"	48 1/4"	87"	130 1/2"	216"	49 3/4"	99"	148 3/4"	222"	55 3/4"	111"	166 3/4"
	186"	46 1/2"	87"	130 1/2"	210"	49 3/4"	99"	148 3/4"	222"	55 3/4"	111"	166 3/4"
	180"	45"	87"	130 1/2"	204"	49 3/4"	99"	148 3/4"	222"	55 3/4"	111"	166 3/4"