
CONFERENCE TABLE TOPS

Arrowwood™	64
Barrington®	70
Epic®	78
Escalade®	101
Flourish®	109
Universal	112
WaveWorks®	129

ARROWOOD

ARROWOOD CONFERENCE TOP SPECIFICATIONS

TOPS

- Arrowood Veneer (31N) models feature 1 $\frac{3}{16}$ " or 1 $\frac{1}{8}$ " slipmatched cherry and maple, bookmatched walnut veneer or HPL (high pressure laminate)
- Mitered wood rim profile
- Arrowood Laminate (21N) models feature 1 $\frac{3}{16}$ " TFL (thermally fused laminate) with mitered rim
- Size modifications available at no upcharge; many Arrowood conference tops can be cut down in 6" increments. See component section for specific models
- See page 23 for modified size options

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a semi-open pore matte finish. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore matte finish


POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Modified Depth
4. Modified Width
5. Finish/Laminate

ARROWOOD SHAPES AND SIZES



SQUARE

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"



RECTANGLE

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"

31N ARROWOOD VENEER TOP OPTIONS

WOOD FINISHES

AC	Autumn
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

RIM PROFILE



21N ARROWOOD LAMINATE TOP OPTIONS

LAMINATE COLORS

AC2	Autumn 2	MH	Mocha
AD	Almond	NM	Natural
CL	Caramel	PB	Portobello
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN2	Honey 2	792	Sable
IM	Brighton	793	Acorn
MC	Amber		

RIM PROFILE



GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$75 list for each grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End



- Reference pages 24-25 for grommet locations




NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 546 for pricing and details


Cutout Option for 1 Touch Double Pivoting Power Grommet

\$25 list upcharge per cutout location

CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End



- Reference pages 26-27 for cutout locations of CUT-G15




**NACG15AELPGS, NACG15AELHCS,
NACG15AELPGB, NACG15AELHCB,
NACG15AELPGW, and NACG15AELHCW**
(Sold Separately)

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 550 for pricing and details


Cutout Option for Power/Data Oasis

\$25 list upcharge per cutout location

CUT-G16C	Center
CUT-G16E	End
CUT-G16LR	Left, Right
CUT-G16A	All
CUT-G16CE	Center, End



- Reference pages 28-29 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



**NACG162ELS, NACG162ELHS,
NACG162ELB, and NACG162ELHB**
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 553 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

ARROWOOD SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 65 for options and upcharge
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Finish (31NN only)
4. Laminate (21NN only)

SAMPLE MODEL NUMBERS:

31NN3636SQW G10C NM
31NN3636SQLW G10C MC

- See page 65 for all options available in Arrowood

ARROWOOD SQUARE TOP	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
	30" SQUARE 1 1/8" TOP THICKNESS								
	31NN3030SQW Wood	\$ 1048	30	30	1 1/8	—	—	33 lbs.	2.0
	31NN3030SQLW Laminate/Wood	1048	30	30	1 1/8	—	—	33 lbs.	2.0
	36" SQUARE								
	31NN3636SQW Wood	\$ 1234	36	36	1 1/8	—	—	45 lbs.	2.4
	31NN3636SQLW Laminate/Wood	1234	36	36	1 1/8	—	—	45 lbs.	2.4
	42" SQUARE								
	31NN4242SQW Wood	\$ 1383	42	42	1 1/8	—	—	61 lbs.	3.2
	31NN4242SQLW Laminate/Wood	1383	42	42	1 1/8	—	—	61 lbs.	3.2
	48" SQUARE								
	31NN4848SQW Wood	\$ 1539	48	48	1 1/8	—	—	79 lbs.	4.2
	31NN4848SQLW Laminate/Wood	1539	48	48	1 1/8	—	—	79 lbs.	4.2
	54" SQUARE								
	31NN5454SQW Wood	\$ 1808	54	54	1 1/8	—	—	121 lbs.	6.9
	31NN5454SQLW Laminate/Wood	1808	54	54	1 1/8	—	—	121 lbs.	6.9
	60" SQUARE								
	31NN6060SQW Wood	\$ 2076	58 3/8	58 3/8	1 1/8	—	—	150 lbs.	8.3
	31NN6060SQLW Laminate/Wood	2076	58 3/8	58 3/8	1 1/8	—	—	150 lbs.	8.3

ARROWOOD SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 65 for options and upcharge
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Finish (31N only)
4. Laminate (21N only)

SAMPLE MODEL NUMBERS:

31N3030SQW G10C NM
31N3030SQLW G10C MC

- See page 65 for all options available in Arrowood

ARROWOOD SQUARE TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
				D	W	H	A	KW	WEIGHT	FEET
	30" SQUARE									
	1 1/8" TOP THICKNESS									
	31N3030SQW	Wood	\$ 934	30	30	1 1/8	—	—	33 lbs.	2.0
	31N3030SQLW	Laminate/Wood	934	30	30	1 1/8	—	—	33 lbs.	2.0
	21N3030SQL	Laminate	484	30	30	1 1/8	—	—	33 lbs.	2.0
	36" SQUARE									
	31N3636SQW	Wood	\$ 1099	36	36	1 1/8	—	—	42 lbs.	2.4
	31N3636SQLW	Laminate/Wood	1099	36	36	1 1/8	—	—	42 lbs.	2.4
	21N3636SQL	Laminate	568	36	36	1 1/8	—	—	42 lbs.	2.4
42" SQUARE										
31N4242SQW	Wood	\$ 1249	42	42	1 1/8	—	—	58 lbs.	3.2	
31N4242SQLW	Laminate/Wood	1249	42	42	1 1/8	—	—	58 lbs.	3.2	
21N4242SQL	Laminate	813	42	42	1 1/8	—	—	58 lbs.	3.2	
48" SQUARE										
31N4848SQW	Wood	\$ 1405	48	48	1 1/8	—	—	76 lbs.	4.2	
31N4848SQLW	Laminate/Wood	1405	48	48	1 1/8	—	—	76 lbs.	4.2	
21N4848SQL	Laminate	1116	48	48	1 1/8	—	—	76 lbs.	4.2	

CONFERENCE TABLE TOPS

ARROWOOD

ARROWOOD RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 65 for options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 23 for available sizes)
4. Modified Width (see page 23 for available sizes)
5. Finish (31NN only)
6. Laminate (21NN only)


SAMPLE MODEL NUMBERS:

31NN48216RTW CUT-G15LR X X MH
 31NN48216RTLW X X X CW

- See page 65 for all options available in Arrowood

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
ARROWOOD RECTANGLE TOP								
36" x 72" 1 1/2" TOP THICKNESS								
31NN3672RTW Wood	\$ 1956	36	72	1 1/2	—	—	136 lbs.	6.3
31NN3672RTLW Laminate/Wood	1956	36	72	1 1/2	—	—	136 lbs.	6.3
42" x 84"								
31NN4284RTW Wood	\$ 2310	42	84	1 1/2	—	—	180 lbs.	8.3
31NN4284RTLW Laminate/Wood	2310	42	84	1 1/2	—	—	180 lbs.	8.3
48" x 96"								
31NN4896RTW Wood	\$ 2661	48	96	1 1/2	—	—	233 lbs.	10.5
31NN4896RTLW Laminate/Wood	2661	48	96	1 1/2	—	—	233 lbs.	10.5
48" x 120"								
31NN48120RTW Wood	\$ 3632	48	120	1 1/2	—	—	279 lbs.	10.6
31NN48120RTLW Laminate/Wood	3632	48	120	1 1/2	—	—	279 lbs.	10.6
48" x 144"								
31NN48144RTW Wood	\$ 4501	48	144	1 1/2	—	—	332 lbs.	12.5
31NN48144RTLW Laminate/Wood	4501	48	144	1 1/2	—	—	332 lbs.	12.5
48" x 168"								
31NN48168RTW Wood	\$ 5180	48	168	1 1/2	—	—	385 lbs.	14.3
31NN48168RTLW Laminate/Wood	5180	48	168	1 1/2	—	—	385 lbs.	14.3
48" x 192"								
31NN48192RTW Wood	\$ 5857	48	192	1 1/2	—	—	438 lbs.	16.2
31NN48192RTLW Laminate/Wood	5857	48	192	1 1/2	—	—	438 lbs.	16.2
48" x 216"								
31NN48216RTW Wood	\$ 6536	48	216	1 1/2	—	—	524 lbs.	20.0
31NN48216RTLW Laminate/Wood	6536	48	216	1 1/2	—	—	524 lbs.	20.0
48" x 240"								
31NN48240RTW Wood	\$ 7216	48	240	1 1/2	—	—	571 lbs.	22.0
31NN48240RTLW Laminate/Wood	7216	48	240	1 1/2	—	—	571 lbs.	22.0

• Modified depth and width are available; refer to the chart on page 23 for conference top sizing



ARROWOOD RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 65 for options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 23 for available sizes)
4. Modified Width (see page 23 for available sizes)
5. Finish (31NN only)
6. Laminate (21NN only)


SAMPLE MODEL NUMBERS:

31NN60144RTW CUT-G15LR X X MH
 31NN60144RTLW X X X CW

- See page 65 for all options available in Arrowood

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
ARROWOOD RECTANGLE TOP (CONTINUED)								
60" x 144" 1 1/8" TOP THICKNESS								
31NN60144RTW Wood	\$ 5849	58 3/8	144	1 1/8	—	—	412 lbs.	18.0
31NN60144RTLW Laminate/Wood	5849	58 3/8	144	1 1/8	—	—	412 lbs.	18.0
60" x 168"								
31NN60168RTW Wood	\$ 6733	58 3/8	168	1 1/8	—	—	480 lbs.	22.5
31NN60168RTLW Laminate/Wood	6733	58 3/8	168	1 1/8	—	—	480 lbs.	22.5
60" x 192"								
31NN60192RTW Wood	\$ 7617	58 3/8	192	1 1/8	—	—	539 lbs.	29.0
31NN60192RTLW Laminate/Wood	7617	58 3/8	192	1 1/8	—	—	539 lbs.	29.0
60" x 216"								
31NN60216RTW Wood	\$ 8496	58 3/8	216	1 1/8	—	—	647 lbs.	31.0
31NN60216RTLW Laminate/Wood	8496	58 3/8	216	1 1/8	—	—	647 lbs.	31.0
60" x 240"								
31NN60240RTW Wood	\$ 9377	58 3/8	240	1 1/8	—	—	706 lbs.	34.0
31NN60240RTLW Laminate/Wood	9377	58 3/8	240	1 1/8	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 23 for conference top sizing



BARRINGTON

BARRINGTON CONFERENCE TOP SPECIFICATIONS

TOPS

- 1 $\frac{1}{8}$ " bookmatched walnut veneer or HPL (high pressure laminate)
- Mitered wood rim
- Size modifications available at no upcharge; many Barrington conference tops can be cut down in 6" increments. See component section for specific models
- See page 23 for modified size options

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a semi-open pore matte finish. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore matte finish


POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:


1. Model Number
2. Grommet
3. Modified Depth
4. Modified Width
5. Finish/Laminate

BARRINGTON SHAPES AND SIZES



ROUND

- 30" Diameter
- 36" Diameter
- 42" Diameter
- 48" Diameter
- 54" Diameter
- 60" Diameter




SQUARE

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"



RECTANGLE

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"




BOAT

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"

WOOD FINISHES

- CW Cordovan
- DW Judicial
- MH Mocha
- TF Truffle

RIM PROFILE



GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$75 list upcharge per grommet location

- G10C Center
- G10E End
- G10LR Left, Right
- G10A All
- G10CE Center, End



- Reference pages 24-25 for grommet locations




NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 546 for pricing and details


Cutout Option for 1 Touch Double Pivoting Power Grommet

\$25 list upcharge per cutout location

- CUT-G15C Center
- CUT-G15E End
- CUT-G15LR Left, Right
- CUT-G15A All
- CUT-G15CE Center, End



- Reference pages 26-27 for cutout locations of CUT-G15




**NACG15AELPGS, NACG15AELHCS,
NACG15AELPGB, NACG15AELHCB,
NACG15AELPGW, and NACG15AELHCW**
(Sold Separately)

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 550 for pricing and details


Cutout Option for Power/Data Oasis

\$25 list upcharge per cutout location

- CUT-G16C Center
- CUT-G16E End
- CUT-G16LR Left, Right
- CUT-G16A All
- CUT-G16CE Center, End



- Reference pages 28-29 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



**NACG162ELS, NACG162ELHS,
NACG162ELB, and NACG162ELHB**
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 553 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

BARRINGTON ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases or Queen Anne bases
- Grommet options available on round and square tops are G10C and CUT-G15C, reference page 71 for options and upcharge
- Reference pages 40-59 for table base guide

TO ORDER, SPECIFY:


1. Model Number
2. Grommet/Cutout Option
3. Finish

SAMPLE MODEL NUMBER:

50NN36RDW X DW

- See page 71 for all options available in Barrington

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
BARRINGTON ROUND TOP								
30" ROUND								
36" ROUND								
42" ROUND								
48" ROUND								
54" ROUND								
60" ROUND								



PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases or Queen Anne bases
- Grommet options available on round and square tops are G10C and CUT-G15C, reference page 71 for options and upcharge
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Finish

SAMPLE MODEL NUMBER:

50NN3636SQW X MH

- See page 71 for all options available in Barrington

BARRINGTON SQUARE TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	30" SQUARE 1 1/8" TOP THICKNESS									
	50NN3030SQW	Wood	\$ 1381	30	30	1 1/8	—	—	33 lbs.	2.0
	50NN3030SQLW	Laminate/Wood	1381	30	30	1 1/8	—	—	33 lbs.	2.0
	36" SQUARE									
	50NN3636SQW	Wood	\$ 1627	36	36	1 1/8	—	—	45 lbs.	2.4
	50NN3636SQLW	Laminate/Wood	1627	36	36	1 1/8	—	—	45 lbs.	2.4
	42" SQUARE									
	50NN4242SQW	Wood	\$ 1777	42	42	1 1/8	—	—	61 lbs.	3.2
	50NN4242SQLW	Laminate/Wood	1777	42	42	1 1/8	—	—	61 lbs.	3.2
	48" SQUARE									
	50NN4848SQW	Wood	\$ 2198	48	48	1 1/8	—	—	79 lbs.	4.2
	50NN4848SQLW	Laminate/Wood	2198	48	48	1 1/8	—	—	79 lbs.	4.2
	54" SQUARE									
	50NN5454SQW	Wood	\$ 2679	54	54	1 1/8	—	—	121 lbs.	6.9
	50NN5454SQLW	Laminate/Wood	2679	54	54	1 1/8	—	—	121 lbs.	6.9
	60" SQUARE									
	50NN6060SQW	Wood	\$ 2953	58 3/8	58 3/8	1 1/8	—	—	150 lbs.	8.3
	50NN6060SQLW	Laminate/Wood	2953	58 3/8	58 3/8	1 1/8	—	—	150 lbs.	8.3

CONFERENCE TABLE TOPS

BARRINGTON

BARRINGTON RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 71 for options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 23 for available sizes)
4. Modified Width (see page 23 for available sizes)
5. Finish

SAMPLE MODEL NUMBERS:

50NN48216RTW CUT-G15A X X DW
50NN48216RTLW CUT-G15A X X DW

- See page 71 for all options available in Barrington

BARRINGTON RECTANGLE TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	36" x 72"	1 1/2" TOP THICKNESS		D	W	H	A	KW		
	50NN3672RTW	Wood	\$ 2540	36	72	1 1/2	—	—	136 lbs.	6.3
	50NN3672RTLW	Laminate/Wood	2540	36	72	1 1/2	—	—	136 lbs.	6.3
	42" x 84"									
	50NN4284RTW	Wood	\$ 2996	42	84	1 1/2	—	—	180 lbs.	8.3
	50NN4284RTLW	Laminate/Wood	2996	42	84	1 1/2	—	—	180 lbs.	8.3
	48" x 96"									
	50NN4896RTW	Wood	\$ 3450	47 1/2	96	1 1/2	—	—	233 lbs.	10.5
	50NN4896RTLW	Laminate/Wood	3450	47 1/2	96	1 1/2	—	—	233 lbs.	10.5
	48" x 120"									
	50NN48120RTW	Wood	\$ 4711	47 1/2	120	1 1/2	—	—	279 lbs.	10.6
	50NN48120RTLW	Laminate/Wood	4711	47 1/2	120	1 1/2	—	—	279 lbs.	10.6
	48" x 144"									
	50NN48144RTW	Wood	\$ 5838	47 1/2	144	1 1/2	—	—	332 lbs.	12.5
	50NN48144RTLW	Laminate/Wood	5838	47 1/2	144	1 1/2	—	—	332 lbs.	12.5
	48" x 168"									
	50NN48168RTW	Wood	\$ 6720	47 1/2	168	1 1/2	—	—	385 lbs.	14.3
	50NN48168RTLW	Laminate/Wood	6720	47 1/2	168	1 1/2	—	—	385 lbs.	14.3
	48" x 192"									
	50NN48192RTW	Wood	\$ 7597	47 1/2	192	1 1/2	—	—	438 lbs.	16.2
	50NN48192RTLW	Laminate/Wood	7597	47 1/2	192	1 1/2	—	—	438 lbs.	16.2
	48" x 216"									
	50NN48216RTW	Wood	\$ 8474	47 1/2	216	1 1/2	—	—	524 lbs.	20.0
	50NN48216RTLW	Laminate/Wood	8474	47 1/2	216	1 1/2	—	—	524 lbs.	20.0
	48" x 240"									
	50NN48240RTW	Wood	\$ 9356	47 1/2	240	1 1/2	—	—	571 lbs.	22.0
	50NN48240RTLW	Laminate/Wood	9356	47 1/2	240	1 1/2	—	—	571 lbs.	22.0

• Modified depth and width are available; refer to the chart on page 23 for conference top sizing

BARRINGTON RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 71 for options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 23 for available sizes)
4. Modified Width (see page 23 for available sizes)
5. Finish

SAMPLE MODEL NUMBERS:

50NN60144RTW CUT-G15A X X DW
 50NN60144RTLW CUT-G15A X X DW

- See page 71 for all options available in Barrington

BARRINGTON RECTANGLE TOP (CONTINUED)	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		1 ¹ / ₆ " TOP THICKNESS		D	W	H	A	KW		
	60" x 144"									
	50NN60144RTW	Wood	\$ 7587	58%	143 ¹ / ₈	1 ¹ / ₆	—	—	412 lbs.	18.0
	50NN60144RTLW	Laminate/Wood	7587	58%	143 ¹ / ₈	1 ¹ / ₆	—	—	412 lbs.	18.0
	60" x 168"									
	50NN60168RTW	Wood	\$ 8734	58%	168	1 ¹ / ₆	—	—	480 lbs.	22.5
	50NN60168RTLW	Laminate/Wood	8734	58%	168	1 ¹ / ₆	—	—	480 lbs.	22.5
	60" x 192"									
	50NN60192RTW	Wood	\$ 9875	58%	192	1 ¹ / ₆	—	—	539 lbs.	29.0
	50NN60192RTLW	Laminate/Wood	9875	58%	192	1 ¹ / ₆	—	—	539 lbs.	29.0
	60" x 216"									
	50NN60216RTW	Wood	\$ 11021	58%	216	1 ¹ / ₆	—	—	647 lbs.	31.0
	50NN60216RTLW	Laminate/Wood	11021	58%	216	1 ¹ / ₆	—	—	647 lbs.	31.0
	60" x 240"									
	50NN60240RTW	Wood	\$ 12164	58%	240	1 ¹ / ₆	—	—	706 lbs.	34.0
	50NN60240RTLW	Laminate/Wood	12164	58%	240	1 ¹ / ₆	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 23 for conference top sizing

BARRINGTON BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 71 for options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 23 for available sizes)
4. Modified Width (see page 23 for available sizes)
5. Finish

SAMPLE MODEL NUMBERS:

50NN48216BTW G10A X X CW
50NN48216BTLW G10A X X CW

- See page 71 for all options available in Barrington

BARRINGTON BOAT TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		1 1/2" TOP THICKNESS		D	W	H	A	KW		
	36" x 72"									
	50NN3672BTW	Wood	\$ 2740	36	72	1 1/2	—	—	136 lbs.	6.3
	50NN3672BTLW	Laminate/Wood	2740	36	72	1 1/2	—	—	136 lbs.	6.3
	42" x 84"									
	50NN4284BTW	Wood	\$ 3193	42	84	1 1/2	—	—	180 lbs.	8.3
	50NN4284BTLW	Laminate/Wood	3193	42	84	1 1/2	—	—	180 lbs.	8.3
	48" x 96"									
	50NN4896BTW	Wood	\$ 3645	47 1/2	96	1 1/2	—	—	233 lbs.	10.5
	50NN4896BTLW	Laminate/Wood	3645	47 1/2	96	1 1/2	—	—	233 lbs.	10.5
	48" x 120"									
	50NN48120BTW	Wood	\$ 5119	47 1/2	120	1 1/2	—	—	279 lbs.	10.6
	50NN48120BTLW	Laminate/Wood	5119	47 1/2	120	1 1/2	—	—	279 lbs.	10.6
	48" x 144"									
	50NN48144BTW	Wood	\$ 6232	47 1/2	144	1 1/2	—	—	332 lbs.	12.5
	50NN48144BTLW	Laminate/Wood	6232	47 1/2	144	1 1/2	—	—	332 lbs.	12.5
	48" x 168"									
	50NN48168BTW	Wood	\$ 7106	47 1/2	168	1 1/2	—	—	385 lbs.	14.3
	50NN48168BTLW	Laminate/Wood	7106	47 1/2	168	1 1/2	—	—	385 lbs.	14.3
	48" x 192"									
	50NN48192BTW	Wood	\$ 7978	47 1/2	192	1 1/2	—	—	438 lbs.	16.2
	50NN48192BTLW	Laminate/Wood	7978	47 1/2	192	1 1/2	—	—	438 lbs.	16.2
	48" x 216"									
	50NN48216BTW	Wood	\$ 8847	47 1/2	216	1 1/2	—	—	524 lbs.	20.0
	50NN48216BTLW	Laminate/Wood	8847	47 1/2	216	1 1/2	—	—	524 lbs.	20.0
	48" x 240"									
	50NN48240BTW	Wood	\$ 9717	47 1/2	240	1 1/2	—	—	571 lbs.	22.0
	50NN48240BTLW	Laminate/Wood	9717	47 1/2	240	1 1/2	—	—	571 lbs.	22.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 23 for conference top sizing

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 71 for options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide

TO ORDER, SPECIFY:


1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 23 for available sizes)
4. Modified Width (see page 23 for available sizes)
5. Finish

SAMPLE MODEL NUMBERS:

50NN60144BTW G10A X X CW
 50NN60144BTLW G10A X X CW

- See page 71 for all options available in Barrington

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
BARRINGTON BOAT TOP (CONTINUED)	60" x 144"	1 1/16" TOP THICKNESS								
	50NN60144BTW	Wood	\$ 8101	58%	143 1/8	1 1/16	—	—	412 lbs.	18.0
	50NN60144BTLW	Laminate/Wood	8101	58%	143 1/8	1 1/16	—	—	412 lbs.	18.0
	60" x 168"									
	50NN60168BTW	Wood	\$ 9239	58%	168	1 1/16	—	—	480 lbs.	22.5
	50NN60168BTLW	Laminate/Wood	9239	58%	168	1 1/16	—	—	480 lbs.	22.5
	60" x 192"									
	50NN60192BTW	Wood	\$ 10372	58%	192	1 1/16	—	—	539 lbs.	29.0
	50NN60192BTLW	Laminate/Wood	10372	58%	192	1 1/16	—	—	539 lbs.	29.0
	60" x 216"									
	50NN60216BTW	Wood	\$ 11501	58%	216	1 1/16	—	—	647 lbs.	31.0
	50NN60216BTLW	Laminate/Wood	11501	58%	216	1 1/16	—	—	647 lbs.	31.0
	60" x 240"									
	50NN60240BTW	Wood	\$ 12631	58%	240	1 1/16	—	—	706 lbs.	34.0
	50NN60240BTLW	Laminate/Wood	12631	58%	240	1 1/16	—	—	706 lbs.	34.0



- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 23 for conference top sizing

CONFERENCE TABLE TOPS
BARRINGTON

EPIC CONFERENCE TOP SPECIFICATIONS

TOPS

- Laminate surfaces are 1 $\frac{3}{8}$ " or 1 $\frac{1}{2}$ " HPL (high pressure laminate), and feature a 3mm PVC or wood rim, or a knife rim profile with a 3mm PVC or wood rim on the vertical edge
- Veneer surfaces are 1 $\frac{3}{8}$ " plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), quarter cut oak veneer (Sonoma). All veneer surfaces feature a 3mm wood rim or knife rim profile with a wood rim on the vertical edge.
- Knife rim surfaces available on all sides
- Refer to page 79 for rim profiles and colors
- Size modifications available at no upcharge; many Epic conference tops can be cut down in 6" increments. See component section for specific models
- See page 23 for modified size options

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a semi-open pore matte finish. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore matte finish


POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

EPIC SHAPES AND SIZES




- ROUND**
 30" Diameter
 36" Diameter
 42" Diameter
 48" Diameter
 54" Diameter
 60" Diameter




- SQUARE**
 30" x 30"
 36" x 36"
 42" x 42"
 48" x 48"
 54" x 54"
 60" x 60"



- RECTANGLE**
 36" x 72", 42" x 84"
 48" x 96", 120", 144", 168", 192", 216" and 240"
 60" x 144", 168", 192", 216" and 240"



- BOAT**
 36" x 72", 42" x 84"
 48" x 96", 120", 144", 168", 192", 216" and 240"
 60" x 144", 168", 192", 216" and 240"



- RACETRACK**
 36" x 72", 42" x 84"
 48" x 96", 120", 144", 168", 192", 216" and 240"
 60" x 144", 168", 192", 216" and 240"

WOOD FINISHES

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
SM	Sonoma
TF	Truffle
792	Sable

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2	Autumn 2	NM	Natural
AD	Almond	PB	Portobello
CL	Caramel	PT	Portico
CW	Cordovan	SK	Skyline
DW	Judicial	SM	Sonoma
HN2	Honey 2	TF	Truffle
IM	Brighton	792	Sable
MC	Amber	793	Acorn
MH	Mocha		

*Not available on occasional tables
 • CSL available; see page 18 for program details and upcharge

SOLID LAMINATE

405	Designer White
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear

PATTERN LAMINATE*

814	White Tigris
818	Crisp Linen
819	Flax Gauze
821	Elemental Concrete
822	Smoke Quarstone
874	Bronze Legacy

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

RIM PROFILES

PVC RIM

AC2	Autumn 2	PT	Portico	461	Graphite
AD	Almond	SK	Skyline	462	Cinder
CL	Caramel	SM	Sonoma	478	Platinum Grey
CW	Cordovan	TF	Truffle	488	Frosty White
DW	Judicial	405	Designer	491	Designer White
HN2	Honey 2		White		Linear
IM	Brighton	419	Wallaby	492	Cinder Linear
MC	Amber	425	Shadow	792	Sable
MH	Mocha	440	Cloud	793	Acorn
NM	Natural				
PB	Portobello				


WOOD RIM

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
SM	Sonoma
TF	Truffle
792	Sable


GALLERY PVC RIM

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 18 for Gallery program details and upcharges



Softened PVC (V)



Knife (K)



Softened Wood (F)

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$75 list upcharge per grommet location

- G10C Center
- G10E End
- G10LR Left, Right
- G10A All
- G10CE Center, End



- Reference pages 24-25 for grommet locations




NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 546 for pricing and details


Cutout Option for 1 Touch Double Pivoting Power Grommet

\$25 list upcharge per cutout location

- CUT-G15C Center
- CUT-G15E End
- CUT-G15LR Left, Right
- CUT-G15A All
- CUT-G15CE Center, End



- Reference pages 26-27 for cutout locations of CUT-G15




**NACG15AELPGS, NACG15AELHCS,
NACG15AELPGB, NACG15AELHCB,
NACG15AELPGW, and NACG15AELHCW**
(Sold Separately)

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 550 for pricing and details


Cutout Option for Power/Data Oasis

\$25 list upcharge per cutout location

- CUT-G16C Center
- CUT-G16E End
- CUT-G16LR Left, Right
- CUT-G16A All
- CUT-G16CE Center, End



- Reference pages 28-29 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



**NACG162ELS, NACG162ELHS,
NACG162ELB, and NACG162ELHB**
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 553 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 80 for grommet options and upcharge
- Reference pages 24-27 for grommet and cutout locations
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN36RDW F X MC
25NN36RDL V461 X 461

- See page 79 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
EPIC ROUND TOP SOFTENED RIM	30" ROUND	1¹/₆" TOP THICKNESS	DI	H					
	25NN30RDW	Wood	\$ 1370	30 ⁷ / ₁₆	—	1 ¹ / ₆	—	—	33 lbs. 2.0
	25NN30RDL	Laminate	806	30 ⁷ / ₁₆	—	1 ¹ / ₆	—	—	33 lbs. 2.0
	36" ROUND								
	25NN36RDW	Wood	\$ 1611	36 ⁷ / ₁₆	—	1 ¹ / ₆	—	—	40 lbs. 2.4
	25NN36RDL	Laminate	948	36 ⁷ / ₁₆	—	1 ¹ / ₆	—	—	40 lbs. 2.4
	42" ROUND								
	25NN42RDW	Wood	\$ 1955	42 ⁷ / ₁₆	—	1 ¹ / ₆	—	—	61 lbs. 3.2
	25NN42RDL	Laminate	1298	42 ⁷ / ₁₆	—	1 ¹ / ₆	—	—	61 lbs. 3.2
	48" ROUND								
	25NN48RDW	Wood	\$ 2385	48 ⁷ / ₁₆	—	1 ¹ / ₆	—	—	79 lbs. 4.2
	25NN48RDL	Laminate	1732	48 ⁷ / ₁₆	—	1 ¹ / ₆	—	—	79 lbs. 4.2
	54" ROUND								
	25NN54RDW	Wood	\$ 2654	54 ⁷ / ₁₆	—	1 ¹ / ₆	—	—	121 lbs. 6.9
	25NN54RDL	Laminate	2001	54 ⁷ / ₁₆	—	1 ¹ / ₆	—	—	121 lbs. 6.9
	60" ROUND								
	25NN60RDW	Wood	\$ 2922	60 ⁷ / ₁₆	—	1 ¹ / ₆	—	—	150 lbs. 8.3
	25NN60RDL	Laminate	2272	60 ⁷ / ₁₆	—	1 ¹ / ₆	—	—	150 lbs. 8.3

CONFERENCE TABLE TOPS

EPIC

EPIC ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 80 for grommet options and upcharge
- Reference pages 24-27 for grommet and cutout locations
- Reference pages 40-59 for table base guide

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

25N30RDW F X MC
25N30RDL V461 X 461

- See page 79 for all options available in Epic

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
EPIC ROUND TOP SOFTENED RIM		30" ROUND		1 3/8" TOP THICKNESS				
25N30RDW	\$ 1254	30 1/2	—	1 3/8	—	—	33 lbs. 2.0	
25N30RDL	691	30 1/2	—	1 3/8	—	—	33 lbs. 2.0	
36" ROUND								
25N36RDW	\$ 1475	36 1/2	—	1 3/8	—	—	40 lbs. 2.4	
25N36RDL	812	36 1/2	—	1 3/8	—	—	40 lbs. 2.4	
42" ROUND								
25N42RDW	\$ 1821	42 1/2	—	1 3/8	—	—	61 lbs. 3.2	
25N42RDL	1161	42 1/2	—	1 3/8	—	—	61 lbs. 3.2	
48" ROUND								
25N48RDW	\$ 2250	48 1/2	—	1 3/8	—	—	79 lbs. 4.2	
25N48RDL	1595	48 1/2	—	1 3/8	—	—	79 lbs. 4.2	



PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 80 for grommet options and upcharge
- Reference pages 24-27 for grommet and cutout locations
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

25NN36RDWK F X MC
25NN36RDLK V461 X 461

- See page 79 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
EPIC ROUND TOP KNIFE RIM	30" ROUND	1 1/8" TOP THICKNESS	DI	H					
	25NN30RDWK	Wood	\$ 1779	30 1/16"	—	1 1/16"	—	—	33 lbs. 2.0
	25NN30RDLK	Laminate	1047	30 1/16"	—	1 1/16"	—	—	33 lbs. 2.0
	36" ROUND								
	25NN36RDWK	Wood	\$ 2092	36 1/16"	—	1 1/16"	—	—	40 lbs. 2.4
	25NN36RDLK	Laminate	1232	36 1/16"	—	1 1/16"	—	—	40 lbs. 2.4
	42" ROUND								
	25NN42RDWK	Wood	\$ 2542	42 1/16"	—	1 1/16"	—	—	61 lbs. 3.2
	25NN42RDLK	Laminate	1685	42 1/16"	—	1 1/16"	—	—	61 lbs. 3.2
	48" ROUND								
	25NN48RDWK	Wood	\$ 3099	48 1/16"	—	1 1/16"	—	—	79 lbs. 4.2
	25NN48RDLK	Laminate	2250	48 1/16"	—	1 1/16"	—	—	79 lbs. 4.2
	54" ROUND								
	25NN54RDWK	Wood	\$ 3451	54 1/16"	—	1 1/16"	—	—	121 lbs. 6.9
	25NN54RDLK	Laminate	2603	54 1/16"	—	1 1/16"	—	—	121 lbs. 6.9
	60" ROUND								
	25NN60RDWK	Wood	\$ 3798	60 1/16"	—	1 1/16"	—	—	150 lbs. 8.3
	25NN60RDLK	Laminate	2955	60 1/16"	—	1 1/16"	—	—	150 lbs. 8.3

EPIC ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 80 for grommet options and upcharge
- Reference pages 24-27 for grommet and cutout locations
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

25N36RDWK F X MC
25N36RDLK V461 X 461

- See page 79 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
EPIC ROUND TOP KNIFE RIM 	30" ROUND	1 3/8" TOP THICKNESS	DI	H						
	25N30RDWK	Wood	\$ 1631	30 1/16	—	1 3/8	—	—	33 lbs.	2.0
	25N30RDLK	Laminate	898	30 1/16	—	1 3/8	—	—	33 lbs.	2.0
	36" ROUND									
	25N36RDWK	Wood	\$ 1919	36 1/16	—	1 3/8	—	—	40 lbs.	2.4
	25N36RDLK	Laminate	1057	36 1/16	—	1 3/8	—	—	40 lbs.	2.4
	42" ROUND									
	25N42RDWK	Wood	\$ 2367	42 1/16	—	1 3/8	—	—	61 lbs.	3.2
	25N42RDLK	Laminate	1510	42 1/16	—	1 3/8	—	—	61 lbs.	3.2
	48" ROUND									
	25N48RDWK	Wood	\$ 2927	48 1/16	—	1 3/8	—	—	79 lbs.	4.2
	25N48RDLK	Laminate	2075	48 1/16	—	1 3/8	—	—	79 lbs.	4.2

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 80 for grommet options and upcharge
- Reference pages 24-27 for grommet and cutout locations
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN3636SQW F G10C TF
 25NN3636SQL V405 G10C 405

- See page 79 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
EPIC SQUARE TOP SOFTENED RIM 	30" SQUARE 1 1/8" TOP THICKNESS								
	25NN3030SQW Wood	\$ 1370	30 1/16	30 1/16	1 1/8	—	—	33 lbs.	2.0
	25NN3030SQL Laminate	806	30 1/16	30 1/16	1 1/8	—	—	33 lbs.	2.0
	36" SQUARE								
	25NN3636SQW Wood	\$ 1611	36 1/16	36 1/16	1 1/8	—	—	45 lbs.	3.0
	25NN3636SQL Laminate	948	36 1/16	36 1/16	1 1/8	—	—	45 lbs.	3.0
	42" SQUARE								
	25NN4242SQW Wood	\$ 1955	42 1/16	42 1/16	1 1/8	—	—	59 lbs.	3.8
	25NN4242SQL Laminate	1298	42 1/16	42 1/16	1 1/8	—	—	59 lbs.	3.8
	48" SQUARE								
	25NN4848SQW Wood	\$ 2385	48 1/16	48 1/16	1 1/8	—	—	76 lbs.	4.5
	25NN4848SQL Laminate	1732	48 1/16	48 1/16	1 1/8	—	—	76 lbs.	4.5
	54" SQUARE								
	25NN5454SQW Wood	\$ 2654	54 1/16	54 1/16	1 1/8	—	—	121 lbs.	6.9
	25NN5454SQL Laminate	2001	54 1/16	54 1/16	1 1/8	—	—	121 lbs.	6.9
	60" SQUARE								
	25NN6060SQW Wood	\$ 2922	58 3/8	58 3/8	1 1/8	—	—	150 lbs.	8.3
	25NN6060SQL Laminate	2272	58 3/8	58 3/8	1 1/8	—	—	150 lbs.	8.3

CONFERENCE TABLE TOPS

EPIC

EPIC SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 80 for grommet options and upcharge
- Reference pages 24-27 for grommet and cutout locations
- Reference pages 40-59 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color


SAMPLE MODEL NUMBERS:

25N3030SQW F G10C TF
25N3030SQL V405 G10C 405

- See page 79 for all options available in Epic

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
		D	W	H	A	KW			
30" SQUARE		1 3/8" TOP THICKNESS							
25N3030SQW	Wood	\$ 1254	30 1/16	30 1/16	1 3/16	—	—	33 lbs.	2.0
25N3030SQL	Laminate	691	30 1/16	30 1/16	1 3/16	—	—	33 lbs.	2.0
36" SQUARE									
25N3636SQW	Wood	\$ 1475	36 1/16	36 1/16	1 3/16	—	—	45 lbs.	3.0
25N3636SQL	Laminate	812	36 1/16	36 1/16	1 3/16	—	—	45 lbs.	3.0
42" SQUARE									
25N4242SQW	Wood	\$ 1821	42 1/16	42 1/16	1 3/16	—	—	59 lbs.	3.8
25N4242SQL	Laminate	1161	42 1/16	42 1/16	1 3/16	—	—	59 lbs.	3.8
48" SQUARE									
25N4848SQW	Wood	\$ 2250	48 1/16	48 1/16	1 3/16	—	—	76 lbs.	4.5
25N4848SQL	Laminate	1595	48 1/16	48 1/16	1 3/16	—	—	76 lbs.	4.5

EPIC SQUARE TOP SOFTENED RIM



PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 80 for grommet options and upcharge
- Reference pages 24-27 for grommet and cutout locations
- Reference pages 40-59 for table base guide

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

- 25NN3636SQWK F G10C TF
 25NN3636SQLK V405 G10C 405
- See page 79 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
EPIC SQUARE TOP KNIFE RIM	30" SQUARE 1 1/8" TOP THICKNESS								
	25NN3030SQWK Wood	\$ 1779	30 1/16	30 1/16	1 1/8	—	—	33 lbs.	2.0
	25NN3030SQLK Laminate	1047	30 1/16	30 1/16	1 1/8	—	—	33 lbs.	2.0
	36" SQUARE								
	25NN3636SQWK Wood	\$ 2092	36 1/16	36 1/16	1 1/8	—	—	45 lbs.	3.0
	25NN3636SQLK Laminate	1232	36 1/16	36 1/16	1 1/8	—	—	45 lbs.	3.0
	42" SQUARE								
	25NN4242SQWK Wood	\$ 2542	42 1/16	42 1/16	1 1/8	—	—	59 lbs.	3.8
	25NN4242SQLK Laminate	1685	42 1/16	42 1/16	1 1/8	—	—	59 lbs.	3.8
	48" SQUARE								
	25NN4848SQWK Wood	\$ 3099	48 1/16	48 1/16	1 1/8	—	—	76 lbs.	4.5
	25NN4848SQLK Laminate	2250	48 1/16	48 1/16	1 1/8	—	—	76 lbs.	4.5
	54" SQUARE								
	25NN5454SQWK Wood	\$ 3451	54 1/16	54 1/16	1 1/8	—	—	121 lbs.	6.9
	25NN5454SQLK Laminate	2603	54 1/16	54 1/16	1 1/8	—	—	121 lbs.	6.9
	60" SQUARE								
	25NN6060SQWK Wood	\$ 3798	58 3/8	58 3/8	1 1/8	—	—	150 lbs.	8.3
	25NN6060SQLK Laminate	2955	58 3/8	58 3/8	1 1/8	—	—	150 lbs.	8.3

EPIC SQUARE TOP
KNIFE RIM



EPIC SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 80 for grommet options and upcharge
- Reference pages 24-27 for grommet and cutout locations
- Reference pages 40-59 for table base guide

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

25N3030SQWK F G10C TF
25N3030SQLK V405 G10C 405

- See page 79 for all options available in Epic

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
		D	W	H	A	KW			
EPIC SQUARE TOP KNIFE RIM									
30" SQUARE		1 3/8" TOP THICKNESS							
25N3030SQWK	Wood	\$ 1631	30 1/16	30 1/16	1 3/16	—	—	33 lbs.	2.0
25N3030SQLK	Laminate	898	30 1/16	30 1/16	1 3/16	—	—	33 lbs.	2.0
36" SQUARE									
25N3636SQWK	Wood	\$ 1919	36 1/16	36 1/16	1 3/16	—	—	45 lbs.	3.0
25N3636SQLK	Laminate	1057	36 1/16	36 1/16	1 3/16	—	—	45 lbs.	3.0
42" SQUARE									
25N4242SQWK	Wood	\$ 2367	42 1/16	42 1/16	1 3/16	—	—	59 lbs.	3.8
25N4242SQLK	Laminate	1510	42 1/16	42 1/16	1 3/16	—	—	59 lbs.	3.8
48" SQUARE									
25N4848SQWK	Wood	\$ 2927	48 1/16	48 1/16	1 3/16	—	—	76 lbs.	4.5
25N4848SQLK	Laminate	2075	48 1/16	48 1/16	1 3/16	—	—	76 lbs.	4.5



PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 80 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240", tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

- 25NN3672RTW F G10LR X X CW
 25NN3672RTL V480 G10LR 480
- See page 79 for all options available in Epic

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
EPIC RECTANGLE TOP SOFTENED RIM							
36" x 72" 1 1/8" TOP THICKNESS							
25NN3672RTW Wood	\$ 2513	36	72	1 1/8	—	136 lbs.	6.3
25NN3672RTL Laminate	1860	36	72	1 1/8	—	136 lbs.	6.3
42" x 84"							
25NN4284RTW Wood	\$ 2964	42	84	1 1/8	—	180 lbs.	8.3
25NN4284RTL Laminate	2314	42	84	1 1/8	—	180 lbs.	8.3
48" x 96"							
25NN4896RTW Wood	\$ 3414	48	96	1 1/8	—	233 lbs.	10.5
25NN4896RTL Laminate	2774	48	96	1 1/8	—	233 lbs.	10.5
48" x 120"							
25NN48120RTW Wood	\$ 4665	48	120	1 1/8	—	279 lbs.	10.6
25NN48120RTL Laminate	4031	48	120	1 1/8	—	279 lbs.	10.6
48" x 144"							
25NN48144RTW Wood	\$ 5777	48	144	1 1/8	—	332 lbs.	12.5
25NN48144RTL Laminate	5157	48	144	1 1/8	—	332 lbs.	12.5
48" x 168"							
25NN48168RTW Wood	\$ 6653	48	168	1 1/8	—	385 lbs.	14.3
25NN48168RTL Laminate	6038	48	168	1 1/8	—	385 lbs.	14.3
48" x 192"							
25NN48192RTW Wood	\$ 7521	48	192	1 1/8	—	438 lbs.	16.2
25NN48192RTL Laminate	6918	48	192	1 1/8	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 23 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops



EPIC RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 80 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240", tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminated Top Color


SAMPLE MODEL NUMBERS:

25NN48216RTW F G10LR X X CW
 25NN48216RTL V480 G10LR 480

- See page 79 for all options available in Epic

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
EPIC RECTANGLE TOP SOFTENED RIM (CONTINUED)								
48" x 216" 1 1/8" TOP THICKNESS								
25NN48216RTW Wood	\$ 8392	48	216	1 1/8	-	-	524 lbs.	20.0
25NN48216RTL Laminate	7799	48	216	1 1/8	-	-	524 lbs.	20.0
48" x 240"								
25NN48240RTW Wood	\$ 9263	48	240	1 1/8	-	-	571 lbs.	22.0
25NN48240RTL Laminate	8684	48	240	1 1/8	-	-	571 lbs.	22.0
60" x 144"								
25NN60144RTW Wood	\$ 7513	58%	144	1 1/8	-	-	412 lbs.	18.0
25NN60144RTL Laminate	6705	58%	144	1 1/8	-	-	412 lbs.	18.0
60" x 168"								
25NN60168RTW Wood	\$ 8649	58%	168	1 1/8	-	-	480 lbs.	22.5
25NN60168RTL Laminate	7851	58%	168	1 1/8	-	-	480 lbs.	22.5
60" x 192"								
25NN60192RTW Wood	\$ 9778	58%	192	1 1/8	-	-	539 lbs.	29.0
25NN60192RTL Laminate	8993	58%	192	1 1/8	-	-	539 lbs.	29.0
60" x 216"								
25NN60216RTW Wood	\$ 10912	58%	216	1 1/8	-	-	647 lbs.	31.0
25NN60216RTL Laminate	10142	58%	216	1 1/8	-	-	647 lbs.	31.0
60" x 240"								
25NN60240RTW Wood	\$ 12042	58%	240	1 1/8	-	-	706 lbs.	34.0
25NN60240RTL Laminate	11290	58%	240	1 1/8	-	-	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 23 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops



PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 80 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

- 25NN3672RTWK K G10LR X CL
 25NN3672RTLK K425 G10LR X 425
- See page 79 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
EPIC RECTANGLE TOP KNIFE RIM	36" x 72"	1 1/8" TOP THICKNESS							
	25NN3672RTWK Wood	\$ 3268	36	72	1 1/8	—	—	136 lbs.	6.3
	25NN3672RTLK Laminate	2418	36	72	1 1/8	—	—	136 lbs.	6.3
	42" x 84"								
	25NN4284RTWK Wood	\$ 3854	42	84	1 1/8	—	—	180 lbs.	8.3
	25NN4284RTLK Laminate	3009	42	84	1 1/8	—	—	180 lbs.	8.3
	48" x 96"								
	25NN4896RTWK Wood	\$ 4440	48	96	1 1/8	—	—	233 lbs.	10.5
	25NN4896RTLK Laminate	3603	48	96	1 1/8	—	—	233 lbs.	10.5
	48" x 120"								
	25NN48120RTWK Wood	\$ 6064	48	120	1 1/8	—	—	279 lbs.	10.6
	25NN48120RTLK Laminate	5243	48	120	1 1/8	—	—	279 lbs.	10.6
	48" x 144"								
	25NN48144RTWK Wood	\$ 7510	48	144	1 1/8	—	—	332 lbs.	12.5
	25NN48144RTLK Laminate	6704	48	144	1 1/8	—	—	332 lbs.	12.5
	48" x 168"								
	25NN48168RTWK Wood	\$ 8647	48	168	1 1/8	—	—	385 lbs.	14.3
	25NN48168RTLK Laminate	7850	48	168	1 1/8	—	—	385 lbs.	14.3
	48" x 192"								
	25NN48192RTWK Wood	\$ 9780	48	192	1 1/8	—	—	438 lbs.	16.2
	25NN48192RTLK Laminate	8995	48	192	1 1/8	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 23 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops



EPIC RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 80 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN48216RTWK K G10LR X CL
25NN48216RTLK K425 G10LR X 425

- See page 79 for all options available in Epic

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
EPIC RECTANGLE TOP KNIFE RIM (CONTINUED)								
48" x 216" 1 1/8" TOP THICKNESS								
25NN48216RTWK Wood	\$ 10912	48	216	1 1/8	—	—	524 lbs.	20.0
25NN48216RTLK Laminate	10142	48	216	1 1/8	—	—	524 lbs.	20.0
48" x 240"								
25NN48240RTWK Wood	\$ 12042	48	240	1 1/8	—	—	571 lbs.	22.0
25NN48240RTLK Laminate	11290	48	240	1 1/8	—	—	571 lbs.	22.0
60" x 144"								
25NN60144RTWK Wood	\$ 9766	58%	144	1 1/8	—	—	412 lbs.	18.0
25NN60144RTLK Laminate	8714	58%	144	1 1/8	—	—	412 lbs.	18.0
60" x 168"								
25NN60168RTWK Wood	\$ 11242	58%	168	1 1/8	—	—	480 lbs.	22.5
25NN60168RTLK Laminate	10207	58%	168	1 1/8	—	—	480 lbs.	22.5
60" x 192"								
25NN60192RTWK Wood	\$ 12711	58%	192	1 1/8	—	—	539 lbs.	29.0
25NN60192RTLK Laminate	11691	58%	192	1 1/8	—	—	539 lbs.	29.0
60" x 216"								
25NN60216RTWK Wood	\$ 14185	58%	216	1 1/8	—	—	647 lbs.	31.0
25NN60216RTLK Laminate	13183	58%	216	1 1/8	—	—	647 lbs.	31.0
60" x 240"								
25NN60240RTWK Wood	\$ 15656	58%	240	1 1/8	—	—	706 lbs.	34.0
25NN60240RTLK Laminate	14676	58%	240	1 1/8	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 23 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, G10, CUT-G15 and CUT-G16, reference page 80 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN3672BTW F G10LR X CW
 25NN3672BTL V480 G10LR 480

- See page 79 for all options available in Epic

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
36" x 72" 1 1/8" TOP THICKNESS								
25NN3672BTW Wood	\$ 2712	36	72	1 1/8	—	—	136 lbs.	6.3
25NN3672BTL Laminate	2070	36	72	1 1/8	—	—	136 lbs.	6.3
42" x 84"								
25NN4284BTW Wood	\$ 3160	42	84	1 1/8	—	—	180 lbs.	8.3
25NN4284BTL Laminate	2520	42	84	1 1/8	—	—	180 lbs.	8.3
48" x 96"								
25NN4896BTW Wood	\$ 3606	48	96	1 1/8	—	—	233 lbs.	10.5
25NN4896BTL Laminate	2972	48	96	1 1/8	—	—	233 lbs.	10.5
48" x 120"								
25NN48120BTW Wood	\$ 5068	48	120	1 1/8	—	—	279 lbs.	10.6
25NN48120BTL Laminate	4446	48	120	1 1/8	—	—	279 lbs.	10.6
48" x 144"								
25NN48144BTW Wood	\$ 6169	48	144	1 1/8	—	—	332 lbs.	12.5
25NN48144BTL Laminate	5561	48	144	1 1/8	—	—	332 lbs.	12.5
48" x 168"								
25NN48168BTW Wood	\$ 7035	48	168	1 1/8	—	—	385 lbs.	14.3
25NN48168BTL Laminate	6434	48	168	1 1/8	—	—	385 lbs.	14.3
48" x 192"								
25NN48192BTW Wood	\$ 7899	48	192	1 1/8	—	—	438 lbs.	16.2
25NN48192BTL Laminate	7304	48	192	1 1/8	—	—	438 lbs.	16.2

EPIC BOAT TOP SOFTENED RIM



- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 23 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

EPIC BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, G10, CUT-G15 and CUT-G16, reference page 80 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminated Top Color


SAMPLE MODEL NUMBERS:

25NN48216BTW F G10LR X X CW
 25NN48216BTL V480 G10LR 480

- See page 79 for all options available in Epic

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
EPIC BOAT TOP SOFTENED RIM (CONTINUED)								
48" x 216" 1 1/8" TOP THICKNESS								
25NN48216BTW Wood	\$ 8759	48	216	1 1/8	—	—	524 lbs.	20.0
25NN48216BTL Laminate	8162	48	216	1 1/8	—	—	524 lbs.	20.0
48" x 240"								
25NN48240BTW Wood	\$ 9622	48	240	1 1/8	—	—	571 lbs.	22.0
25NN48240BTL Laminate	9044	48	240	1 1/8	—	—	571 lbs.	22.0
60" x 144"								
25NN60144BTW Wood	\$ 8022	58%	144	1 1/8	—	—	412 lbs.	18.0
25NN60144BTL Laminate	7225	58%	144	1 1/8	—	—	412 lbs.	18.0
60" x 168"								
25NN60168BTW Wood	\$ 9146	58%	168	1 1/8	—	—	480 lbs.	22.5
25NN60168BTL Laminate	8363	58%	168	1 1/8	—	—	480 lbs.	22.5
60" x 192"								
25NN60192BTW Wood	\$ 10269	58%	192	1 1/8	—	—	539 lbs.	29.0
25NN60192BTL Laminate	9495	58%	192	1 1/8	—	—	539 lbs.	29.0
60" x 216"								
25NN60216BTW Wood	\$ 11388	58%	216	1 1/8	—	—	647 lbs.	31.0
25NN60216BTL Laminate	10611	58%	216	1 1/8	—	—	647 lbs.	31.0
60" x 240"								
25NN60240BTW Wood	\$ 12509	58%	240	1 1/8	—	—	706 lbs.	34.0
25NN60240BTL Laminate	11757	58%	240	1 1/8	—	—	706 lbs.	34.0

EPIC BOAT TOP SOFTENED RIM (CONTINUED)



- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 23 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, G10, CUT-G15 and CUT-G16, reference page 80 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

25NN3672BTWK K G10LA X X AC
 25NN3672BTLK K461 G10LA X X 461
 • See page 79 for all options available in Epic

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
36" x 72" 1 1/8" TOP THICKNESS							
25NN3672BTWK Wood	\$ 3526	36	72	1 1/8	—	—	136 lbs. 6.3
25NN3672BTLK Laminate	2692	36	72	1 1/8	—	—	136 lbs. 6.3
42" x 84"							
25NN4284BTWK Wood	\$ 4107	42	84	1 1/8	—	—	180 lbs. 8.3
25NN4284BTLK Laminate	3275	42	84	1 1/8	—	—	180 lbs. 8.3
48" x 96"							
25NN4896BTWK Wood	\$ 4688	48	96	1 1/8	—	—	233 lbs. 10.5
25NN4896BTLK Laminate	3864	48	96	1 1/8	—	—	233 lbs. 10.5
48" x 120"							
25NN48120BTWK Wood	\$ 6590	48	120	1 1/8	—	—	279 lbs. 10.6
25NN48120BTLK Laminate	5781	48	120	1 1/8	—	—	279 lbs. 10.6
48" x 144"							
25NN48144BTWK Wood	\$ 8022	48	144	1 1/8	—	—	332 lbs. 12.5
25NN48144BTLK Laminate	7226	48	144	1 1/8	—	—	332 lbs. 12.5
48" x 168"							
25NN48168BTWK Wood	\$ 9148	48	168	1 1/8	—	—	385 lbs. 14.3
25NN48168BTLK Laminate	8363	48	168	1 1/8	—	—	385 lbs. 14.3
48" x 192"							
25NN48192BTWK Wood	\$ 10269	48	192	1 1/8	—	—	438 lbs. 16.2
25NN48192BTLK Laminate	9495	48	192	1 1/8	—	—	438 lbs. 16.2

EPIC BOAT TOP KNIFE RIM



- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 23 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

CONFERENCE TABLE TOPS

EPIC

EPIC BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, G10, CUT-G15 and CUT-G16, reference page 80 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. PVC Rim Color (lamine models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN48216BTWK K G10LA X X AC
 25NN48216BTLK K461 G10LA X X 461

- See page 79 for all options available in Epic

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
EPIC BOAT TOP KNIFE RIM (CONTINUED)								
48" x 216" 1 1/8" TOP THICKNESS								
25NN48216BTWK Wood	\$ 11388	48	216	1 1/8	—	—	524 lbs.	20.0
25NN48216BTLK Laminate	10611	48	216	1 1/8	—	—	524 lbs.	20.0
48" x 240"								
25NN48240BTWK Wood	\$ 12509	48	240	1 1/8	—	—	571 lbs.	22.0
25NN48240BTLK Laminate	11760	48	240	1 1/8	—	—	571 lbs.	22.0
60" x 144"								
25NN60144BTWK Wood	\$ 10426	58%	144	1 1/8	—	—	412 lbs.	18.0
25NN60144BTLK Laminate	9392	58%	144	1 1/8	—	—	412 lbs.	18.0
60" x 168"								
25NN60168BTWK Wood	\$ 11891	58%	168	1 1/8	—	—	480 lbs.	22.5
25NN60168BTLK Laminate	10873	58%	168	1 1/8	—	—	480 lbs.	22.5
60" x 192"								
25NN60192BTWK Wood	\$ 13348	58%	192	1 1/8	—	—	539 lbs.	29.0
25NN60192BTLK Laminate	12342	58%	192	1 1/8	—	—	539 lbs.	29.0
60" x 216"								
25NN60216BTWK Wood	\$ 14802	58%	216	1 1/8	—	—	647 lbs.	31.0
25NN60216BTLK Laminate	13796	58%	216	1 1/8	—	—	647 lbs.	31.0
60" x 240"								
25NN60240BTWK Wood	\$ 16260	58%	240	1 1/8	—	—	706 lbs.	34.0
25NN60240BTLK Laminate	15285	58%	240	1 1/8	—	—	706 lbs.	34.0



- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 23 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 80 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

- 25NN3672RCW F G10LR X X DW
 25NN3672RCL V405 G10LR X X 405
- See page 79 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
EPIC RACETRACK TOP SOFTENED RIM	36" x 72" 1 1/8" TOP THICKNESS									
	25NN3672RCW	Wood	\$ 2740	36	72	1 1/8	—	—	136 lbs.	6.3
	25NN3672RCL	Laminate	2089	36	72	1 1/8	—	—	136 lbs.	6.3
	42" x 84"									
	25NN4284RCW	Wood	\$ 3193	42	84	1 1/8	—	—	180 lbs.	8.3
	25NN4284RCL	Laminate	2546	42	84	1 1/8	—	—	180 lbs.	8.3
	48" x 96"									
	25NN4896RCW	Wood	\$ 3645	48	96	1 1/8	—	—	233 lbs.	10.5
	25NN4896RCL	Laminate	3001	48	96	1 1/8	—	—	233 lbs.	10.5
	48" x 120"									
	25NN48120RCW	Wood	\$ 5119	48	120	1 1/8	—	—	279 lbs.	10.6
	25NN48120RCL	Laminate	4491	48	120	1 1/8	—	—	279 lbs.	10.6
	48" x 144"									
	25NN48144RCW	Wood	\$ 6232	48	144	1 1/8	—	—	332 lbs.	12.5
	25NN48144RCL	Laminate	5615	48	144	1 1/8	—	—	332 lbs.	12.5
	48" x 168"									
	25NN48168RCW	Wood	\$ 7107	48	168	1 1/8	—	—	385 lbs.	14.3
	25NN48168RCL	Laminate	6499	48	168	1 1/8	—	—	385 lbs.	14.3
	48" x 192"									
	25NN48192RCW	Wood	\$ 7979	48	192	1 1/8	—	—	438 lbs.	16.2
	25NN48192RCL	Laminate	7378	48	192	1 1/8	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 23 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

EPIC RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 80 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN48216RCW F G10LR X X DW
 25NN48216RCL V405 G10LR X X 405

- See page 79 for all options available in Epic

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
EPIC RACETRACK TOP SOFTENED RIM (CONTINUED)								
48" x 216" 1 1/8" TOP THICKNESS								
25NN48216RCW Wood	\$ 8849	48	216	1 1/8	—	—	524 lbs.	20.0
25NN48216RCL Laminate	8244	48	216	1 1/8	—	—	524 lbs.	20.0
48" x 240"								
25NN48240RCW Wood	\$ 9719	48	240	1 1/8	—	—	571 lbs.	22.0
25NN48240RCL Laminate	9135	48	240	1 1/8	—	—	571 lbs.	22.0
60" x 144"								
25NN60144RCW Wood	\$ 8102	58%	144	1 1/8	—	—	412 lbs.	18.0
25NN60144RCL Laminate	7299	58%	144	1 1/8	—	—	412 lbs.	18.0
60" x 168"								
25NN60168RCW Wood	\$ 9240	58%	168	1 1/8	—	—	480 lbs.	22.5
25NN60168RCL Laminate	8447	58%	168	1 1/8	—	—	480 lbs.	22.5
60" x 192"								
25NN60192RCW Wood	\$ 10373	58%	192	1 1/8	—	—	539 lbs.	29.0
25NN60192RCL Laminate	9591	58%	192	1 1/8	—	—	539 lbs.	29.0
60" x 216"								
25NN60216RCW Wood	\$ 11501	58%	216	1 1/8	—	—	647 lbs.	31.0
25NN60216RCL Laminate	10719	58%	216	1 1/8	—	—	647 lbs.	31.0
60" x 240"								
25NN60240RCW Wood	\$ 12632	58%	240	1 1/8	—	—	706 lbs.	34.0
25NN60240RCL Laminate	11876	58%	240	1 1/8	—	—	706 lbs.	34.0



- Modified depth and width are available; refer to the chart on page 23 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 80 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

- 25NN3672RCWK K G10A X CW
 25NN3672RCLK K425 G10A X CW
- See page 79 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
EPIC RACETRACK TOP KNIFE RIM	36" x 72" 1 1/8" TOP THICKNESS									
	25NN3672RCWK	Wood	\$ 3563	36	72	1 1/8	—	—	136 lbs.	6.3
	25NN3672RCLK	Laminate	2714	36	72	1 1/8	—	—	136 lbs.	6.3
	42" x 84"									
	25NN4284RCWK	Wood	\$ 4149	42	84	1 1/8	—	—	180 lbs.	8.3
	25NN4284RCLK	Laminate	3309	42	84	1 1/8	—	—	180 lbs.	8.3
	48" x 96"									
	25NN4896RCWK	Wood	\$ 4737	48	96	1 1/8	—	—	233 lbs.	10.5
	25NN4896RCLK	Laminate	3902	48	96	1 1/8	—	—	233 lbs.	10.5
	48" x 120"									
	25NN48120RCWK	Wood	\$ 6655	48	120	1 1/8	—	—	279 lbs.	10.6
	25NN48120RCLK	Laminate	5838	48	120	1 1/8	—	—	279 lbs.	10.6
	48" x 144"									
	25NN48144RCWK	Wood	\$ 8103	48	144	1 1/8	—	—	332 lbs.	12.5
	25NN48144RCLK	Laminate	7301	48	144	1 1/8	—	—	332 lbs.	12.5
	48" x 168"									
	25NN48168RCWK	Wood	\$ 9240	48	168	1 1/8	—	—	385 lbs.	14.3
	25NN48168RCLK	Laminate	8447	48	168	1 1/8	—	—	385 lbs.	14.3
	48" x 192"									
	25NN48192RCWK	Wood	\$ 10373	48	192	1 1/8	—	—	438 lbs.	16.2
	25NN48192RCLK	Laminate	9591	48	192	1 1/8	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 23 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

EPIC RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 80 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN48216RCWK K G10A X X CW
 25NN48216RCLK K425 G10A X X CW

- See page 79 for all options available in Epic

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
EPIC RACETRACK TOP KNIFE RIM (CONTINUED)								
								
48" x 216" 1 1/8" TOP THICKNESS								
25NN48216RCWK Wood	\$ 11503	48	216	1 1/8	—	—	524 lbs.	20.0
25NN48216RCLK Laminate	10719	48	216	1 1/8	—	—	524 lbs.	20.0
48" x 240"								
25NN48240RCWK Wood	\$ 12632	48	240	1 1/8	—	—	571 lbs.	22.0
25NN48240RCLK Laminate	11876	48	240	1 1/8	—	—	571 lbs.	22.0
60" x 144"								
25NN60144RCWK Wood	\$ 10533	58%	144	1 1/8	—	—	412 lbs.	18.0
25NN60144RCLK Laminate	9489	58%	144	1 1/8	—	—	412 lbs.	18.0
60" x 168"								
25NN60168RCWK Wood	\$ 12011	58%	168	1 1/8	—	—	480 lbs.	22.5
25NN60168RCLK Laminate	10983	58%	168	1 1/8	—	—	480 lbs.	22.5
60" x 192"								
25NN60192RCWK Wood	\$ 13482	58%	192	1 1/8	—	—	539 lbs.	29.0
25NN60192RCLK Laminate	12468	58%	192	1 1/8	—	—	539 lbs.	29.0
60" x 216"								
25NN60216RCWK Wood	\$ 14953	58%	216	1 1/8	—	—	647 lbs.	31.0
25NN60216RCLK Laminate	13935	58%	216	1 1/8	—	—	647 lbs.	31.0
60" x 240"								
25NN60240RCWK Wood	\$ 16424	58%	240	1 1/8	—	—	706 lbs.	34.0
25NN60240RCLK Laminate	15439	58%	240	1 1/8	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 23 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

ESCALADE CONFERENCE TOP SPECIFICATIONS

TOPS

- 1 $\frac{1}{8}$ " slipmatched cherry or maple and bookmatched walnut veneer
- Mitered wood rim
- Size modifications available at no upcharge; many Escalade conference tops can be cut down in 6" increments. See component section for specific models
- See page 23 for modified size options

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a semi-open pore matte finish. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore matte finish


POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Modified Depth
4. Modified Width
5. Finish

ESCALADE SHAPES AND SIZES



ROUND

- 30" Diameter
- 36" Diameter
- 42" Diameter
- 48" Diameter




SQUARE

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"



RECTANGLE

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



BOAT

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"

WOOD FINISHES

- AC Autumn
- CL Caramel
- CW Cordovan
- DW Judicial
- HN Honey
- IM Brighton
- MC Amber
- MH Mocha
- NM Natural
- TF Truffle

RIM PROFILE



GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$75 list upcharge per grommet location

- G10C Center
- G10E End
- G10LR Left, Right
- G10A All
- G10CE Center, End



- Reference pages 24-25 for grommet locations




NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 546 for pricing and details


Cutout Option for 1 Touch Double Pivoting Power Grommet

\$25 list upcharge per cutout location

- CUT-G15C Center
- CUT-G15E End
- CUT-G15LR Left, Right
- CUT-G15A All
- CUT-G15CE Center, End



- Reference pages 26-27 for cutout locations of CUT-G15




**NACG15AELPGS, NACG15AELHCS,
NACG15AELPGB, NACG15AELHCB,
NACG15AELPGW, and NACG15AELHCW**
(Sold Separately)

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 550 for pricing and details


Cutout Option for Power/Data Oasis

\$25 list upcharge per cutout location

- CUT-G16C Center
- CUT-G16E End
- CUT-G16LR Left, Right
- CUT-G16A All
- CUT-G16CE Center, End



- Reference pages 28-29 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



**NACG162ELS, NACG162ELHS,
NACG162ELB, and NACG162ELHB**
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 553 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

ESCALADE ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 102 for options and upcharge
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Finish

SAMPLE MODEL NUMBER:

ECN42RDW G10C DW
 • See page 102 for all options available in Escalade

ESCALADE ROUND TOP



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
30" ROUND ECN30RDW	1554	1 1/8" TOP THICKNESS						
Wood	\$	30 1/16	—	1 1/16	—	—	33 lbs.	2.0
36" ROUND ECN36RDW	1831							
Wood	\$	36 1/16	—	1 1/16	—	—	45 lbs.	2.4
42" ROUND ECN42RDW	2062							
Wood	\$	42 1/16	—	1 1/16	—	—	74 lbs.	4.0
48" ROUND ECN48RDW	2533							
Wood	\$	48 1/16	—	1 1/16	—	—	94 lbs.	5.1

CONFERENCE TABLE TOPS

ESCALADE

ESCALADE SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 102 for options and upcharge
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Finish

SAMPLE MODEL NUMBER:

ECN3636SQW X MH

- See page 102 for all options available in Escalade

ESCALADE SQUARE TOP	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
	30" SQUARE ECN3030SQW	1 1/2" TOP THICKNESS Wood \$ 1554	30 1/16	30 1/16	1 1/16	—	—	33 lbs.	2.0
	36" SQUARE ECN3636SQW	Wood \$ 1831	36 1/16	36 1/16	1 1/16	—	—	45 lbs.	2.4
	42" SQUARE ECN4242SQW	Wood \$ 2062	42 1/16	42 1/16	1 1/16	—	—	61 lbs.	3.2
	48" SQUARE ECN4848SQW	Wood \$ 2533	48 1/16	48 1/16	1 1/16	—	—	79 lbs.	4.2
	54" SQUARE ECN5454SQW	Wood \$ 2802	54 1/16	54 1/16	1 1/16	—	—	121 lbs.	6.9
	60" SQUARE ECN6060SQW	Wood \$ 3068	60 1/16	60 1/16	1 1/16	—	—	150 lbs.	8.3

ESCALADE RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-15 and CUT-G16, reference page 102 for options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth
(see page 23 for available sizes)
4. Modified Width
(see page 23 for available sizes)
5. Finish

SAMPLE MODEL NUMBER:

ECN3672RTW X X MH

- See page 102 for all options available in Escalade

ESCALADE RECTANGLE TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	36" x 72"	1 1/16" TOP THICKNESS								
	ECN3672RTW	Wood	\$ 3134	35 3/4	71 1/16	1 1/16	—	—	136 lbs.	6.3
	42" x 84"									
	ECN4284RTW	Wood	\$ 3513	42 1/16	84 3/16	1 1/16	—	—	180 lbs.	8.3
	48" x 96"									
	ECN4896RTW	Wood	\$ 3890	47 3/4	95 3/8	1 1/16	—	—	233 lbs.	10.5
	48" x 120"									
	ECN48120RTW	Wood	\$ 5339	47 3/4	119 3/4	1 1/16	—	—	279 lbs.	10.6
	48" x 144"									
	ECN48144RTW	Wood	\$ 6630	47 3/4	143 3/8	1 1/16	—	—	332 lbs.	12.5
48" x 168"										
ECN48168RTW	Wood	\$ 8187	47 3/4	167 3/4	1 1/16	—	—	385 lbs.	14.4	
48" x 192"										
ECN48192RTW	Wood	\$ 9273	47 3/4	191 3/4	1 1/16	—	—	438 lbs.	16.3	
48" x 216"										
ECN48216RTW	Wood	\$ 10358	47 3/4	216	1 1/16	—	—	524 lbs.	20.0	
48" x 240"										
ECN48240RTW	Wood	\$ 11445	47 3/4	240	1 1/16	—	—	571 lbs.	22.0	

- Modified depth and width are available; refer to the chart on page 23 for conference top sizing

ESCALADE RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-15 and CUT-G16, reference page 102 for options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 23 for available sizes)
4. Modified Width (see page 23 for available sizes)
5. Finish

SAMPLE MODEL NUMBER:

ECN60144RTW CUT-G15A X X CL

- See page 102 for all options available in Escalade

ESCALADE RECTANGLE TOP (CONTINUED)	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
	60" x 144" ECN60144RTW Wood	\$ 8618	58%	143½	1⅞	—	—	412 lbs.	18.0
	60" x 168" ECN60168RTW Wood	\$ 10642	58%	167¼	1⅞	—	—	480 lbs.	22.5
	60" x 192" ECN60192RTW Wood	\$ 12054	58%	191¼	1⅞	—	—	539 lbs.	29.0
	60" x 216" ECN60216RTW Wood	\$ 13467	58%	216	1⅞	—	—	647 lbs.	31.0
	60" x 240" ECN60240RTW Wood	\$ 14879	58%	240	1⅞	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 23 for conference top sizing

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, G10, CUT-15 and CUT-G16, reference page 102 for options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 23 for available sizes)
4. Modified Width (see page 23 for available sizes)
5. Finish

SAMPLE MODEL NUMBER:

ECN3672BTW X X MH

- See page 102 for all options available in Escalade

ESCALADE BOAT TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	36" x 72"	1 1/8" TOP THICKNESS								
	ECN3672BTW	Wood	\$ 3354	36	72	1 1/8	—	—	136 lbs.	6.3
	42" x 84"									
	ECN4284BTW	Wood	\$ 3759	42	84	1 1/8	—	—	180 lbs.	8.3
	48" x 96"									
	ECN4896BTW	Wood	\$ 4163	48	96	1 1/8	—	—	233 lbs.	10.5
	48" x 120"									
	ECN48120BTW	Wood	\$ 5714	48	120	1 1/8	—	—	279 lbs.	10.6
	48" x 144"									
	ECN48144BTW	Wood	\$ 7095	48	144	1 1/8	—	—	332 lbs.	12.5
48" x 168"										
ECN48168BTW	Wood	\$ 8759	48	168	1 1/8	—	—	385 lbs.	14.3	
48" x 192"										
ECN48192BTW	Wood	\$ 9920	48	192	1 1/8	—	—	438 lbs.	16.2	
48" x 216"										
ECN48216BTW	Wood	\$ 11083	48	216	1 1/8	—	—	524 lbs.	20.0	
48" x 240"										
ECN48240BTW	Wood	\$ 12248	48	240	1 1/8	—	—	571 lbs.	22.0	

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 23 for conference top sizing

ESCALADE BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 102 for options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 23 for available sizes)
4. Modified Width (see page 23 for available sizes)
5. Finish

SAMPLE MODEL NUMBER:

ECN60144BTW CUT-G15A X X NM

- See page 102 for all options available in Escalade

ESCALADE BOAT TOP (CONTINUED)	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
	60" x 144" ECN60144BTW Wood	\$ 9223	58%	144	1 1/6"	—	—	412 lbs.	18.0
	60" x 168" ECN60168BTW Wood	\$ 11387	58%	168	1 1/6"	—	—	480 lbs.	22.5
	60" x 192" ECN60192BTW Wood	\$ 12898	58%	192	1 1/6"	—	—	539 lbs.	29.0
	60" x 216" ECN60216BTW Wood	\$ 14409	58%	216	1 1/6"	—	—	647 lbs.	31.0
	60" x 240" ECN60240BTW Wood	\$ 15919	58%	240	1 1/6"	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 23 for conference top sizing

FLOURISH CONFERENCE TOP SPECIFICATIONS

TOPS

- 1¼" slipmatched cherry and maple veneer or 1" TFL (thermally fused laminate)
- Medium density fiberboard with profiled rim profile
- Grain direction runs left-to-right unless otherwise noted

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a semi-open pore matte finish. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore matte finish


POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

FLOURISH SHAPES AND SIZES



ROUND

42" Diameter

FLOURISH


WOOD FINISHES

AC	Autumn
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

RIM PROFILE



Fluted (TC)



Eased (TD)

GROMMET OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$75 list upcharge per grommet location

G10C Center



- Reference pages 24-25 for grommet locations



NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 546 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

PRODUCT SPECIFICATIONS

- Grommet option available is G10C, reference page 110 for grommet options and upcharge
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Base Model
2. Rim Profile
3. Grommet Option
4. Finish

SAMPLE MODEL NUMBER:

19N42RDW TD G10C AC

- See page 110 for all options available in Flourish

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
FLOURISH ROUND TOP	42" ROUND	1½" TOP THICKNESS		DI		H				
	19N42RDW	Wood	\$ 1019	42	-	1½	-	-	54 lbs.	3.2
	42" ROUND	1" TOP THICKNESS								
	19N42RDLW	TFL	\$ 905	42	-	1	-	-	54 lbs.	3.2

UNIVERSAL CONFERENCE TOP SPECIFICATIONS

CP TOPS

- 1 $\frac{3}{16}$ " or 1 $\frac{1}{8}$ " HPL (high pressure laminate)
- HPL flat rim profile

CCW TOPS

- Veneer surfaces are 1 $\frac{3}{16}$ " plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), or plain sliced bookmatched walnut veneer (Cordovan, Judicial)
- Veneer surfaces feature wood rim with 5 profile options
- Laminate/wood models are 1 $\frac{3}{16}$ " or 1 $\frac{1}{8}$ " HPL (high pressure laminate) that feature wood rim with 5 profile options

SOLID SURFACE TOPS

- 1 $\frac{1}{2}$ " solid surface
- Knife rim profile
- Grommet cutouts not available

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a semi-open pore matte finish. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore matte finish

POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER CP TOPS, SPECIFY:

1. Model Number
2. Grommet
3. Laminate


TO ORDER CCW TOPS, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Laminate Top Color/Wood Top Finish
5. Rim Finish (laminated/wood models)

TO ORDER SOLID SURFACE TOPS, SPECIFY:


1. Model Number
2. Solid Surface Color

UNIVERSAL SHAPES AND SIZES




ROUND

24" Diameter (solid surface only)
 30" Diameter
 36" Diameter
 42" Diameter
 48" Diameter
 54" Diameter
 60" Diameter



SQUARE

30" x 30"
 36" x 36"
 42" x 42"
 48" x 48"
 54" x 54"
 60" x 60"




SOFT SQUARE

(solid surface only)
 24" x 24"
 30" x 30"
 36" x 36"
 42" x 42"
 48" x 48"
 54" x 54"
 60" x 60"



RECTANGLE

36" x 72", 42" x 84"
 48" x 96", 120", 144", 168", 192", 216" and 240"
 60" x 144", 168", 192", 216" and 240"



BOAT

36" x 72", 42" x 84"
 48" x 96", 120", 144", 168", 192", 216" and 240"
 60" x 144", 168", 192", 216" and 240"



RACETRACK

36" x 72", 42" x 84"
 48" x 96", 120", 144", 168", 192", 216" and 240"
 60" x 144", 168", 192", 216" and 240"



QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Rim Profile: Self (J) for CCW, Flat (E) for CP

Grommet not included

Laminate/Finish: Must specify Honey (HN), Amber (MC) or Cordovan (CW)

UNIVERSAL

CP TOP OPTIONS

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2	Autumn 2
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
792	Sable
793	Acorn

SOLID LAMINATE

405	Designer White
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecu

CP RIM PROFILE



Flat (E)

See page 18 for Gallery program details and upcharges

CCW TOP OPTIONS

WOOD FINISHES

AC	Autumn
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2	Autumn 2
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

SOLID LAMINATE

405	Designer White
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear

PATTERN LAMINATE

814	White Tigris
818	Crisp Linen
819	Flax Gauze
821	Elemental Concrete
822	Smoke Quarstone
874	Bronze Legacy

WOOD RIM

AC	Autumn
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

CCW RIM PROFILES



Radius (A)



Reed (M)



Bullnose (D)



Softened (F)



Self (J)

(all wood models only)

SOLID SURFACE TOP OPTIONS

SOLID SURFACE COLORS

7101	Bisque (Grade A)
7201	Glacier White (Grade A)
7202	Canyon (Grade B)
7203	Designer White (Grade B)
7204	Silt (Grade B)
7301	Concrete (Grade C)
7302	Deep Night Sky (Grade C)
7303	Deep Nocturne (Grade C)

SOLID SURFACE RIM PROFILE



GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$75 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End



- Reference pages 24-25 for grommet locations




NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 546 for pricing and details


Cutout Option for 1 Touch Double Pivoting Power Grommet

\$25 list upcharge per cutout location

CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End



- Reference pages 26-27 for cutout locations of CUT-G15




**NACG15AELPGS, NACG15AELHCS,
NACG15AELPGB, NACG15AELHCB,
NACG15AELPGW, and NACG15AELHCW**
(Sold Separately)

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 550 for pricing and details


Cutout Option for Power/Data Oasis

\$25 list upcharge per cutout location

CUT-G16C	Center
CUT-G16E	End
CUT-G16LR	Left, Right
CUT-G16A	All
CUT-G16CE	Center, End



- Reference pages 28-29 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



**NACG162ELS, NACG162ELHS,
NACG162ELB, and NACG162ELHB**
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 553 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

UNIVERSAL ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 115 for grommet options and upcharge
- Reference pages 24-27 for grommet and cutout locations
- Reference pages 40-59 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminated or laminate/wood only)
6. Rim Finish (laminated/wood only)

SAMPLE MODEL NUMBERS:

CCW36RD2W D G10C NM
 CCW60RD2LW F G10C 805 CL
 CP-54E G10C 461

- See pages 114-115 for all options available in Universal



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

UNIVERSAL ROUND TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
	30" ROUND	1 1/8" TOP THICKNESS		D	W	H	A	KW	WEIGHT	FEET
	CCW30RD2W	Wood-J Rim	\$ 703	30	—	1 1/8	—	—	33 lbs.	2.0
	CCW30RD2W	Wood-A,M,D,F Rim	1234	30	—	1 1/8	—	—	33 lbs.	2.0
	CCW30RD2LW	Laminate/Wood-A,M,D,F Rim	1234	30	—	1 1/8	—	—	33 lbs.	2.0
	CP-30E	Laminate-E Rim	404	30	—	1 1/8	—	—	33 lbs.	2.0
	36" ROUND									
	CCW36RD2W	Wood-J Rim	\$ 827	36	—	1 1/8	—	—	56 lbs.	3.1
	CCW36RD2W	Wood-A,M,D,F Rim	1452	36	—	1 1/8	—	—	56 lbs.	3.1
	CCW36RD2LW	Laminate/Wood-A,M,D,F Rim	1452	36	—	1 1/8	—	—	56 lbs.	3.1
	CP-36E	Laminate-E Rim	475	36	—	1 1/8	—	—	56 lbs.	3.1
	42" ROUND									
	QCCW42RD2W	Wood-J Rim	\$ 1006	42	—	1 1/8	—	—	74 lbs.	4.0
	CCW42RD2W	Wood-J Rim	1006	42	—	1 1/8	—	—	74 lbs.	4.0
	CCW42RD2W	Wood-A,M,D,F Rim	1794	42	—	1 1/8	—	—	74 lbs.	4.0
	CCW42RD2LW	Laminate/Wood-A,M,D,F Rim	1794	42	—	1 1/8	—	—	74 lbs.	4.0
	QCP-42E	Laminate-E Rim	546	42	—	1 1/8	—	—	74 lbs.	4.0
	CP-42E	Laminate-E Rim	546	42	—	1 1/8	—	—	74 lbs.	4.0
	48" ROUND									
	CCW48RD2W	Wood-J Rim	\$ 1276	48	—	1 1/8	—	—	94 lbs.	5.1
	CCW48RD2W	Wood-A,M,D,F Rim	2219	48	—	1 1/8	—	—	94 lbs.	5.1
	CCW48RD2LW	Laminate/Wood-A,M,D,F Rim	2219	48	—	1 1/8	—	—	94 lbs.	5.1
	CP-48E	Laminate-E Rim	625	48	—	1 1/8	—	—	79 lbs.	4.2
	54" ROUND									
	CCW54RD2W	Wood-J Rim	\$ 1550	54	—	1 1/8	—	—	121 lbs.	6.9
	CCW54RD2W	Wood-A,M,D,F Rim	2492	54	—	1 1/8	—	—	121 lbs.	6.9
	CCW54RD2LW	Laminate/Wood-A,M,D,F Rim	2492	54	—	1 1/8	—	—	121 lbs.	6.9
	CP-54E	Laminate-E Rim	898	54	—	1 1/8	—	—	121 lbs.	6.9
	60" ROUND									
	CCW60RD2W	Wood-J Rim	\$ 1820	58 1/2	—	1 1/8	—	—	150 lbs.	8.3
	CCW60RD2W	Wood-A,M,D,F Rim	2760	58 1/2	—	1 1/8	—	—	150 lbs.	8.3
	CCW60RD2LW	Laminate/Wood-A,M,D,F Rim	2760	58 1/2	—	1 1/8	—	—	150 lbs.	8.3
	CP-60E	Laminate-E Rim	1169	58 1/2	—	1 1/8	—	—	150 lbs.	8.3

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 115 for grommet options and upcharge
- Reference pages 24-27 for grommet and cutout locations
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminated or laminate/wood only)
6. Rim Finish (laminated/wood only)

SAMPLE MODEL NUMBER:

CP-WS30E G10C 461

- See pages 114-115 for all options available in Universal

UNIVERSAL ROUND TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
	30" ROUND	1 3/8" TOP THICKNESS		D	W	H	A	KW			
	CCW30WSRNL	Wood-J Rim	\$ 646	30	—	1 3/8	—	—	33 lbs.	2.0	
	CP-WS30E	Laminate-E Rim	345	30	—	1 3/8	—	—	33 lbs.	2.0	
	36" ROUND										
	CCW36WSRNL	Wood-J Rim	\$ 759	36	—	1 3/8	—	—	42 lbs.	2.4	
	CP-WS36E	Laminate-E Rim	407	36	—	1 3/8	—	—	42 lbs.	2.4	
	42" ROUND										
CCW42WSRNL	Wood-J Rim	\$ 938	42	—	1 3/8	—	—	58 lbs.	3.2		
CP-WS42E	Laminate-E Rim	478	42	—	1 3/8	—	—	58 lbs.	3.2		
48" ROUND											
CCW48WSRNL	Wood-J Rim	\$ 1211	48	—	1 3/8	—	—	76 lbs.	4.2		
CP-WS48E	Laminate-E Rim	558	48	—	1 3/8	—	—	76 lbs.	4.2		

UNIVERSAL SOLID SURFACE ROUND TOP	24" ROUND		1 1/2" TOP THICKNESS			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET	
	10N24RDS	Solid Surface	GRADE A	GRADE B	GRADE C								
	10N24RDS	Solid Surface	\$ 1705	\$ 1817	\$ 1961	24	—	1 1/2	—	—	26 lbs.	1.3	
	30" ROUND												
	10N30RDS	Solid Surface	\$ 2178	\$ 2353	\$ 2578	30	—	1 1/2	—	—	41 lbs.	1.9	
	36" ROUND												
	10N36RDS	Solid Surface	\$ 2714	\$ 2966	\$ 3290	36	—	1 1/2	—	—	59 lbs.	2.7	
	42" ROUND												
10N42RDS	Solid Surface	\$ 3313	\$ 3656	\$ 4097	42	—	1 1/2	—	—	80 lbs.	3.5		
48" ROUND													
10N48RDS	Solid Surface	\$ 4000	\$ 4448	\$ 5024	48	—	1 1/2	—	—	105 lbs.	4.5		
54" ROUND													
10N54RDS	Solid Surface	\$ 4717	\$ 5284	\$ 6013	54	—	1 1/2	—	—	133 lbs.	5.7		
60" ROUND													
10N60RDS	Solid Surface	\$ 5501	\$ 6201	\$ 7101	58 1/2	—	1 1/2	—	—	165 lbs.	6.9		

- Grommet cutout not available on solid surface tops
- Not intended for use with adjustable height bases

UNIVERSAL SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 115 for grommet options and upcharge
- Reference pages 24-27 for grommet and cutout locations
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminated or laminate/wood only)
6. Rim Finish (laminated/wood only)

SAMPLE MODEL NUMBERS:

CCW5454SQW A X CW
 CCW5454SQLW M X 461 CL
 CP-SQ54E G10C 461

- See pages 114-115 for all options available in Universal

UNIVERSAL SQUARE TOP	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
	30" SQUARE								
		1 1/2" TOP THICKNESS							
	CCW3030SQW	Wood-J Rim	\$ 703	30	30	1 1/2	—	—	33 lbs. 2.0
	CCW3030SQLW	Laminate/Wood-A,M,D,F Rim	1234	30	30	1 1/2	—	—	33 lbs. 2.0
	CP-SQ30E	Laminate-E Rim	404	30	30	1 1/2	—	—	33 lbs. 2.0
	36" SQUARE								
	CCW3636SQW	Wood-J Rim	\$ 827	36	36	1 1/2	—	—	45 lbs. 2.4
	CCW3636SQLW	Laminate/Wood-A,M,D,F Rim	1452	36	36	1 1/2	—	—	45 lbs. 2.4
	CP-SQ36E	Laminate-E Rim	475	36	36	1 1/2	—	—	45 lbs. 2.4
	42" SQUARE								
	CCW4242SQW	Wood-J Rim	\$ 1006	42	42	1 1/2	—	—	61 lbs. 3.2
	CCW4242SQLW	Laminate/Wood-A,M,D,F Rim	1794	42	42	1 1/2	—	—	61 lbs. 3.2
	CP-SQ42E	Laminate-E Rim	546	42	42	1 1/2	—	—	61 lbs. 3.2
	48" SQUARE								
	CCW4848SQW	Wood-J Rim	\$ 1276	48	48	1 1/2	—	—	79 lbs. 4.2
	CCW4848SQLW	Laminate/Wood-A,M,D,F Rim	2219	48	48	1 1/2	—	—	79 lbs. 4.2
	CP-SQ48E	Laminate-E Rim	625	48	48	1 1/2	—	—	79 lbs. 4.2
	54" SQUARE								
	CCW5454SQW	Wood-J Rim	\$ 1550	54	54	1 1/2	—	—	121 lbs. 6.9
	CCW5454SQLW	Laminate/Wood-A,M,D,F Rim	2492	54	54	1 1/2	—	—	121 lbs. 6.9
	CP-SQ54E	Laminate-E Rim	898	54	54	1 1/2	—	—	121 lbs. 6.9
	60" SQUARE								
	CCW6060SQW	Wood-J Rim	\$ 1820	58 1/2	58 1/2	1 1/2	—	—	150 lbs. 8.3
	CCW6060SQLW	Laminate/Wood-A,M,D,F Rim	2760	58 1/2	58 1/2	1 1/2	—	—	150 lbs. 8.3
	CP-SQ60E	Laminate-E Rim	1169	58 1/2	58 1/2	1 1/2	—	—	121 lbs. 6.9

UNIVERSAL SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 115 for grommet options and upcharge
- Reference pages 24-27 for grommet and cutout locations
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminated or laminate/wood only)
6. Rim Finish (laminated/wood only)


SAMPLE MODEL NUMBER:

CP-WSSQ30E G10C 461

- See pages 114-115 for all options available in Universal

UNIVERSAL SQUARE TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	30" SQUARE 1 3/8" TOP THICKNESS									
	CCW3030WSSQW	Wood-J Rim	\$ 646	30	30	1 3/8	—	—	33 lbs.	2.0
	CP-WSSQ30E	Laminate-E Rim	345	30	30	1 3/8	—	—	33 lbs.	2.0
	36" SQUARE									
	CCW3636WSSQW	Wood-J Rim	\$ 759	36	36	1 3/8	—	—	42 lbs.	2.4
	CP-WSSQ36E	Laminate-E Rim	407	36	36	1 3/8	—	—	42 lbs.	2.4
42" SQUARE										
CCW4242WSSQW	Wood-J Rim	\$ 938	42	42	1 3/8	—	—	58 lbs.	3.2	
CP-WSSQ42E	Laminate-E Rim	478	42	42	1 3/8	—	—	58 lbs.	3.2	
48" SQUARE										
CCW4848WSSQW	Wood-J Rim	\$ 1211	48	48	1 3/8	—	—	76 lbs.	4.2	
CP-WSSQ48E	Laminate-E Rim	558	48	48	1 3/8	—	—	76 lbs.	4.2	

UNIVERSAL SOLID SURFACE SOFT SQUARE TOP



UNIVERSAL SOLID SURFACE SOFT SQUARE TOP	24" SOFT SQUARE 1 1/2" TOP THICKNESS		GRADE			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
			A	B	C							
10N2424SSQS	Solid Surface	\$ 1705	\$ 1817	\$ 1961	24	24	1 1/2	—	—	38 lbs.	1.3	
30" SOFT SQUARE												
10N3030SSQS	Solid Surface	\$ 2178	\$ 2353	\$ 2578	30	30	1 1/2	—	—	57 lbs.	1.9	
36" SOFT SQUARE												
10N3636SSQS	Solid Surface	\$ 2714	\$ 2966	\$ 3290	36	36	1 1/2	—	—	79 lbs.	2.7	
42" SOFT SQUARE												
10N4242SSQS	Solid Surface	\$ 3313	\$ 3656	\$ 4097	42	42	1 1/2	—	—	105 lbs.	3.5	
48" SOFT SQUARE												
10N4848SSQS	Solid Surface	\$ 4000	\$ 4448	\$ 5024	48	48	1 1/2	—	—	135 lbs.	4.5	
54" SOFT SQUARE												
10N5454SSQS	Solid Surface	\$ 4717	\$ 5284	\$ 6013	54	54	1 1/2	—	—	169 lbs.	5.6	
60" SOFT SQUARE												
10N6060SSQS	Solid Surface	\$ 5501	\$ 6201	\$ 7101	58 1/2	58 1/2	1 1/2	—	—	206 lbs.	6.9	

- Grommet cutout not available on Corian solid surface tops
- Not intended for use with adjustable height bases

CONFERENCE TABLE TOPS

UNIVERSAL

UNIVERSAL RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 115 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW48144RT2W J CUT-G15LR DW
 CCW48144RT2LW M CUT-G15CE CW CW

- See pages 114-115 for all options available in Universal

UNIVERSAL RECTANGLE TOP	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
	36" x 72"	1 1/8" TOP THICKNESS							
	CCW3672RT2W	Wood-J Rim	\$ 1699	36	72	1 1/8	—	—	136 lbs. 6.3
	CCW3672RT2W	Wood-A,M,D,F Rim	2346	36	72	1 1/8	—	—	136 lbs. 6.3
	CCW3672RT2LW	Laminate/Wood-A,M,D,F Rim	2346	36	72	1 1/8	—	—	136 lbs. 6.3
	CP-S72E	Laminate-E Rim	659	36	72	1 1/8	—	—	136 lbs. 6.3
	42" x 84"								
	CCW4284RT2W	Wood-J Rim	\$ 2025	42	84	1 1/8	—	—	180 lbs. 8.3
	CCW4284RT2W	Wood-A,M,D,F Rim	2792	42	84	1 1/8	—	—	180 lbs. 8.3
	CCW4284RT2LW	Laminate/Wood-A,M,D,F Rim	2792	42	84	1 1/8	—	—	180 lbs. 8.3
	CP-S84E	Laminate-E Rim	749	42	84	1 1/8	—	—	180 lbs. 8.3
	48" x 96"								
	CCW4896RT2W	Wood-J Rim	\$ 2349	48	96	1 1/8	—	—	233 lbs. 10.5
	CCW4896RT2W	Wood-A,M,D,F Rim	3244	48	96	1 1/8	—	—	233 lbs. 10.5
	CCW4896RT2LW	Laminate/Wood-A,M,D,F Rim	3244	48	96	1 1/8	—	—	233 lbs. 10.5
	CP-S96E	Laminate-E Rim	836	48	96	1 1/8	—	—	233 lbs. 10.5
	48" x 120"								
	CCW48120RT2W	Wood-J Rim	\$ 3246	48	120	1 1/8	—	—	279 lbs. 10.6
	CCW48120RT2W	Wood-A,M,D,F Rim	4479	48	120	1 1/8	—	—	279 lbs. 10.6
	CCW48120RT2LW	Laminate/Wood-A,M,D,F Rim	4479	48	120	1 1/8	—	—	279 lbs. 10.6
	CP-S120E	Laminate-E Rim	1199	48	120	1 1/8	—	—	279 lbs. 10.6
	48" x 144"								
	CCW48144RT2W	Wood-J Rim	\$ 4048	48	144	1 1/8	—	—	332 lbs. 12.5
	CCW48144RT2W	Wood-A,M,D,F Rim	5583	48	144	1 1/8	—	—	332 lbs. 12.5
	CCW48144RT2LW	Laminate/Wood-A,M,D,F Rim	5583	48	144	1 1/8	—	—	332 lbs. 12.5
	CP-S144E	Laminate-E Rim	1441	48	144	1 1/8	—	—	332 lbs. 12.5

UNIVERSAL RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 115 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminated or laminate/wood only)
6. Rim Finish (laminated/wood only)

SAMPLE MODEL NUMBERS:

CCW48168RT2W J CUT-G15LR DW
 CCW48168RT2LW M CUT-G15CE CW CW

- See pages 114-115 for all options available in Universal

UNIVERSAL RECTANGLE TOP (CONTINUED)	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	48" x 168"									
	1 1/8" TOP THICKNESS									
	CCW48168RT2W	Wood-J Rim	\$ 4643	48	168	1 1/8	—	—	385 lbs.	14.4
	CCW48168RT2W	Wood-A,M,D,F Rim	6447	48	168	1 1/8	—	—	385 lbs.	14.4
	CCW48168RT2LW	Laminate/Wood-A,M,D,F Rim	6447	48	168	1 1/8	—	—	385 lbs.	14.4
	CP-S168E	Laminate-E Rim	1918	48	168	1 1/8	—	—	385 lbs.	14.4
	48" x 192"									
	CCW48192RT2W	Wood-J Rim	\$ 5262	48	192	1 1/8	—	—	438 lbs.	16.3
	CCW48192RT2W	Wood-A,M,D,F Rim	7310	48	192	1 1/8	—	—	438 lbs.	16.3
	CCW48192RT2LW	Laminate/Wood-A,M,D,F Rim	7310	48	192	1 1/8	—	—	438 lbs.	16.3
	CP-S192E	Laminate-E Rim	2392	48	192	1 1/8	—	—	438 lbs.	16.3
	48" x 216"									
	CCW48216RT2W	Wood-J Rim	\$ 6009	48	216	1 1/8	—	—	524 lbs.	20.0
	CCW48216RT2W	Wood-A,M,D,F Rim	8341	48	216	1 1/8	—	—	524 lbs.	20.0
	CCW48216RT2LW	Laminate/Wood-A,M,D,F Rim	8341	48	216	1 1/8	—	—	524 lbs.	20.0
	CP-S216E	Laminate-E Rim	2867	48	216	1 1/8	—	—	524 lbs.	20.0
48" x 240"										
CCW48240RT2W	Wood-J Rim	\$ 6755	48	240	1 1/8	—	—	571 lbs.	22.0	
CCW48240RT2W	Wood-A,M,D,F Rim	9219	48	240	1 1/8	—	—	571 lbs.	22.0	
CCW48240RT2LW	Laminate/Wood-A,M,D,F Rim	9219	48	240	1 1/8	—	—	571 lbs.	22.0	
CP-S240E	Laminate-E Rim	3344	48	240	1 1/8	—	—	571 lbs.	22.0	

CONFERENCE TABLE TOPS

UNIVERSAL

UNIVERSAL RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 115 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminated or laminate/wood only)
6. Rim Finish (laminated/wood only)

SAMPLE MODEL NUMBERS:

CCW60216RT2W F CUT-G16A DW
 CCW60216RT2LW F CUT-G16A 802 MH

- See pages 114-115 for all options available in Universal

UNIVERSAL RECTANGLE TOP (CONTINUED)	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
	60" x 144"	1 1/8" TOP THICKNESS								
	CCW60144RT2W	Wood-J Rim	\$ 5664	58%	144	1 1/8"	—	—	412 lbs.	18.0
	CCW60144RT2W	Wood-A,M,D,F Rim	7451	58%	144	1 1/8"	—	—	412 lbs.	18.0
	CCW60144RT2LW	Laminate/Wood-A,M,D,F Rim	7451	58%	144	1 1/8"	—	—	412 lbs.	18.0
	CP-S60144E	Laminate-E Rim	1875	58%	144	1 1/8"	—	—	412 lbs.	18.0
	60" x 168"									
	CCW60168RT2W	Wood-J Rim	\$ 6499	58%	168	1 1/8"	—	—	480 lbs.	22.5
	CCW60168RT2W	Wood-A,M,D,F Rim	8599	58%	168	1 1/8"	—	—	480 lbs.	22.5
	CCW60168RT2LW	Laminate/Wood-A,M,D,F Rim	8599	58%	168	1 1/8"	—	—	480 lbs.	22.5
	CP-S60168E	Laminate-E Rim	2494	58%	168	1 1/8"	—	—	480 lbs.	22.5
	60" x 192"									
	CCW60192RT2W	Wood-J Rim	\$ 7369	58%	192	1 1/8"	—	—	539 lbs.	29.0
	CCW60192RT2W	Wood-A,M,D,F Rim	9739	58%	192	1 1/8"	—	—	539 lbs.	29.0
	CCW60192RT2LW	Laminate/Wood-A,M,D,F Rim	9739	58%	192	1 1/8"	—	—	539 lbs.	29.0
	CP-S60192E	Laminate-E Rim	3112	58%	192	1 1/8"	—	—	539 lbs.	29.0
	60" x 216"									
	CCW60216RT2W	Wood-J Rim	\$ 8412	58%	216	1 1/8"	—	—	647 lbs.	31.0
	CCW60216RT2W	Wood-A,M,D,F Rim	10883	58%	216	1 1/8"	—	—	647 lbs.	31.0
	CCW60216RT2LW	Laminate/Wood-A,M,D,F Rim	10883	58%	216	1 1/8"	—	—	647 lbs.	31.0
	CP-S60216E	Laminate-E Rim	3728	58%	216	1 1/8"	—	—	647 lbs.	31.0
	60" x 240"									
	CCW60240RT2W	Wood-J Rim	\$ 9458	58%	240	1 1/8"	—	—	706 lbs.	34.0
	CCW60240RT2W	Wood-A,M,D,F Rim	12024	58%	240	1 1/8"	—	—	706 lbs.	34.0
	CCW60240RT2LW	Laminate/Wood-A,M,D,F Rim	12024	58%	240	1 1/8"	—	—	706 lbs.	34.0
	CP-S60240E	Laminate-E Rim	4343	58%	240	1 1/8"	—	—	706 lbs.	34.0

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 115 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminated or laminate/wood only)
6. Rim Finish (laminated/wood only)

SAMPLE MODEL NUMBERS:

CCW48144BTW J G10A HN
 CCW48144BTLW A X HN HN

- See pages 114-115 for all options available in Universal

UNIVERSAL BOAT TOP	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC		
			D	W	H	A	KW	WEIGHT	FEET	
	36" x 72"		1 1/8" TOP THICKNESS							
	CCW3672BTW	Wood-J Rim	\$ 1844	36	72	1 1/8	—	—	136 lbs.	6.3
	CCW3672BTW	Wood-A,M,D,F Rim	2547	36	72	1 1/8	—	—	136 lbs.	6.3
	CCW3672BTLW	Laminate/Wood-A,M,D,F Rim	2547	36	72	1 1/8	—	—	136 lbs.	6.3
	CP-B72E	Laminate-E Rim	701	36	72	1 1/8	—	—	130 lbs.	6.3
	42" x 84"									
	CCW4284BTW	Wood-J Rim	\$ 2166	42	84	1 1/8	—	—	180 lbs.	8.3
	CCW4284BTW	Wood-A,M,D,F Rim	2990	42	84	1 1/8	—	—	180 lbs.	8.3
	CCW4284BTLW	Laminate/Wood-A,M,D,F Rim	2990	42	84	1 1/8	—	—	180 lbs.	8.3
	CP-B84E	Laminate-E Rim	794	42	84	1 1/8	—	—	180 lbs.	8.3
	48" x 96"									
	CCW4896BTW	Wood-J Rim	\$ 2487	48	96	1 1/8	—	—	233 lbs.	10.5
	CCW4896BTW	Wood-A,M,D,F Rim	3432	48	96	1 1/8	—	—	233 lbs.	10.5
	CCW4896BTLW	Laminate/Wood-A,M,D,F Rim	3432	48	96	1 1/8	—	—	233 lbs.	10.5
	CP-B96E	Laminate-E Rim	889	48	96	1 1/8	—	—	233 lbs.	10.5
	48" x 120"									
	CCW48120BTW	Wood-J Rim	\$ 3536	48	120	1 1/8	—	—	279 lbs.	10.6
	CCW48120BTW	Wood-A,M,D,F Rim	4883	48	120	1 1/8	—	—	279 lbs.	10.6
	CCW48120BTLW	Laminate/Wood-A,M,D,F Rim	4883	48	120	1 1/8	—	—	279 lbs.	10.6
	CP-B120E	Laminate-E Rim	1280	48	120	1 1/8	—	—	279 lbs.	10.6
	48" x 144"									
	CCW48144BTW	Wood-J Rim	\$ 4327	48	144	1 1/8	—	—	332 lbs.	12.5
	CCW48144BTW	Wood-A,M,D,F Rim	5973	48	144	1 1/8	—	—	332 lbs.	12.5
	CCW48144BTLW	Laminate/Wood-A,M,D,F Rim	5973	48	144	1 1/8	—	—	332 lbs.	12.5
	CP-B144E	Laminate-E Rim	1554	48	144	1 1/8	—	—	332 lbs.	12.5

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top

UNIVERSAL BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 115 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminated or laminate/wood only)
6. Rim Finish (laminated/wood only)


SAMPLE MODEL NUMBERS:

CCW48168BTW J G10A HN
 CCW48168BTLW A X HN HN

- See pages 114-115 for all options available in Universal

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
		D	W	H	A	KW			
UNIVERSAL BOAT TOP (CONTINUED)									
48" x 168" 1 1/8" TOP THICKNESS									
CCW48168BTW	Wood-J Rim	\$ 4915	48	168	1 1/8	—	—	385 lbs.	14.3
CCW48168BTW	Wood-A,M,D,F Rim	6832	48	168	1 1/8	—	—	385 lbs.	14.3
CCW48168BTLW	Laminate/Wood-A,M,D,F Rim	6832	48	168	1 1/8	—	—	385 lbs.	14.3
CP-B168E	Laminate-E Rim	2030	48	168	1 1/8	—	—	385 lbs.	14.3
48" x 192"									
CCW48192BTW	Wood-J Rim	\$ 5533	48	192	1 1/8	—	—	438 lbs.	16.2
CCW48192BTW	Wood-A,M,D,F Rim	7686	48	192	1 1/8	—	—	438 lbs.	16.2
CCW48192BTLW	Laminate/Wood-A,M,D,F Rim	7686	48	192	1 1/8	—	—	438 lbs.	16.2
CP-B192E	Laminate-E Rim	2504	48	192	1 1/8	—	—	438 lbs.	16.2
48" x 216"									
CCW48216BTW	Wood-J Rim	\$ 6271	48	216	1 1/8	—	—	524 lbs.	20.0
CCW48216BTW	Wood-A,M,D,F Rim	8711	48	216	1 1/8	—	—	524 lbs.	20.0
CCW48216BTLW	Laminate/Wood-A,M,D,F Rim	8711	48	216	1 1/8	—	—	524 lbs.	20.0
CP-B216E	Laminate-E Rim	2980	48	216	1 1/8	—	—	524 lbs.	20.0
48" x 240"									
CCW48240BTW	Wood-J Rim	\$ 7010	48	240	1 1/8	—	—	571 lbs.	22.0
CCW48240BTW	Wood-A,M,D,F Rim	9582	48	240	1 1/8	—	—	571 lbs.	22.0
CCW48240BTLW	Laminate/Wood-A,M,D,F Rim	9582	48	240	1 1/8	—	—	571 lbs.	22.0
CP-B240E	Laminate-E Rim	3453	48	240	1 1/8	—	—	571 lbs.	22.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top



PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 115 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminated or laminate/wood only)
6. Rim Finish (laminated/wood only)

SAMPLE MODEL NUMBERS:

CCW60216BTW D X CL
 CCW60216BTLW D X 425 MH

- See pages 114-115 for all options available in Universal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
UNIVERSAL BOAT TOP (CONTINUED) 	60" x 144" 1 1/8" TOP THICKNESS									
	CCW60144BTW	Wood-J Rim	\$ 6054	58 3/8"	144"	1 1/8"	—	—	412 lbs.	18.0
	CCW60144BTW	Wood-A,M,D,F Rim	7964	58 3/8"	144"	1 1/8"	—	—	412 lbs.	18.0
	CCW60144BTLW	Laminate/Wood-A,M,D,F Rim	7964	58 3/8"	144"	1 1/8"	—	—	412 lbs.	18.0
	CP-B60144E	Laminate-E Rim	2022	58 3/8"	144"	1 1/8"	—	—	412 lbs.	18.0
	60" x 168"									
	CCW60168BTW	Wood-J Rim	\$ 6881	58 3/8"	168"	1 1/8"	—	—	480 lbs.	22.5
	CCW60168BTW	Wood-A,M,D,F Rim	9103	58 3/8"	168"	1 1/8"	—	—	480 lbs.	22.5
	CCW60168BTLW	Laminate/Wood-A,M,D,F Rim	9103	58 3/8"	168"	1 1/8"	—	—	480 lbs.	22.5
	CP-B60168E	Laminate-E Rim	2638	58 3/8"	168"	1 1/8"	—	—	480 lbs.	22.5
	60" x 192"									
	CCW60192BTW	Wood-J Rim	\$ 7749	58 3/8"	192"	1 1/8"	—	—	539 lbs.	29.0
	CCW60192BTW	Wood-A,M,D,F Rim	10233	58 3/8"	192"	1 1/8"	—	—	539 lbs.	29.0
	CCW60192BTLW	Laminate/Wood-A,M,D,F Rim	10233	58 3/8"	192"	1 1/8"	—	—	539 lbs.	29.0
	CP-B60192E	Laminate-E Rim	3254	58 3/8"	192"	1 1/8"	—	—	539 lbs.	29.0
	60" x 216"									
	CCW60216BTW	Wood-J Rim	\$ 8780	58 3/8"	216"	1 1/8"	—	—	647 lbs.	31.0
	CCW60216BTW	Wood-A,M,D,F Rim	11363	58 3/8"	216"	1 1/8"	—	—	647 lbs.	31.0
	CCW60216BTLW	Laminate/Wood-A,M,D,F Rim	11363	58 3/8"	216"	1 1/8"	—	—	647 lbs.	31.0
	CP-B60216E	Laminate-E Rim	3872	58 3/8"	216"	1 1/8"	—	—	647 lbs.	31.0
	60" x 240"									
	CCW60240BTW	Wood-J Rim	\$ 9814	58 3/8"	240"	1 1/8"	—	—	706 lbs.	34.0
	CCW60240BTW	Wood-A,M,D,F Rim	12496	58 3/8"	240"	1 1/8"	—	—	706 lbs.	34.0
	CCW60240BTLW	Laminate/Wood-A,M,D,F Rim	12496	58 3/8"	240"	1 1/8"	—	—	706 lbs.	34.0
	CP-B60240E	Laminate-E Rim	4489	58 3/8"	240"	1 1/8"	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top

UNIVERSAL RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 115 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- Reference pages 40-59 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminated or laminate/wood only)
6. Rim Finish (laminated/wood only)


SAMPLE MODEL NUMBERS:

CCW3672RC2W F G10LR DW
CCW3672RC2LW A G10C CW CW

- See pages 114-115 for all options available in Universal



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

UNIVERSAL RACETRACK TOP	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
	36" x 72"	1 1/8" TOP THICKNESS							
	CCW3672RC2W	Wood-J Rim	\$ 1863	36	72	1 1/8	—	—	136 lbs. 6.3
	CCW3672RC2W	Wood-A,M,D,F Rim	2574	36	72	1 1/8	—	—	136 lbs. 6.3
	CCW3672RC2LW	Laminate/Wood-A,M,D,F Rim	2574	36	72	1 1/8	—	—	136 lbs. 6.3
	CP-R72E	Laminate-E Rim	736	36	72	1 1/8	—	—	136 lbs. 6.3
	42" x 84"								
	CCW4284RC2W	Wood-J Rim	\$ 2189	42	84	1 1/8	—	—	180 lbs. 8.3
	CCW4284RC2W	Wood-A,M,D,F Rim	3020	42	84	1 1/8	—	—	180 lbs. 8.3
	CCW4284RC2LW	Laminate/Wood-A,M,D,F Rim	3020	42	84	1 1/8	—	—	180 lbs. 8.3
	CP-R84E	Laminate-E Rim	841	42	84	1 1/8	—	—	180 lbs. 8.3
	48" x 96"								
	QCCW4896RC2W	Wood-J Rim	\$ 2513	48	96	1 1/8	—	—	233 lbs. 10.5
	CCW4896RC2W	Wood-J Rim	2513	48	96	1 1/8	—	—	233 lbs. 10.5
	CCW4896RC2W	Wood-A,M,D,F Rim	3467	48	96	1 1/8	—	—	233 lbs. 10.5
	CCW4896RC2LW	Laminate/Wood-A,M,D,F Rim	3467	48	96	1 1/8	—	—	233 lbs. 10.5
	QCP-R96E	Laminate-E Rim	945	48	96	1 1/8	—	—	233 lbs. 10.5
	CP-R96E	Laminate-E Rim	945	48	96	1 1/8	—	—	213 lbs. 10.5
	48" x 120"								
	CCW48120RC2W	Wood-J Rim	\$ 3570	48	120	1 1/8	—	—	279 lbs. 10.6
	CCW48120RC2W	Wood-A,M,D,F Rim	4930	48	120	1 1/8	—	—	279 lbs. 10.6
	CCW48120RC2LW	Laminate/Wood-A,M,D,F Rim	4930	48	120	1 1/8	—	—	279 lbs. 10.6
	CP-R120E	Laminate-E Rim	1375	48	120	1 1/8	—	—	258 lbs. 10.6
	48" x 144"								
	CCW48144RC2W	Wood-J Rim	\$ 4370	48	144	1 1/8	—	—	311 lbs. 12.5
	CCW48144RC2W	Wood-A,M,D,F Rim	6033	48	144	1 1/8	—	—	311 lbs. 12.5
	CCW48144RC2LW	Laminate/Wood-A,M,D,F Rim	6033	48	144	1 1/8	—	—	311 lbs. 12.5
	CP-R144E	Laminate-E Rim	1661	48	144	1 1/8	—	—	311 lbs. 12.5

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 115 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminated or laminate/wood only)
6. Rim Finish (laminated/wood only)

SAMPLE MODEL NUMBERS:

- CCW48168RC2W F G10LR DW
 CCW48168RC2LW A G10C CW CW
- See pages 114-115 for all options available in Universal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
UNIVERSAL RACETRACK TOP (CONTINUED) 	48" x 168" 1 1/8" TOP THICKNESS									
	CCW48168RC2W	Wood-J Rim	\$ 4966	48	168	1 1/8	—	—	365 lbs.	14.4
	CCW48168RC2W	Wood-A,M,D,F Rim	6900	48	168	1 1/8	—	—	365 lbs.	14.4
	CCW48168RC2LW	Laminate/Wood-A,M,D,F Rim	6900	48	168	1 1/8	—	—	365 lbs.	14.4
	CP-R168E	Laminate-E Rim	2136	48	168	1 1/8	—	—	365 lbs.	14.3
	48" x 192"									
	CCW48192RC2W	Wood-J Rim	\$ 5589	48	192	1 1/8	—	—	418 lbs.	16.3
	CCW48192RC2W	Wood-A,M,D,F Rim	7763	48	192	1 1/8	—	—	418 lbs.	16.3
	CCW48192RC2LW	Laminate/Wood-A,M,D,F Rim	7763	48	192	1 1/8	—	—	418 lbs.	16.3
	CP-R192E	Laminate-E Rim	2612	48	192	1 1/8	—	—	438 lbs.	16.2
	48" x 216"									
	CCW48216RC2W	Wood-J Rim	\$ 6335	48	216	1 1/8	—	—	524 lbs.	20.0
	CCW48216RC2W	Wood-A,M,D,F Rim	8799	48	216	1 1/8	—	—	524 lbs.	20.0
CCW48216RC2LW	Laminate/Wood-A,M,D,F Rim	8799	48	216	1 1/8	—	—	524 lbs.	20.0	
CP-R216E	Laminate-E Rim	3086	48	216	1 1/8	—	—	524 lbs.	20.0	
48" x 240"										
CCW48240RC2W	Wood-J Rim	\$ 7081	48	240	1 1/8	—	—	571 lbs.	22.0	
CCW48240RC2W	Wood-A,M,D,F Rim	9677	48	240	1 1/8	—	—	571 lbs.	22.0	
CCW48240RC2LW	Laminate/Wood-A,M,D,F Rim	9677	48	240	1 1/8	—	—	571 lbs.	22.0	
CP-R240E	Laminate-E Rim	3560	48	240	1 1/8	—	—	571 lbs.	22.0	

UNIVERSAL RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 115 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminated or laminate/wood only)
6. Rim Finish (laminated/wood only)

SAMPLE MODEL NUMBERS:

CCW60240RC2W J CUT-G16A AC
 CCW60240RC2LW A CUT-G16A 405 CW

- See pages 114-115 for all options available in Universal

UNIVERSAL RACETRACK TOP (CONTINUED)	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
	60" x 144"	1 1/8" TOP THICKNESS								
	CCW60144RC2W	Wood-J Rim	\$ 6114	58%	144	1 1/8"	—	—	412 lbs.	18.0
	CCW60144RC2W	Wood-A,M,D,F Rim	8043	58%	144	1 1/8"	—	—	412 lbs.	18.0
	CCW60144RC2LW	Laminate/Wood-A,M,D,F Rim	8043	58%	144	1 1/8"	—	—	412 lbs.	18.0
	CP-R60144E	Laminate-E Rim	2161	58%	144	1 1/8"	—	—	412 lbs.	18.0
	60" x 168"									
	CCW60168RC2W	Wood-J Rim	\$ 6951	58%	168	1 1/8"	—	—	480 lbs.	22.5
	CCW60168RC2W	Wood-A,M,D,F Rim	9195	58%	168	1 1/8"	—	—	480 lbs.	22.5
	CCW60168RC2LW	Laminate/Wood-A,M,D,F Rim	9195	58%	168	1 1/8"	—	—	480 lbs.	22.5
	CP-R60168E	Laminate-E Rim	2779	58%	168	1 1/8"	—	—	480 lbs.	22.5
	60" x 192"									
	CCW60192RC2W	Wood-J Rim	\$ 7824	58%	192	1 1/8"	—	—	539 lbs.	29.0
	CCW60192RC2W	Wood-A,M,D,F Rim	10338	58%	192	1 1/8"	—	—	539 lbs.	29.0
	CCW60192RC2LW	Laminate/Wood-A,M,D,F Rim	10338	58%	192	1 1/8"	—	—	539 lbs.	29.0
	CP-R60192E	Laminate-E Rim	3395	58%	192	1 1/8"	—	—	539 lbs.	29.0
	60" x 216"									
	CCW60216RC2W	Wood-J Rim	\$ 8868	58%	216	1 1/8"	—	—	647 lbs.	31.0
	CCW60216RC2W	Wood-A,M,D,F Rim	11480	58%	216	1 1/8"	—	—	647 lbs.	31.0
	CCW60216RC2LW	Laminate/Wood-A,M,D,F Rim	11480	58%	216	1 1/8"	—	—	647 lbs.	31.0
	CP-R60216E	Laminate-E Rim	4011	58%	216	1 1/8"	—	—	647 lbs.	31.0
	60" x 240"									
	CCW60240RC2W	Wood-J Rim	\$ 9912	58%	240	1 1/8"	—	—	706 lbs.	34.0
	CCW60240RC2W	Wood-A,M,D,F Rim	12621	58%	240	1 1/8"	—	—	706 lbs.	34.0
	CCW60240RC2LW	Laminate/Wood-A,M,D,F Rim	12621	58%	240	1 1/8"	—	—	706 lbs.	34.0
	CP-R60240E	Laminate-E Rim	4630	58%	240	1 1/8"	—	—	706 lbs.	34.0

WAVEWORKS CONFERENCE TOP SPECIFICATIONS

TOPS

- Veneer surfaces are 1 $\frac{3}{16}$ " plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Clear Walnut, Cordovan, Judicial), quarter cut walnut veneer (Almond, Portobello, Sable), or quarter cut oak (Sonoma). All veneer surfaces feature a 3mm wood rim profile
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation
- Laminate surfaces are 1 $\frac{3}{16}$ " or 1 $\frac{1}{8}$ " HPL (high pressure laminate)
- Veneer surfaces feature a wood rim with 6 rim profile options
- Laminate surfaces feature a 3mm PVC rim
- Laminate/wood models are 1 $\frac{3}{16}$ " or 1 $\frac{1}{8}$ " HPL (high pressure laminate) that feature wood rim with 6 rim profiles
- Size modifications available at no upcharge; many WaveWorks conference tops can be cut down in 6 " increments. See component section for specific models
- See page 23 for modified size options

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a semi-open pore matte finish. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore matte finish


POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:


1. **Model Number**
2. **Rim**
3. **PVC Rim Color (laminated models)**
4. **Grommet**
5. **Modified Depth**
6. **Modified Width**
7. **Laminate Top Color/Wood Top Finish**
8. **Wood Rim Finish (combo models)**

WAVEWORKS SHAPES AND SIZES



ROUND

- 30" Diameter
- 36" Diameter
- 42" Diameter
- 48" Diameter
- 54" Diameter
- 60" Diameter
- 72" Diameter
- 96" Diameter




SQUARE

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"




RECTANGLE

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



BOAT

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



RACETRACK

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"

WOOD FINISHES

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
EW	Clear Walnut**
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
SM	Sonoma
TF	Truffle
792	Sable

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2	Autumn 2
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PT	Portico*
SK	Skyline*
SM	Sonoma
TF	Truffle
792	Sable
793	Acorn**

SOLID LAMINATE

405	Designer White
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear

PATTERN LAMINATE

814	White Tigris
818	Crisp Linen
819	Flax Gauze
821	Elemental Concrete
822	Smoke Quarstone
874	Bronze Legacy

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 18 for Gallery program details and upcharges

*Not available on laminate/wood models

**Acorn is the laminate complement to Clear Walnut finish

• CSL available; see page 18 for program details and upcharge

RIM PROFILES

PVC SOFTENED RIM

AC2	Autumn 2	TF	Truffle
AD	Almond	405	Designer White
CL	Caramel	419	Wallaby
CW	Cordovan	425	Shadow
DW	Judicial	440	Cloud
HN2	Honey 2	461	Graphite
IM	Brighton	462	Cinder
MC	Amber	478	Platinum Grey
MH	Mocha	488	Frosty White
NM	Natural	491	Designer White Linear
PB	Portobello	492	Cinder Linear
PT	Portico	792	Sable
SK	Skyline	793	Acorn
SM	Sonoma		

PVC REED RIM

AC2	Autumn 2
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

WOOD RIM

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
EW	Clear Walnut
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
SM	Sonoma
TF	Truffle
792	Sable

GALLERY PVC SOFTENED RIM

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru



Softened Wood (F)



Reed Wood (R)



Cove Wood (P)*



Zip Wood (Z)



Concave Wood (C)*



Step Wood (T)*



Softened PVC (V)



Reed PVC (N)

*Not recommended with EW Clear Walnut and SM Sonoma

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$75 list upcharge per grommet location

- G10C Center
- G10E End
- G10LR Left, Right
- G10A All
- G10CE Center, End



- Reference pages 24-25 for grommet locations




**NACG10EL
(Sold Separately)**

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 546 for pricing and details


Cutout Option for 1 Touch Double Pivoting Power Grommet

\$25 list upcharge per cutout location

- CUT-G15C Center
- CUT-G15E End
- CUT-G15LR Left, Right
- CUT-G15A All
- CUT-G15CE Center, End



- Reference pages 26-27 for cutout locations of CUT-G15




**NACG15AELPGS, NACG15AELHCS,
NACG15AELPGB, NACG15AELHCB,
NACG15AELPGW, and NACG15AELHCW
(Sold Separately)**

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 550 for pricing and details


Cutout Option for Power/Data Oasis

\$25 list upcharge per cutout location

- CUT-G16C Center
- CUT-G16E End
- CUT-G16LR Left, Right
- CUT-G16A All
- CUT-G16CE Center, End



- Reference pages 28-29 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



**NACG162ELS, NACG162ELHS,
NACG162ELB, and NACG162ELHB
(Sold Separately)**

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 553 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 132 for grommet options and upcharge
- Reference pages 24-27 for grommet and cutout locations
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Grommet
5. Laminate Top Color/Wood Top Finish
6. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN30RDW R X MH
 WWN30RDL V MH G10C MH
 WWN30RDLW R X MH MH

- See pages 131-132 for all options available in Waveworks

WAVEWORKS ROUND TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	30" ROUND			DI		H				
		1 1/8" TOP THICKNESS								
	WWN30RDW	Wood	\$ 1317	30 1/16	—	1 1/8	—	—	33 lbs.	2.0
	WWN30RDLW	Laminate/Wood	1317	30 1/16	—	1 1/8	—	—	33 lbs.	2.0
	WWN30RDL	Laminate	775	30 1/16	—	1 1/8	—	—	33 lbs.	2.0
	36" ROUND									
	WWN36RDW	Wood	\$ 1549	36 1/16	—	1 1/8	—	—	40 lbs.	2.4
	WWN36RDLW	Laminate/Wood	1549	36 1/16	—	1 1/8	—	—	40 lbs.	2.4
	WWN36RDL	Laminate	912	36 1/16	—	1 1/8	—	—	40 lbs.	2.4
	42" ROUND									
WWN42RDW	Wood	\$ 1880	42 1/16	—	1 1/8	—	—	54 lbs.	3.2	
WWN42RDLW	Laminate/Wood	1880	42 1/16	—	1 1/8	—	—	54 lbs.	3.2	
WWN42RDL	Laminate	1248	42 1/16	—	1 1/8	—	—	54 lbs.	3.2	
48" ROUND										
WWN48RDW	Wood	\$ 2293	48 1/16	—	1 1/8	—	—	79 lbs.	4.2	
WWN48RDLW	Laminate/Wood	2293	48 1/16	—	1 1/8	—	—	79 lbs.	4.2	
WWN48RDL	Laminate	1665	48 1/16	—	1 1/8	—	—	79 lbs.	4.2	
54" ROUND										
WWN54RDW	Wood	\$ 2552	54 1/16	—	1 1/8	—	—	121 lbs.	6.9	
WWN54RDLW	Laminate/Wood	2552	54 1/16	—	1 1/8	—	—	121 lbs.	6.9	
WWN54RDL	Laminate	1924	54 1/16	—	1 1/8	—	—	121 lbs.	6.9	
60" ROUND										
WWN60RDW	Wood	\$ 2810	58 3/8	—	1 1/8	—	—	150 lbs.	8.3	
WWN60RDLW	Laminate/Wood	2810	58 3/8	—	1 1/8	—	—	150 lbs.	8.3	
WWN60RDL	Laminate	2185	58 3/8	—	1 1/8	—	—	150 lbs.	8.3	
72" ROUND										
WWN72RDW	Wood	\$ 3351	71 1/16	—	1 1/8	—	—	lbs.		
WWN72RDLW	Laminate/Wood	3351	71 1/16	—	1 1/8	—	—	lbs.		
WWN72RDL	Laminate	2726	71 1/16	—	1 1/8	—	—	lbs.		
96" ROUND										
WWN96RDW	Wood	\$ 4380	95 7/8	—	1 1/8	—	—	lbs.		
WWN96RDLW	Laminate/Wood	4380	95 7/8	—	1 1/8	—	—	lbs.		
WWN96RDL	Laminate	3768	95 7/8	—	1 1/8	—	—	lbs.		

- Zip profile does not run out on round tops
- 72" and 96" tops will be in 2 pieces

WAVEWORKS ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 132 for grommet options and upcharge
- Reference pages 24-27 for grommet and cutout locations
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Grommet
5. Laminate Top Color/Wood Top Finish
6. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WW48RDW R X MH
 WW48RDL V MH G10C MH
 WW48RDLW R X MH MH

- See pages 131-132 for all options available in Waveworks

WAVEWORKS ROUND TOP	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
	30" ROUND	1 3/8" TOP THICKNESS	DI	H					
	WW30RDW	Wood	\$ 1206	30 1/16	—	1 3/8	—	—	33 lbs. 2.0
	WW30RDLW	Laminate/Wood	1206	30 1/16	—	1 3/8	—	—	33 lbs. 2.0
	WW30RDL	Laminate	664	30 1/16	—	1 3/8	—	—	33 lbs. 2.0
	36" ROUND								
	WW36RDW	Wood	\$ 1418	36 1/16	—	1 3/8	—	—	42 lbs. 3.0
	WW36RDLW	Laminate/Wood	1418	36 1/16	—	1 3/8	—	—	42 lbs. 3.0
	WW36RDL	Laminate	781	36 1/16	—	1 3/8	—	—	42 lbs. 3.0
	42" ROUND								
WW42RDW	Wood	\$ 1751	42 1/16	—	1 3/8	—	—	58 lbs. 3.8	
WW42RDLW	Laminate/Wood	1751	42 1/16	—	1 3/8	—	—	58 lbs. 3.8	
WW42RDL	Laminate	1116	42 1/16	—	1 3/8	—	—	58 lbs. 3.8	
48" ROUND									
WW48RDW	Wood	\$ 2163	48 1/16	—	1 3/8	—	—	76 lbs. 4.5	
WW48RDLW	Laminate/Wood	2163	48 1/16	—	1 3/8	—	—	76 lbs. 4.5	
WW48RDL	Laminate	1534	48 1/16	—	1 3/8	—	—	76 lbs. 4.5	

- Zip profile does not run out on round tops

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on square tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 132 for grommet options and upcharge
- Reference pages 24-27 for grommet and cutout locations
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Grommet
5. Laminate Top Color/Wood Top Finish
6. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN3030SQW F X MH
 WWN3030SQL V 480 X MH
 WWN3030SQLW F G10C 805 MH

• See pages 131-132 for all options available in Waveworks

WAVEWORKS SQUARE TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	30" SQUARE	1 1/16" TOP THICKNESS		D	W	H	A	KW		
	WWN3030SQW	Wood	\$ 1317	30 1/16"	30 1/16"	1 1/16"	—	—	33 lbs.	2.0
	WWN3030SQLW	Laminate/Wood	1317	30 1/16"	30 1/16"	1 1/16"	—	—	33 lbs.	2.0
	WWN3030SQL	Laminate	775	30 1/16"	30 1/16"	1 1/16"	—	—	33 lbs.	2.0
	36" SQUARE									
	WWN3636SQW	Wood	\$ 1549	36 1/16"	36 1/16"	1 1/16"	—	—	45 lbs.	3.0
	WWN3636SQLW	Laminate/Wood	1549	36 1/16"	36 1/16"	1 1/16"	—	—	45 lbs.	3.0
	WWN3636SQL	Laminate	912	36 1/16"	36 1/16"	1 1/16"	—	—	45 lbs.	3.0
	42" SQUARE									
	WWN4242SQW	Wood	\$ 1880	42 1/16"	42 1/16"	1 1/16"	—	—	59 lbs.	3.8
	WWN4242SQLW	Laminate/Wood	1880	42 1/16"	42 1/16"	1 1/16"	—	—	59 lbs.	3.8
	WWN4242SQL	Laminate	1248	42 1/16"	42 1/16"	1 1/16"	—	—	59 lbs.	3.8
	48" SQUARE									
	WWN4848SQW	Wood	\$ 2293	48 1/16"	48 1/16"	1 1/16"	—	—	76 lbs.	4.5
	WWN4848SQLW	Laminate/Wood	2293	48 1/16"	48 1/16"	1 1/16"	—	—	76 lbs.	4.5
	WWN4848SQL	Laminate	1665	48 1/16"	48 1/16"	1 1/16"	—	—	76 lbs.	4.5
	54" SQUARE									
	WWN5454SQW	Wood	\$ 2552	54 1/16"	54 1/16"	1 1/16"	—	—	121 lbs.	6.9
	WWN5454SQLW	Laminate/Wood	2552	54 1/16"	54 1/16"	1 1/16"	—	—	121 lbs.	6.9
	WWN5454SQL	Laminate	1924	54 1/16"	54 1/16"	1 1/16"	—	—	121 lbs.	6.9
	60" SQUARE									
	WWN6060SQW	Wood	\$ 2810	58 1/16"	58 1/16"	1 1/16"	—	—	150 lbs.	8.3
	WWN6060SQLW	Laminate/Wood	2810	58 1/16"	58 1/16"	1 1/16"	—	—	150 lbs.	8.3
	WWN6060SQL	Laminate	2185	58 1/16"	58 1/16"	1 1/16"	—	—	150 lbs.	8.3

CONFERENCE TABLE TOPS

WAVEWORKS

WAVEWORKS SQUARE TOPS

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on square tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 132 for grommet options and upcharge
- Reference pages 24-27 for grommet and cutout locations
- Reference pages 40-59 for table base guide

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Grommet
5. Laminate Top Color/Wood Top Finish
6. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WW4848SQW F X MH
 WW4848SQL V 480 X MH
 WW4848SQLW F G10C 805 MH

- See pages 131-132 for all options available in Waveworks

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
WAVEWORKS SQUARE TOP								
30" SQUARE		1 1/16" TOP THICKNESS						
WW3030SQW	Wood	\$ 1206	30 1/16	30 1/16	1 1/16	—	—	33 lbs. 2.0
WW3030SQLW	Laminate/Wood	1206	30 1/16	30 1/16	1 1/16	—	—	33 lbs. 2.0
WW3030SQL	Laminate	664	30 1/16	30 1/16	1 1/16	—	—	33 lbs. 2.0
36" SQUARE								
WW3636SQW	Wood	\$ 1418	36 1/16	36 1/16	1 1/16	—	—	45 lbs. 3.0
WW3636SQLW	Laminate/Wood	1418	36 1/16	36 1/16	1 1/16	—	—	45 lbs. 3.0
WW3636SQL	Laminate	781	36 1/16	36 1/16	1 1/16	—	—	45 lbs. 3.0
42" SQUARE								
WW4242SQW	Wood	\$ 1751	42 1/16	42 1/16	1 1/16	—	—	59 lbs. 3.8
WW4242SQLW	Laminate/Wood	1751	42 1/16	42 1/16	1 1/16	—	—	59 lbs. 3.8
WW4242SQL	Laminate	1116	42 1/16	42 1/16	1 1/16	—	—	59 lbs. 3.8
48" SQUARE								
WW4848SQW	Wood	\$ 2163	48 1/16	48 1/16	1 1/16	—	—	76 lbs. 4.5
WW4848SQLW	Laminate/Wood	2163	48 1/16	48 1/16	1 1/16	—	—	76 lbs. 4.5
WW4848SQL	Laminate	1534	48 1/16	48 1/16	1 1/16	—	—	76 lbs. 4.5



WAVEWORKS RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on rectangle tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 132 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168" and 192" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WVN3672RT2W P CUT-G16C X NM
 WVN3672RT2LW P X X 480 NM
 WVN3672RT2L V 462 X G10LR HN2

- See pages 131-132 for all options available in Waveworks

WAVEWORKS RECTANGLE TOP



36" X 72"

1 1/8" TOP THICKNESS

WVN3672RT2W	Wood	\$ 2416
WVN3672RT2LW	Laminate/Wood	2416
WVN3672RT2L	Laminate	1788

36	72	1 1/8"	-	-	136 lbs.	6.3
36	72	1 1/8"	-	-	136 lbs.	6.3
36	72	1 1/8"	-	-	136 lbs.	6.3

42" X 84"

WVN4284RT2W	Wood	\$ 2850
WVN4284RT2LW	Laminate/Wood	2850
WVN4284RT2L	Laminate	2225

42	84	1 1/8"	-	-	180 lbs.	8.3
42	84	1 1/8"	-	-	180 lbs.	8.3
42	84	1 1/8"	-	-	180 lbs.	8.3

48" X 96"

WVN4896RT2W	Wood	\$ 3283
WVN4896RT2LW	Laminate/Wood	3283
WVN4896RT2L	Laminate	2667

48	96	1 1/8"	-	-	233 lbs.	10.5
48	96	1 1/8"	-	-	233 lbs.	10.5
48	96	1 1/8"	-	-	233 lbs.	10.5

48" X 120"

WVN48120RT2W	Wood	\$ 4486
WVN48120RT2LW	Laminate/Wood	4486
WVN48120RT2L	Laminate	3876

48	120	1 1/8"	-	-	279 lbs.	10.6
48	120	1 1/8"	-	-	279 lbs.	10.6
48	120	1 1/8"	-	-	279 lbs.	10.6

48" X 144"

WVN48144RT2W	Wood	\$ 5555
WVN48144RT2LW	Laminate/Wood	5555
WVN48144RT2L	Laminate	4959

48	144	1 1/8"	-	-	332 lbs.	12.5
48	144	1 1/8"	-	-	332 lbs.	12.5
48	144	1 1/8"	-	-	332 lbs.	12.5

48" X 168"

WVN48168RT2W	Wood	\$ 6397
WVN48168RT2LW	Laminate/Wood	6397
WVN48168RT2L	Laminate	5806

48	168	1 1/8"	-	-	385 lbs.	14.3
48	168	1 1/8"	-	-	385 lbs.	14.3
48	168	1 1/8"	-	-	385 lbs.	14.3

48" X 192"

WVN48192RT2W	Wood	\$ 7232
WVN48192RT2LW	Laminate/Wood	7232
WVN48192RT2L	Laminate	6652

48	192	1 1/8"	-	-	438 lbs.	16.2
48	192	1 1/8"	-	-	438 lbs.	16.2
48	192	1 1/8"	-	-	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 23 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

WAVEWORKS RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on rectangle tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 132 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WVN48216RT2W P CUT-G16C X X NM
 WVN48216RT2LW P X X X 480 NM
 WVN48216RT2L V 462 X X G10LR HN2

- See pages 131-132 for all options available in Waveworks

WAVEWORKS RECTANGLE TOP (CONTINUED)	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
	48" X 216" 1 1/2" TOP THICKNESS								
	WVN48216RT2W Wood	\$ 8069	48	216	1 1/2	—	—	524 lbs. 20.0	
	WVN48216RT2LW Laminate/Wood	8069	48	216	1 1/2	—	—	524 lbs. 20.0	
	WVN48216RT2L Laminate	7499	48	216	1 1/2	—	—	524 lbs. 20.0	
	48" X 240"								
	WVN48240RT2W Wood	\$ 8907	48	240	1 1/2	—	—	571 lbs. 22.0	
	WVN48240RT2LW Laminate/Wood	8907	48	240	1 1/2	—	—	571 lbs. 22.0	
	WVN48240RT2L Laminate	8350	48	240	1 1/2	—	—	571 lbs. 22.0	
	60" X 144"								
	WVN60144RT2W Wood	\$ 7224	58%	144	1 1/2	—	—	412 lbs. 18.0	
	WVN60144RT2LW Laminate/Wood	7224	58%	144	1 1/2	—	—	412 lbs. 18.0	
	WVN60144RT2L Laminate	6447	58%	144	1 1/2	—	—	412 lbs. 18.0	
	60" X 168"								
	WVN60168RT2W Wood	\$ 8316	58%	168	1 1/2	—	—	480 lbs. 22.5	
	WVN60168RT2LW Laminate/Wood	8316	58%	168	1 1/2	—	—	480 lbs. 22.5	
	WVN60168RT2L Laminate	7549	58%	168	1 1/2	—	—	480 lbs. 22.5	
	60" X 192"								
	WVN60192RT2W Wood	\$ 9402	58%	192	1 1/2	—	—	539 lbs. 29.0	
	WVN60192RT2LW Laminate/Wood	9402	58%	192	1 1/2	—	—	539 lbs. 29.0	
	WVN60192RT2L Laminate	8647	58%	192	1 1/2	—	—	539 lbs. 29.0	
	60" X 216"								
	WVN60216RT2W Wood	\$ 10492	58%	216	1 1/2	—	—	647 lbs. 31.0	
	WVN60216RT2LW Laminate/Wood	10492	58%	216	1 1/2	—	—	647 lbs. 31.0	
	WVN60216RT2L Laminate	9752	58%	216	1 1/2	—	—	647 lbs. 31.0	
	60" X 240"								
	WVN60240RT2W Wood	\$ 11579	58%	240	1 1/2	—	—	706 lbs. 34.0	
	WVN60240RT2LW Laminate/Wood	11579	58%	240	1 1/2	—	—	706 lbs. 34.0	
	WVN60240RT2L Laminate	10856	58%	240	1 1/2	—	—	706 lbs. 34.0	

- Modified depth and width are available; refer to the chart on page 23 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on boat tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 132 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168" and 192" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN3672BTW P CUT-G16C X NM
 WWN3672BTLW P X X 480 NM
 WWN3672BTL V 480 X X CW

- See pages 131-132 for all options available in Waveworks

WAVEWORKS BOAT TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	36" X 72"		1 1/8" TOP THICKNESS							
	WWN3672BTW	Wood	\$ 2608	36	72	1 1/8	—	—	136 lbs.	6.3
	WWN3672BTLW	Laminate/Wood	2608	36	72	1 1/8	—	—	136 lbs.	6.3
	WWN3672BTL	Laminate	1990	36	72	1 1/8	—	—	136 lbs.	6.3
	42" X 84"									
	WWN4284BTW	Wood	\$ 3038	42	84	1 1/8	—	—	180 lbs.	8.3
	WWN4284BTLW	Laminate/Wood	3038	42	84	1 1/8	—	—	180 lbs.	8.3
	WWN4284BTL	Laminate	2423	42	84	1 1/8	—	—	180 lbs.	8.3
	48" X 96"									
	WWN4896BTW	Wood	\$ 3467	48	96	1 1/8	—	—	233 lbs.	10.5
	WWN4896BTLW	Laminate/Wood	3467	48	96	1 1/8	—	—	233 lbs.	10.5
	WWN4896BTL	Laminate	2858	48	96	1 1/8	—	—	233 lbs.	10.5
	48" X 120"									
	WWN48120BTW	Wood	\$ 4873	48	120	1 1/8	—	—	279 lbs.	10.6
	WWN48120BTLW	Laminate/Wood	4873	48	120	1 1/8	—	—	279 lbs.	10.6
	WWN48120BTL	Laminate	4275	48	120	1 1/8	—	—	279 lbs.	10.6
	48" X 144"									
	WWN48144BTW	Wood	\$ 5932	48	144	1 1/8	—	—	332 lbs.	12.5
	WWN48144BTLW	Laminate/Wood	5932	48	144	1 1/8	—	—	332 lbs.	12.5
	WWN48144BTL	Laminate	5347	48	144	1 1/8	—	—	332 lbs.	12.5
	48" X 168"									
	WWN48168BTW	Wood	\$ 6764	48	168	1 1/8	—	—	385 lbs.	14.3
	WWN48168BTLW	Laminate/Wood	6764	48	168	1 1/8	—	—	385 lbs.	14.3
	WWN48168BTL	Laminate	6187	48	168	1 1/8	—	—	385 lbs.	14.3
	48" X 192"									
	WWN48192BTW	Wood	\$ 7595	48	192	1 1/8	—	—	438 lbs.	16.2
	WWN48192BTLW	Laminate/Wood	7595	48	192	1 1/8	—	—	438 lbs.	16.2
	WWN48192BTL	Laminate	7023	48	192	1 1/8	—	—	438 lbs.	16.2

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 23 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

WAVEWORKS BOAT TOPS

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on boat tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 132 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN48216BTW P CUT-G16C X X NM
 WWN48216BTLW P X X X 480 NM
 WWN48216BTL V 480 X X X CW

- See pages 131-132 for all options available in Waveworks

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
WAVEWORKS BOAT TOP (CONTINUED)								
								
48" X 216" 1 1/8" TOP THICKNESS								
WWN48216BTW Wood	\$ 8422	48	216	1 1/8	—	—	524 lbs.	20.0
WWN48216BTLW Laminate/Wood	8422	48	216	1 1/8	—	—	524 lbs.	20.0
WWN48216BTL Laminate	7848	48	216	1 1/8	—	—	524 lbs.	20.0
48" X 240"								
WWN48240BTW Wood	\$ 9252	48	240	1 1/8	—	—	571 lbs.	22.0
WWN48240BTLW Laminate/Wood	9252	48	240	1 1/8	—	—	571 lbs.	22.0
WWN48240BTL Laminate	8696	48	240	1 1/8	—	—	571 lbs.	22.0
60" X 144"								
WWN60144BTW Wood	\$ 7713	58%	144	1 1/8	—	—	412 lbs.	18.0
WWN60144BTLW Laminate/Wood	7713	58%	144	1 1/8	—	—	412 lbs.	18.0
WWN60144BTL Laminate	6947	58%	144	1 1/8	—	—	412 lbs.	18.0
60" X 168"								
WWN60168BTW Wood	\$ 8794	58%	168	1 1/8	—	—	480 lbs.	22.5
WWN60168BTLW Laminate/Wood	8794	58%	168	1 1/8	—	—	480 lbs.	22.5
WWN60168BTL Laminate	8041	58%	168	1 1/8	—	—	480 lbs.	22.5
60" X 192"								
WWN60192BTW Wood	\$ 9874	58%	192	1 1/8	—	—	539 lbs.	29.0
WWN60192BTLW Laminate/Wood	9874	58%	192	1 1/8	—	—	539 lbs.	29.0
WWN60192BTL Laminate	9130	58%	192	1 1/8	—	—	539 lbs.	29.0
60" X 216"								
WWN60216BTW Wood	\$ 10950	58%	216	1 1/8	—	—	647 lbs.	31.0
WWN60216BTLW Laminate/Wood	10950	58%	216	1 1/8	—	—	647 lbs.	31.0
WWN60216BTL Laminate	10203	58%	216	1 1/8	—	—	647 lbs.	31.0
60" X 240"								
WWN60240BTW Wood	\$ 12028	58%	240	1 1/8	—	—	706 lbs.	34.0
WWN60240BTLW Laminate/Wood	12028	58%	240	1 1/8	—	—	706 lbs.	34.0
WWN60240BTL Laminate	11305	58%	240	1 1/8	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 23 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

WAVEWORKS RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 132 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168" and 192" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN3672RC2W P CUT-G16C X NM
 WWN3672RC2LW P X X 480 NM
 WWN3672RC2L N CW X G10C CW

- See pages 131-132 for all options available in Waveworks

WAVEWORKS RACETRACK TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	36" X 72"									
	1 1/8" TOP THICKNESS									
	WWN3672RC2W	Wood	\$ 2635	36	72	1 1/8	—	—	136 lbs.	6.3
	WWN3672RC2LW	Laminate/Wood	2635	36	72	1 1/8	—	—	136 lbs.	6.3
	WWN3672RC2L	Laminate	2009	36	72	1 1/8	—	—	136 lbs.	6.3
	42" X 84"									
	WWN4284RC2W	Wood	\$ 3070	42	84	1 1/8	—	—	180 lbs.	8.3
	WWN4284RC2LW	Laminate/Wood	3070	42	84	1 1/8	—	—	180 lbs.	8.3
	WWN4284RC2L	Laminate	2448	42	84	1 1/8	—	—	180 lbs.	8.3
48" X 96"										
WWN4896RC2W	Wood	\$ 3505	48	96	1 1/8	—	—	233 lbs.	10.5	
WWN4896RC2LW	Laminate/Wood	3505	48	96	1 1/8	—	—	233 lbs.	10.5	
WWN4896RC2L	Laminate	2886	48	96	1 1/8	—	—	233 lbs.	10.5	
48" X 120"										
WWN48120RC2W	Wood	\$ 4922	48	120	1 1/8	—	—	279 lbs.	10.6	
WWN48120RC2LW	Laminate/Wood	4922	48	120	1 1/8	—	—	279 lbs.	10.6	
WWN48120RC2L	Laminate	4318	48	120	1 1/8	—	—	279 lbs.	10.6	
48" X 144"										
WWN48144RC2W	Wood	\$ 5992	48	144	1 1/8	—	—	332 lbs.	12.5	
WWN48144RC2LW	Laminate/Wood	5992	48	144	1 1/8	—	—	332 lbs.	12.5	
WWN48144RC2L	Laminate	5399	48	144	1 1/8	—	—	332 lbs.	12.5	
48" X 168"										
WWN48168RC2W	Wood	\$ 6834	48	168	1 1/8	—	—	385 lbs.	14.3	
WWN48168RC2LW	Laminate/Wood	6834	48	168	1 1/8	—	—	385 lbs.	14.3	
WWN48168RC2L	Laminate	6249	48	168	1 1/8	—	—	385 lbs.	14.3	
48" X 192"										
WWN48192RC2W	Wood	\$ 7672	48	192	1 1/8	—	—	438 lbs.	16.2	
WWN48192RC2LW	Laminate/Wood	7672	48	192	1 1/8	—	—	438 lbs.	16.2	
WWN48192RC2L	Laminate	7094	48	192	1 1/8	—	—	438 lbs.	16.2	

- Modified depth and width are available; refer to the chart on page 23 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

WAVEWORKS RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 132 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 40-59 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN48216RC2W	P	CUT-G16C	X	X	NM
WWN48216RC2LW	P	X	X	X	480 NM
WWN48216RC2L	N	CW	X	X	G10C CW

- See pages 131-132 for all options available in Waveworks

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
WAVEWORKS RACETRACK TOP (CONTINUED)								
48" X 216" 1 1/2" TOP THICKNESS								
WWN48216RC2W Wood	\$ 8509	48	216	1 1/2	-	-	524 lbs.	20.0
WWN48216RC2LW Laminate/Wood	8509	48	216	1 1/2	-	-	524 lbs.	20.0
WWN48216RC2L Laminate	7927	48	216	1 1/2	-	-	524 lbs.	20.0
48" X 240"								
WWN48240RC2W Wood	\$ 9345	48	240	1 1/2	-	-	571 lbs.	22.0
WWN48240RC2LW Laminate/Wood	9345	48	240	1 1/2	-	-	571 lbs.	22.0
WWN48240RC2L Laminate	8784	48	240	1 1/2	-	-	571 lbs.	22.0
60" X 144"								
WWN60144RC2W Wood	\$ 7790	58%	144	1 1/2	-	-	412 lbs.	18.0
WWN60144RC2LW Laminate/Wood	7790	58%	144	1 1/2	-	-	412 lbs.	18.0
WWN60144RC2L Laminate	7018	58%	144	1 1/2	-	-	412 lbs.	18.0
60" X 168"								
WWN60168RC2W Wood	\$ 8885	58%	168	1 1/2	-	-	480 lbs.	22.5
WWN60168RC2LW Laminate/Wood	8885	58%	168	1 1/2	-	-	480 lbs.	22.5
WWN60168RC2L Laminate	8122	58%	168	1 1/2	-	-	480 lbs.	22.5
60" X 192"								
WWN60192RC2W Wood	\$ 9974	58%	192	1 1/2	-	-	539 lbs.	29.0
WWN60192RC2LW Laminate/Wood	9974	58%	192	1 1/2	-	-	539 lbs.	29.0
WWN60192RC2L Laminate	9222	58%	192	1 1/2	-	-	539 lbs.	29.0
60" X 216"								
WWN60216RC2W Wood	\$ 11059	58%	216	1 1/2	-	-	647 lbs.	31.0
WWN60216RC2LW Laminate/Wood	11059	58%	216	1 1/2	-	-	647 lbs.	31.0
WWN60216RC2L Laminate	10307	58%	216	1 1/2	-	-	647 lbs.	31.0
60" X 240"								
WWN60240RC2W Wood	\$ 12146	58%	240	1 1/2	-	-	706 lbs.	34.0
WWN60240RC2LW Laminate/Wood	12146	58%	240	1 1/2	-	-	706 lbs.	34.0
WWN60240RC2L Laminate	11419	58%	240	1 1/2	-	-	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 23 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

