
VOLUTE

Product Specifications	548
Fabrics and Options	549
Product Pages	550

VOLUTE PRODUCT SPECIFICATIONS

SHELL CONSTRUCTION

- Contoured, injection molded polypropylene
- Upholstered model features ½" polyurethane foam

CONTROL, BASE, CASTERS, AND GLIDES

4-Prong High Profile, Static

- Features Trumpet Support with 360° swivel
- Available in Black and Polished Aluminum
- Polyethylene glides are standard
- Felt pad glides are available for an additional upcharge

4-Prong Low Profile, Static

- Features 360° swivel with auto-return
- Available in Black and Polished Aluminum
- Polyethylene glides are standard
- Felt pad glides are available for an additional upcharge

4-Prong High Profile, Mobile


- Features 360° swivel
- Available in Black and Polished Aluminum
- Black, hard double wheel casters, which work on multiple surfaces, are standard
- Soft casters are available for an additional upcharge
- Black, open double wheel casters with polished accents are available for an additional upcharge and work on multiple floors

5-Prong High Profile, Mobile

- Features height adjustment and 360° swivel
- Available in Black and Polished Aluminum
- Black, hard double wheel casters, which work on multiple surfaces, are standard
- Soft casters are available for an additional upcharge
- Black, open double wheel casters with polished accents are available for an additional upcharge and work on multiple floors

4-Leg Wood, Static

- Metal accents available in Black and Polished Aluminum
- Beech wood legs
- Polyethylene glides are standard
- Felt pad glides are available as an option



FABRICS

- Grade 1 Cali
- Grade 2 Sedona
- Grade 3 Silvertext

- Grade 5 Mode
- Maharam Grade C Mode

POLYPROPYLENE SHELL COLORS

- BK Black
- DG Dark Grey
- LG Light Grey
- TP Taupe
- WH White

BASE PAINT OPTIONS

- BK Black
- 497 Polished Aluminum

WOOD LEGS FINISHES

- AC Autumn
- AD Almond
- CL Caramel
- CW Cordovan
- DW Judicial
- HN Honey
- IM Brighton
- MC Amber
- MH Mocha
- NM Natural
- PB Portobello
- PT Portico
- SK Skyline
- SM Sonoma
- TF Truffle
- 405 Designer White
- 462 Cinder
- 792 Sable
- 793 Acorn*

*Acorn is the finish complement to Clear Walnut finish


CASTERS

4-PRONG MOBILE AND 5-PRONG MOBILE

- C40 Hard (standard)
- C41 Soft (add \$28 list)
- C70 Open (add \$71 list)


BASE OPTIONS

4-PRONG MOBILE HIGH PROFILE POLISHED ALUMINUM




- Available in Black and Polished Aluminum
- 65mm black non-hooded casters - hard, soft, and open

5-PRONG MOBILE HIGH PROFILE POLISHED ALUMINUM, HEIGHT ADJUSTABLE



- Available in Black and Polished Aluminum
- 65mm black non-hooded casters - hard, soft, and open

4-LEG WOOD



- Wood legs available in all standard NOF finishes
- Metal accents available in Black and Polished Aluminum
- Polyethylene glides are standard

GLIDES


4-PRONG MODELS

- STD Hard (standard)
- C67 Soft (add \$30 list)

4-LEG WOOD MODELS


- STD Hard (standard)
- C69 Soft

4-PRONG LOW PROFILE POLISHED ALUMINUM



- Available in Black and Polished Aluminum

4-PRONG HIGH PROFILE POLISHED ALUMINUM



- Available in Black and Polished Aluminum
- Silver reversible glides for all flooring

VOLUTE




Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 8 for additional program information.

TO ORDER, SPECIFY:

• See page 549 for Volute options

1. Model Number
2. Fabric Grade / Cover Number (when applicable)
3. Shell Color
4. Base Paint
5. Glides / Casters

4-PRONG HIGH PROFILE STATIC




MODEL NO.	GRADE / LIST PRICE	Maharam Mode				
		1	2	3	5	Gr C
N46GU4HM Upholstered Shell	\$ 1163	1198	1212	1266	1284	
N46GP4HM Polypropylene Shell	865					
QN46GP4HM Polypropylene Shell	865					

DIMENSIONS

Width	24½	Seat Height	17½	Arm Height	7½	Weight U	29
Depth	22½	Seat Depth	16½	Back Width	16½	Weight P	27
Height	32	Seat Width	16½	Back Height	17¼	Cubic Ft.	16.1

4-PRONG HIGH PROFILE MOBILE




MODEL NO.	GRADE / LIST PRICE	Maharam Mode				
		1	2	3	5	Gr C
N46GU4HMC Upholstered Shell	\$ 1163	1198	1212	1266	1284	
N46GP4HMC Polypropylene Shell	865					
QN46GP4HMC Polypropylene Shell	865					

DIMENSIONS

Width	28¾	Seat Height	18½	Arm Height	7½	Weight U	29
Depth	28¾	Seat Depth	16	Back Width	16½	Weight P	27
Height	32¾	Seat Width	16½	Back Height	17½	Cubic Ft.	16.1

4-PRONG LOW PROFILE AUTO-RETURN STATIC



MODEL NO.	GRADE / LIST PRICE	Maharam Mode				
		1	2	3	5	Gr C
N46GU4LM Upholstered Shell	\$ 1244	1279	1293	1347	1365	
N46GP4LM Polypropylene Shell	946					
QN46GP4LM Polypropylene Shell	946					

DIMENSIONS

Width	24½	Seat Height	17½	Arm Height	7½	Weight U	30
Depth	22½	Seat Depth	16½	Back Width	16½	Weight P	28
Height	31½	Seat Width	16½	Back Height	17¼	Cubic Ft.	16.1




Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 8 for additional program information.

TO ORDER, SPECIFY:

• See page 549 for Volute options

1. Model Number
2. Fabric Grade / Cover Number (when applicable)
3. Shell Color (when applicable)
4. Paint Color
5. Finish (when applicable)
6. Glides / Casters

**5-PRONG
HEIGHT ADJUSTABLE
MOBILE**



**MODEL
NO.**

GRADE / LIST PRICE

							Maharam Mode Gr C
		1	2	3	5		
N46GU5HMC	Upholstered Shell	\$ 1163	1198	1212	1266	1284	
N46GP5HMC	Polypropylene Shell	865					
QN46GP5HMC	Polypropylene Shell	865					

DIMENSIONS

Width	24½	Seat Height	16¾-21½	Arm Height	7¾	Weight U	31
Depth	24½	Seat Depth	16½	Back Width	16¾	Weight P	29
Height	35¾	Seat Width	16¾	Back Height	17¾	Cubic Ft.	16.1

**4-LEG
WOOD**



							Maharam Mode Gr C
		1	2	3	5		
N46GU4W	Upholstered Shell	\$ 1433	1468	1482	1536	1554	
N46GP4W	Polypropylene Shell	1109					
QN46GP4W	Polypropylene Shell	1109					

DIMENSIONS

Width	24¾	Seat Height	18¾	Arm Height	7¾	Weight U	21
Depth	22½	Seat Depth	16¾	Back Width	16¾	Weight P	20
Height	33	Seat Width	16¾	Back Height	17¾	Cubic Ft.	16.1

