

---

# WELI

Product Specifications	566
Fabrics and Options	567
Contrasting Fabrics Specifications	568
Product Pages	569
Thought Starters	581
COM Yardage Requirements	582

## WELI PRODUCT SPECIFICATIONS

### SEAT CONSTRUCTION

- 2 $\frac{3}{8}$ " of high grade polyurethane foam covers a plywood seat panel
- Easy clean wipe out feature

### FULLY UPHOLSTERED BACK CONSTRUCTION

- 2" of high grade polyurethane foam covers a plywood back panel

### FRAME CONSTRUCTION

#### Guest Seating

- Frame is made from  $\frac{3}{4}$ " x 1 $\frac{1}{2}$ " 16-gauge rectangular tube steel
- End frames are joined with inert gas (MIG) welds
- All chairs meet 750 lb. weight capacity
- Wall saving design feature

#### Lounge

- Interior frame is constructed of plywood tenon joints that are glued and stapled for maximum joint stability
- The legs are screwed directly to the bottom panel of the arm
- All chairs meet 750 lb. weight capacity
- Wall saving design feature

### CONTRASTING FABRIC

- Contrasting fabric available on all models

### ARM CAPS

- Protective polyurethane is standard on all poly arm models; available in Cinder and Concrete
- Solid Surface is standard on all solid surface arm models; available in 9 colors

### GLIDES

- Legs feature a 1" adjustable leveling glide
- Soft glides are available for an additional upcharge

### FINISHES

- Cinder, Platinum Metallic, Satin Nickel Metallic, Concrete and Iron frames are finished with an electrostatic baked-on powder coat
- Can be cleaned with a damp cloth

## TABLES

### FRAME CONSTRUCTION



- Table frame is made from  $\frac{7}{8}$ " x 1 $\frac{1}{4}$ " 16-gauge elliptical tubular steel
- Cross members are made from  $\frac{7}{8}$ " 16-gauge round tubular steel
- Cross members are joined to the U-bent side members with metal inert gas (MIG) welds

### TOPS

- Laminate models feature a 1 $\frac{1}{4}$ " laminate (HPL) top
- Solid Surface models available in Grades A, B, and C

### POWER AND USB GROMMET – Lounge only

- Power grommets available; specify cutout option and order electrical grommet model separately
- See pages 88-89 for details and pricing



**FABRICS**

Grade 1	Cali
	Input
	Plush
	Ridge
	Stardust
	Vessel
Grade 2	Bliss
	Brilliant
	COM
	Dorset
	Orbit
	Phrase
	Pixie
	Sedona
	Strand

Grade 3	COL
	Jacks
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode

Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

**LAMINATES**

AC2	Autumn 2	PB	Portobello
AD	Almond	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN2	Honey 2	405	Designer White
IM	Brighton	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*
NM	Natural		

\*Acorn is the laminate complement to Clear Walnut finish

**MOISTURE BARRIER**

(\$114 upcharge per seat location)

X	No Moisture Barrier
MBS1	Moisture Barrier, 1 Seat
MBS2	Moisture Barrier, 2 Seat
MBS3	Moisture Barrier, 3 Seat

**POLYURETHANE ARM CAP**

423	Concrete
462	Cinder

**GALLERY LAMINATE**

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 28 for Gallery program details and upcharges

**FRAME COLOR**

423	Concrete
462	Cinder
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

**TANDEM FRAME COLOR**

463	Iron
501	Platinum Metallic

**GLIDES**

STD	Standard
C66	Soft (add \$30 list)

**POWER/USB GROMMET CUTOUT OPTIONS – Lounge Only**

If no grommet cutout is desired, specify an X (No Grommet)

\$25 list upcharge per cutout

CUT-G35L	Left
CUT-G35R	Right
CUT-G35LR	Left & Right
CUT-G35C	Center
CUT-G35A	Left, Right, & Center

Grommets sold separately; reference page 88 for model numbers and pricing.

**SOLID SURFACE COLORS**

7101	Bisque (Grade A)
7201	Glacier White (Grade A)
7202	Canyon (Grade B)
7203	Designer White (Grade B)
7204	Silt (Grade B)
7301	Concrete (Grade C)
7302	Deep Night Sky (Grade C)
7303	Deep Nocturne (Grade C)

## TO ORDER CONTRASTING FABRIC, SPECIFY

### WELI

**21" Guest Chair page 569**

**27" Guest Chair page 569**

**32" Guest Chair page 570**

**Armless Starter page 570**

**Arm Starter page 572**

**Armless Add-On page 572**

**Arm Add-On page 571**

**Armless End page 571**

**Arm End page 573**

**Three Seat Tandem page 573**

**Two Seat Tandem page 573**

**21" Easy Access Chair page 574**

**27" Easy Access Chair page 574**

**21" Patient Chair page 574**

**27" Patient Chair page 575**

**32" Patient Chair page 575**


**21" Rocker page 576**

**27" Rocker page 576**

**32" Rocker page 576**

\*Contrasting locations standard on all models

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Seat Fabric Grade Number/Cover Number
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color
7. Glides



### WELI LOUNGE

**1 Seat Lounge page 577**

**1 Seat Patient Lounge page 577**

**2 Seat Lounge page 577**

**3 Seat Lounge page 577**


**2 Seat Bench page 578**

**3 Seat Bench page 578**

**Ottoman page 578**

\*Contrasting locations standard on all models

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Seat Fabric Grade Number/Cover Number
4. Arm Fabric Grade Number/Cover Number
5. Moisture Barrier
6. Grommet Cutout
7. Arm Cap (when applicable)
8. Frame Color
9. Glides






Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 8 for additional program information.

**TO ORDER, SPECIFY:**


1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color
7. Glides

• See page 567 for Weli options  
See pages 582-583 for COM fabric yardage

**21" GUEST CHAIR**



Armless



Arm

**MODEL NO.**

**GRADE / LIST PRICE**


		1	2/COM	3/COL	4	5	6	7	L7	L8
N81GAM	Armless	\$ 1217	1258	1274	1304	1336	1390	1462	1804	1915
QN81GAM	Armless	1217	1258	1274	1304	1336	1390	1462		
N81GAAY	Arms, Poly	1239	1280	1296	1326	1358	1412	1484	1826	1937
QN81GAAY	Arms, Poly	1239	1280	1296	1326	1358	1412	1484		
N81GAAS	Arms, Gr A Solid Surface	1617	1658	1674	1704	1736	1790	1862	2204	2315

**DIMENSIONS**


Armless Width	24	Seat Height	19	Arm Height	25½	Weight	42
Arm Width	24½	Seat Depth	19	Back Height	36½	Arm Weight	47
Depth	27	Seat Width	21	Back Width	21	Cubic Ft.	21.1
Height	36¼						

- Contrasting fabric option - specify X; see page 568. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- Guest chairs can be ganged together by using the chair ganging brackets on page 580; brackets are ordered separately

**27" GUEST CHAIR**



Armless



Arm

		1	2/COM	3/COL	4	5	6	7	L7	L8
N81GBM	Armless	\$ 1460	1528	1555	1605	1658	1748	1868	2438	2623
QN81GBM	Armless	1460	1528	1555	1605	1658	1748	1868		
N81GBAY	Arms, Poly	1486	1554	1581	1631	1684	1774	1894	2464	2649
QN81GBAY	Arms, Poly	1486	1554	1581	1631	1684	1774	1894		
N81GBAS	Arms, Gr A Solid Surface	1865	1933	1960	2010	2063	2153	2273	2843	3028

**DIMENSIONS**

Armless Width	30	Seat Height	19	Arm Height	25½	Weight	48
Arm Width	30½	Seat Depth	19	Back Height	36½	Arm Weight	53
Depth	27	Seat Width	27	Back Width	27	Cubic Ft.	25.5
Height	36¼						

- Contrasting fabric option - specify X; see page 568. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- Guest chairs can be ganged together by using the chair ganging brackets on page 580; brackets are ordered separately



Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 8 for additional program information.


**TO ORDER, SPECIFY:**

1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color
7. Glides


• See page 567 for Weli options

See pages 582-583 for COM fabric yardage

**32" GUEST CHAIR**



Armless



Arm

**MODEL NO.**

**GRADE / LIST PRICE**


		1	2/COM	3/COL	4	5	6	7	L7	L8
N81GCM	Armless	\$ 1704	1772	1799	1849	1902	1992	2112	2682	2867
QN81GCM	Armless	1704	1772	1799	1849	1902	1992	2112		
N81GCAY	Arms, Poly	1734	1802	1829	1879	1932	2022	2142	2712	2897
QN81GCAY	Arms, Poly	1734	1802	1829	1879	1932	2022	2142		
N81GCAS	Arms, Gr A Solid Surface	2112	2180	2207	2257	2310	2400	2520	3090	3275

**DIMENSIONS**

Armless Width	35	Seat Height	19	Arm Height	25¾	Weight	54
Arm Width	35½	Seat Depth	19	Back Height	36¾	Arm Weight	59
Depth	27	Seat Width	32	Back Width	32	Cubic Ft.	29.1
Height	36¾						

- Contrasting fabric option - specify X; see page 568. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- Guest chairs can be ganged together by using the chair ganging brackets on page 580; brackets are ordered separately

**ARMLESS STARTER**



		1	2/COM	3/COL	4	5	6	7	L7	L8
N81SAM	21" Starter, Armless	\$ 1362	1403	1419	1449	1481	1535	1607	1949	2060
N81SBM	27" Starter, Armless	1640	1708	1735	1785	1838	1928	2048	2618	2803
N81SCM	32" Starter, Armless	1917	1985	2012	2062	2115	2205	2325	2895	3080

**DIMENSIONS**

21" Width	24	Seat Height	19	Back Height	36¾	21" Weight	48
27" Width	30	Seat Depth	19	21" Back Width	21	27" Weight	55
32" Width	35	21" Seat Width	21	27" Back Width	27	32" Weight	61
Depth	27	27" Seat Width	27	32" Back Width	32	21" Cubic Ft	21.3
Height	36¾	32" Seat Width	32			27" Cubic Ft	25.6
						32" Cubic Ft	29.2


- Contrasting fabric option - specify X; see page 568. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- When using ganging models, a "Starter" model must be used at the start of a run and an "End" model to end the run. "Add-on" models are used between the starter and end to add additional seats
- Ganging hardware is included

**TO ORDER, SPECIFY:**

1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color
7. Glides

• See page 567 for Weli options  
See pages 582-583 for COM fabric yardage

**ARM ADD-ON**



**MODEL NO.**

**GRADE / LIST PRICE**


			1	2/COM	3/COL	4	5	6	7	L7	L8
N81AAEY	21" Add-On, Arm (1)	\$	1212	1253	1269	1299	1331	1385	1457	1799	1910
N81AAES	21" Add-On, Arm (1), Gr A Solid Surface		1401	1442	1458	1488	1520	1574	1646	1988	2099
N81ABEY	27" Add-On, Arm (1)	\$	1454	1522	1549	1599	1652	1742	1862	2432	2617
N81ABES	27" Add-On, Arm (1), Gr A Solid Surface		1643	1711	1738	1788	1841	1931	2051	2621	2806
N81ACEY	32" Add-On, Arm (1)	\$	1696	1764	1791	1841	1894	1984	2104	2674	2859
N81ACES	32" Add-On, Arm (1), Gr A Solid Surface		1886	1954	1981	2031	2084	2174	2294	2864	3049

**DIMENSIONS**

21" Width	22½	Seat Height	19	Arm Height	25¾	21" Weight	53
27" Width	28½	Seat Depth	19	Back Height	36¾	27" Weight	60
32" Width	33½	21" Seat Width	21	21" Back Width	21	33" Weight	67
Depth	27	27" Seat Width	27	27" Back Width	27	21" Cubic Ft	18.1
Height	36¾	32" Seat Width	32	32" Back Width	32	27" Cubic Ft	21.9
						32" Cubic Ft	25.1

- Contrasting fabric option - specify X; see page 568. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- When using ganging models, a "Starter" model must be used at the start of a run and an "End" model to end the run. "Add-on" models are used between the starter and end to add additional seats
- Ganging hardware is included

**ARMLESS END**



			1	2/COM	3/COL	4	5	6	7	L7	L8
N81EAM	21" End, Armless	\$	1158	1199	1215	1245	1277	1331	1403	1745	1856
N81EBM	27" End, Armless		1388	1456	1483	1533	1586	1676	1796	2366	2551
N81ECM	32" End, Armless		1620	1688	1715	1765	1818	1908	2028	2598	2783

**DIMENSIONS**

21" Width	22½	Seat Height	19	Back Height	36¾	21" Weight	38
27" Width	28½	Seat Depth	19	21" Back Width	21	27" Weight	46
32" Width	33½	21" Seat Width	21	27" Back Width	27	32" Weight	53
Depth	27	27" Seat Width	27	32" Back Width	32	21" Cubic Ft	16.2
Height	36¾	32" Seat Width	32			27" Cubic Ft	20.0
						32" Cubic Ft	23.2


- Contrasting fabric option - specify X; see page 568. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- When using ganging models, a "Starter" model must be used at the start of a run and an "End" model to end the run. "Add-on" models are used between the starter and end to add additional seats
- Ganging hardware is included

**TO ORDER, SPECIFY:**


1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color
7. Glides

• See page 567 for Weli options  
See pages 582-583 for COM fabric yardage

**ARM STARTER**



1 Arm at Start



2 Arms

**MODEL NO.**

**GRADE / LIST PRICE**


			1	2/COM	3/COL	4	5	6	7	L7	L8
N81SAEY	21" Starter, Arm (1 at Start), Poly	\$	1362	1403	1419	1449	1481	1535	1607	1949	2060
N81SAAY	21" Starter, Arms (2), Poly		1384	1425	1441	1471	1503	1557	1629	1971	2082
N81SAES	21" Starter, Arm (1 at Start), Gr A Solid Surface		1552	1593	1609	1639	1671	1725	1797	2139	2250
N81SAAS	21" Starter, Arms (2), Gr A Solid Surface		1763	1804	1820	1850	1882	1936	2008	2350	2461
N81SBEY	27" Starter, Arm (1 at Start), Poly	\$	1640	1708	1735	1785	1838	1928	2048	2618	2803
N81SBAY	27" Starter, Arms (2), Poly		1661	1729	1756	1806	1859	1949	2069	2639	2824
N81SBES	27" Starter, Arm (1 at Start) Gr A Solid Surface		1829	1897	1924	1974	2027	2117	2237	2807	2992
N81SBAS	27" Starter, Arms (2), Gr A Solid Surface		2039	2107	2134	2184	2237	2327	2447	3017	3202
N81SCEY	32" Starter, Arm (1 at Start), Poly	\$	1917	1985	2012	2062	2115	2205	2325	2895	3080
N81SCAY	32" Starter, Arms (2), Poly		1939	2007	2034	2084	2137	2227	2347	2917	3102
N81SCES	32" Starter, Arm (1 at Start) Gr A Solid Surface		2106	2174	2201	2251	2304	2394	2514	3084	3269
N81SCAS	32" Starter, Arms (2), Gr A Solid Surface		2317	2385	2412	2462	2515	2605	2725	3295	3480

**DIMENSIONS**

21" Width	24	Seat Height	19	Arm Height	25¾	21" 1 Arm	45
27" Width	30	Seat Depth	19	Back Height	36¾	21" 2 Arm	53
32" Width	35	21" Seat Width	21	21" Back Width	21	27" 1 Arm	52
Depth	27	27" Seat Width	27	27" Back Width	27	27" 2 Arm	60
Height	36¾	32" Seat Width	32	32" Back Width	32	32" 1 Arm	58
						32" 2 Arm	66
						21" Cubic Ft	21.3
						27" Cubic Ft	25.6
						32" Cubic Ft	29.2

- Contrasting fabric option - specify X; see page 568. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- When using ganging models, a "Starter" model must be used at the start of a run and an "End" model to end the run. "Add-on" models are used between the starter and end to add additional seats
- Ganging hardware is included

**ARMLESS ADD-ON**



			1	2/COM	3/COL	4	5	6	7	L7	L8
N81AAM	21" Add-On, Armless	\$	1212	1253	1269	1299	1331	1385	1457	1799	1910
N81ABM	27" Add-On, Armless		1454	1522	1549	1599	1652	1742	1862	2432	2617
N81ACM	32" Add-On, Armless		1696	1764	1791	1841	1894	1984	2104	2674	2859

**DIMENSIONS**

21" Width	22½	Seat Height	19	Back Height	36¾	21" Armless	48
27" Width	28½	Seat Depth	19	21" Back Width	21	27" Armless	55
32" Width	33½	21" Seat Width	21	27" Back Width	27	32" Armless	62
Depth	27	27" Seat Width	27	32" Back Width	32	21" Cubic Ft	18.1
Height	36¾	32" Seat Width	32			27" Cubic Ft	21.9
						32" Cubic Ft	25.1

- Contrasting fabric option - specify X; see page 568. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- When using ganging models, a "Starter" model must be used at the start of a run and an "End" model to end the run. "Add-on" models are used between the starter and end to add additional seats
- Ganging hardware is included




**TO ORDER, SPECIFY:**

1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color
7. Glides

• See page 567 for Weli options  
See pages 582-583 for COM fabric yardage

**ARM END**



**MODEL NO.**

**GRADE / LIST PRICE**


			1	2/COM	3/COL	4	5	6	7	L7	L8
N81EAEY	21" End, Arm (1 at End), Poly	\$	1158	1199	1215	1245	1277	1331	1403	1745	1856
N81EAES	21" End, Arm (1 at End), Gr A Solid Surface		1347	1388	1404	1434	1466	1520	1592	1934	2045
N81EBEY	27" End, Arm (1 at End), Poly	\$	1388	1456	1483	1533	1586	1676	1796	2366	2551
N81EBES	27" End, Arm (1 at End), Gr A Solid Surface		1578	1646	1673	1723	1776	1866	1986	2556	2741
N81ECEY	32" End, Arm (1 at End), Poly	\$	1620	1688	1715	1765	1818	1908	2028	2598	2783
N81ECES	32" End, Arm (1 at End), Gr A Solid Surface		1810	1878	1905	1955	2008	2098	2218	2788	2973

**DIMENSIONS**

21" Width	22½	Seat Height	19	Arm Height	25¾	21" Weight	43
27" Width	28½	Seat Depth	19	Back Height	36¾	27" Weight	51
32" Width	33½	21" Seat Width	21	21" Back Width	21	32" Weight	58
Depth	27	27" Seat Width	27	27" Back Width	27	21" Cubic Ft	16.2
Height	36¾	32" Seat Width	32	32" Back Width	32	27" Cubic Ft	20.0
						32" Cubic Ft	23.2

- Contrasting fabric option - specify X; see page 568. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- When using ganging models, a "Starter" model must be used at the start of a run and an "End" model to end the run. "Add-on" models are used between the starter and end to add additional seats
- Ganging hardware is included

**THREE SEAT TANDEM**




			1	2/COM	3/COL	4	5	6	7	L7	L8
N81T3ACY	Arms and No Center Legs, Poly	\$	4027	4140	4187	4271	4359	4510	4712	5669	5980
N81T3ACS	Arms and No Center Legs, Gr A Solid Surface		4784	4897	4944	5028	5116	5267	5469	6426	6737

**DIMENSIONS**

Width	69½	Seat Height	19	Arm Height	25¾	Weight	128
Depth	27	Seat Depth	19	Back Height	36¾	Cubic Ft.	45.1
Height	36¾	Seat Width	21	Back Width	21		

- Contrasting fabric option - specify X; see page 568. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- Frame color available in 463 Iron and 501 Platinum Metallic

**TWO SEAT TANDEM**



			1	2/COM	3/COL	4	5	6	7	L7	L8
N81T2ACY	Arms and No Center Legs, Poly	\$	2725	2803	2835	2893	2954	3059	3198	3859	4074
N81T2ACS	Arms and No Center Legs, Gr A Solid Surface		3293	3371	3403	3461	3522	3627	3766	4427	4642

**DIMENSIONS**

Width	47	Seat Height	19	Arm Height	25¾	Weight	90
Depth	27	Seat Depth	19	Back Height	36¾	Cubic Ft.	30.8
Height	36¾	Seat Width	21	Back Width	21		


- Contrasting fabric option - specify X; see page 568. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- Frame color available in 463 Iron and 501 Platinum Metallic

**TO ORDER, SPECIFY:**

1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color
7. Glides

• See page 567 for Weli options  
See pages 582-583 for COM fabric yardage

**21" EASY ACCESS CHAIR**




MODEL NO.	GRADE / LIST PRICE										
		1	2/COM	3/COL	4	5	6	7	L7	L8	
N81HAAY	Arms, Poly	\$ 1947	1988	2004	2034	2066	2120	2192	2534	2645	
N81HAAS	Arms, Gr A Solid Surface	2325	2366	2382	2412	2444	2498	2570	2912	3023	

**DIMENSIONS**

Width	24	Seat Height	25½	Arm Height	31¾	Weight	55
Depth	27	Seat Depth	19	Back Height	42¾	Cubic Ft.	24.3
Height	42¼	Seat Width	21	Back Width	21		

- Contrasting fabric option - specify X; see page 568. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available

**27" EASY ACCESS CHAIR**




MODEL NO.	GRADE / LIST PRICE										
		1	2/COM	3/COL	4	5	6	7	L7	L8	
N81HBAY	Arms, Poly	\$ 2163	2231	2258	2308	2361	2451	2571	3141	3326	
N81HBAS	Arms, Gr A Solid Surface	2542	2610	2637	2687	2740	2830	2950	3520	3705	

**DIMENSIONS**


Width	30	Seat Height	25½	Arm Height	31¾	Weight	61
Depth	27	Seat Depth	19	Back Height	42¾	Cubic Ft.	29.3
Height	42¼	Seat Width	27	Back Width	27		

- Contrasting fabric option - specify X; see page 568. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available

**21" PATIENT CHAIR**



Armless



Arm

MODEL NO.	GRADE / LIST PRICE										
		1	2/COM	3/COL	4	5	6	7	L7	L8	
N81PAM	Armless	\$ 1492	1538	1557	1591	1626	1688	1769	2157	2283	
N81PAAAY	Arms, Poly	1514	1560	1579	1613	1648	1710	1791	2179	2305	
N81PAAS	Arms, Gr A Solid Surface	1893	1939	1958	1992	2027	2089	2170	2558	2684	

**DIMENSIONS**

Width	24	Seat Height	19	Arm Height	25¾	Armless Weight	46
Depth	27	Seat Depth	19	Back Height	45	Arm Weight	51
Height	45	Seat Width	21	Back Width	21	Cubic Ft.	25.9


- Contrasting fabric option - specify X; see page 568. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available

**TO ORDER, SPECIFY:**


1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color
7. Glides

• See page 567 for Weli options  
See pages 582-583 for COM fabric yardage

**27" PATIENT CHAIR**



Armless



Arm

**MODEL NO.**

**GRADE / LIST PRICE**


		1	2/COM	3/COL	4	5	6	7	L7	L8
N81PBM	Armless	\$ 1791	1861	1890	1942	1996	2090	2215	2808	3000
N81PBAY	Arms, Poly	1817	1887	1916	1968	2022	2116	2241	2834	3026
N81PBAS	Arms, Gr A Solid Surface	2195	2265	2294	2346	2400	2494	2619	3212	3404

**DIMENSIONS**


Width	30	Seat Height	19	Arm Height	25¾	Armless Weight	52
Depth	27	Seat Depth	19	Back Height	45	Arm Weight	57
Height	45	Seat Width	27	Back Width	27	Cubic Ft.	31.3

- Contrasting fabric option - specify X; see page 568. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available

**32" PATIENT CHAIR**



Armless



Arm

		1	2/COM	3/COL	4	5	6	7	L7	L8
N81PCM	Armless	\$ 2089	2170	2203	2263	2326	2434	2578	3262	3484
N81PCAY	Arms, Poly	2120	2201	2234	2294	2357	2465	2609	3293	3515
N81PCAS	Arms, Gr A Solid Surface	2498	2579	2612	2672	2735	2843	2987	3671	3893

**DIMENSIONS**

Width	35	Seat Height	19	Arm Height	25¾	Armless Weight	58
Depth	27	Seat Depth	19	Back Height	45	Arm Weight	63
Height	45	Seat Width	32	Back Width	32	Cubic Ft.	35.7


- Contrasting fabric option - specify X; see page 568. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available

**TO ORDER, SPECIFY:**

1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color
7. Glides

- See page 567 for Weli options
- See pages 582-583 for COM fabric yardage

**21" ROCKER**




MODEL NO.	GRADE / LIST PRICE										
		1	2/COM	3/COL	4	5	6	7	L7	L8	
N81RAAY	Arms, Poly	\$ 1947	1988	2004	2034	2066	2120	2192	2534	2645	
N81RAAS	Arms, Gr A Solid Surface	2325	2366	2382	2412	2444	2498	2570	2912	3023	

**DIMENSIONS**

Width	24	Seat Height	18	Arm Height	25¾	Weight	49
Depth	27	Seat Depth	19	Back Height	34¾	Cubic Ft.	21.1
Height	34¾	Seat Width	21	Back Width	27		

- Contrasting fabric option - specify X; see page 568. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available

**27" ROCKER**




MODEL NO.	GRADE / LIST PRICE										
		1	2/COM	3/COL	4	5	6	7	L7	L8	
N81RBAY	Arms, Poly	\$ 2163	2231	2258	2308	2361	2451	2571	3141	3326	
N81RBAS	Arms, Gr A Solid Surface	2542	2610	2637	2687	2740	2830	2950	3520	3705	

**DIMENSIONS**

Width	30	Seat Height	18	Arm Height	25¾	Weight	54
Depth	27	Seat Depth	19	Back Height	34¾	Cubic Ft.	25.5
Height	34¾	Seat Width	27	Back Width	27		

- Contrasting fabric option - specify X; see page 568. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available

**32" ROCKER**



MODEL NO.	GRADE / LIST PRICE										
		1	2/COM	3/COL	4	5	6	7	L7	L8	
N81RCAY	Arms, Poly	\$ 2271	2339	2366	2416	2469	2559	2679	3249	3434	
N81RCAS	Arms, Gr A Solid Surface	2650	2718	2745	2795	2848	2938	3058	3628	3813	

**DIMENSIONS**

Width	35	Seat Height	18	Arm Height	25¾	Weight	59
Depth	27	Seat Depth	19	Back Height	34¾	Cubic Ft.	29.1
Height	34¾	Seat Width	32	Back Width	32		


- Contrasting fabric option - specify X; see page 568. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available

**TO ORDER, SPECIFY:**

1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Grommet Cutout
6. Arm Cap (when applicable)
7. Frame Color
8. Glides

• See page 567 for Weli options  
See pages 582-583 for COM fabric yardage


**1 SEAT LOUNGE**



MODEL NO.		GRADE / LIST PRICE									
		1	2/COM	3/COL	4	5	6	7	L7	L8	
N81L1AAY	1 Seat Lounge, Poly Arms	\$ 2054	2146	2183	2251	2323	2445	2608	3383	3635	
N81L1AAS	1 Seat Lounge, Gr A Solid Surface	2433	2525	2562	2630	2702	2824	2987	3762	4014	
<b>DIMENSIONS</b>											
Width	29	Seat Height	19	Arm Height	25¼	Weight	84.4				
Depth	29½	Seat Depth	19	Back Height	35½	Cubic Ft.	21.0				
Height	35½	Seat Width	21	Back Width	21						

• Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service


**1 SEAT PATIENT LOUNGE**



MODEL NO.		GRADE / LIST PRICE									
		1	2/COM	3/COL	4	5	6	7	L7	L8	
N81LP1AAY	1 Seat Patient Lounge, Poly Arms	\$ 2260	2363	2404	2480	2560	2697	2879	3746	4027	
N81LP1AAS	1 Seat Patient Lounge, Gr A Solid Surface	2638	2741	2782	2858	2938	3075	3257	4124	4405	
<b>DIMENSIONS</b>											
Width	29	Seat Height	19	Arm Height	25¼	Weight	95.5				
Depth	29½	Seat Depth	19	Back Height	44¼	Cubic Ft.	25.6				
Height	44¼	Seat Width	21	Back Width	21						

• Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service


**2 SEAT LOUNGE**



MODEL NO.		GRADE / LIST PRICE									
		1	2/COM	3/COL	4	5	6	7	L7	L8	
N81L2AAY	2 Seat Lounge, Poly Arms	\$ 2670	2797	2849	2943	3041	3211	3436	4508	4856	
N81L2AAS	2 Seat Lounge, Gr A Solid Surface	3048	3175	3227	3321	3419	3589	3814	4886	5234	
<b>DIMENSIONS</b>											
Width	50	Seat Height	19	Arm Height	25¼	Weight	122.8				
Depth	29½	Seat Depth	19	Back Height	35½	Cubic Ft.	35.5				
Height	35½	Seat Width	42	Back Width	42						

• Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service

**3 SEAT LOUNGE**



MODEL NO.		GRADE / LIST PRICE									
		1	2/COM	3/COL	4	5	6	7	L7	L8	
N81L3AAY	3 Seat Lounge, Poly Arms	\$ 3346	3511	3578	3700	3828	4048	4340	5731	6183	
N81L3AAS	3 Seat Lounge, Gr A Solid Surface	3724	3889	3956	4078	4206	4426	4718	6109	6561	
<b>DIMENSIONS</b>											
Width	71	Seat Height	19	Arm Height	25¼	Weight	144.4				
Depth	29½	Seat Depth	19	Back Height	35½	Cubic Ft.	50.0				
Height	35½	Seat Width	63	Back Width	63						

• Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service

**ELECTRICAL KIT SPECIFICATION GUIDE**

Large Model	Power Component Requirement
1 Seat	1 Power Infeed + Grommet
2 Seat (1 or 2 grommet)	1 Power Infeed + Grommet(s)
3 Seat (1 grommet)	1 Power Infeed + Grommet
3 Seat (2 or 3 grommets)	NACEL4KTA1 + Grommets

See page 88 for details and pricing


**TO ORDER, SPECIFY:**

1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Grommet Cutout
6. Frame Color
7. Glides

• See page 567 for Weli options

See pages 582-583 for COM fabric yardage

**2 SEAT BENCH**



**MODEL NO.**


**GRADE / LIST PRICE**

		1	2/COM	3/COL	4	5	6	7	L7	L8
N81B2M	2 Seat Bench	\$ 1299	1348	1367	1403	1441	1506	1592	2003	2136

**DIMENSIONS**

Width	42½	Seat Height	20	Weight	92.4
Depth	25	Seat Depth	20½	Cubic Ft.	17.5
Height	20½				

**3 SEAT BENCH**




		1	2/COM	3/COL	4	5	6	7	L7	L8
N81B3M	3 Seat Bench	\$ 1735	1816	1849	1909	1972	2080	2224	2908	3130

**DIMENSIONS**

Width	63¾	Seat Height	20	Weight	103.5
Depth	25	Seat Depth	20½	Cubic Ft.	25.9
Height	20½				

**OTTOMAN**



		1	2/COM	3/COL	4	5	6	7	L7	L8
N81D1A	Ottoman	\$ 865	895	907	929	952	992	1044	1295	1377

**DIMENSIONS**

Width	21	Seat Height	20	Weight	25.1
Depth	18	Seat Depth	20½	Cubic Ft.	5.7
Height	18½				

**TO ORDER, SPECIFY:**

1. Model Number
2. Laminate/Solid Surface
3. Paint
4. Glides

- See page 567 for Weli options
- Ganging hardware included with ganging tables

**OVAL TABLE**



**MODEL NO.**


**GRADE / LIST PRICE**

		GRADE A	GRADE B	GRADE C
N81T2448MGOL	24 x 48, Laminate	\$ 1826		
N81T2448MGOS	24 x 48, Solid Surface	2908	3132	3420

**DIMENSIONS**

Width	24	Laminate Weight	24
Depth	48	Solid Surface Weight	34
Height	16¼	Cubic Ft.	6.5

**FREESTANDING TABLE**




		GRADE A	GRADE B	GRADE C
N81T2424ENL	24 x 24, Laminate	\$ 1244		
N81T2424ENS	24 x 24, Solid Surface	2163	2281	2432

**DIMENSIONS**

Width	24½	Laminate Weight	24
Depth	25¾	Solid Surface Weight	34
Height	16¼	Cubic Ft.	3.6

**90 DEGREE ROUNDED CORNER FREESTANDING TABLE**




		GRADE A	GRADE B	GRADE C
N81T3636CNL	Laminate	\$ 1826		
N81T3636CNS	Solid Surface	2908	3182	3535

**DIMENSIONS**

Width	38¾	Laminate Weight	35
Depth	38¾	Solid Surface Weight	49
Height	16¼	Cubic Ft.	7.4

**90 DEGREE ROUNDED CORNER GANGING CENTER TABLE**



		GRADE A	GRADE B	GRADE C
N81T36CL	Laminate	\$ 1731		
N81T36CS	Solid Surface	2812	3086	3439

**DIMENSIONS**


Width	38¾	Laminate Weight	29
Depth	38¾	Solid Surface Weight	43
Height	16¼	Cubic Ft.	6.1

**TO ORDER, SPECIFY:**

1. Model Number
2. Laminate/Solid Surface
3. Paint
4. Glides


- See page 567 for Weli options
- Ganging hardware included with ganging tables

**GANGING CENTER TABLE**




MODEL NO.		GRADE / LIST PRICE					
		GRADE A	GRADE B	GRADE C			
<b>24 X 12</b>							
N81T12CL	24 x 12, Laminate	\$ 1071					
N81T12CS	24 x 12, Solid Surface	1828	1887	1962			
<b>24 X 24</b>							
N81T24CL	24 x 24, Laminate	\$ 1142					
N81T24CS	24 x 24, Solid Surface	2061	2179	2330			
<b>DIMENSIONS - 24 X 12</b>		<b>DIMENSIONS - 24 X 24</b>					
Width	12¾	Weight	9	Width	24½	Weight	18
Depth	25¾	Laminate Cubic Ft	0.8	Depth	25¾	Cubic Ft.	1.4
Height	16¾	Cubic Ft.	1.4	Height	16¾		

**GANGING END TABLE**



		GRADE / LIST PRICE					
		GRADE A	GRADE B	GRADE C			
<b>24 X 12</b>							
N81T12EL	24 x 12, Laminate	\$ 1103					
N81T12ES	24 x 12, Solid Surface	1861	1920	1995			
<b>24 X 24</b>							
N81T24EL	24 x 24, Laminate	\$ 1174					
N81T24ES	24 x 24, Solid Surface	2094	2212	2363			
<b>DIMENSIONS - 24 X 12</b>		<b>DIMENSIONS - 24 X 24</b>					
Width	12¾	Weight	12	Width	24½	Weight	21
Depth	25¾	Cubic Ft.	2.1	Depth	25¾	Cubic Ft.	3.6
Height	16¾			Height	16¾		

**CHAIR GANGING BRACKET**




N81BKT1	\$ 76		
<b>DIMENSIONS</b>			
		Weight	1
		Cubic Ft.	0.1


• Ganging brackets are used to gang guest chairs together



- When using ganging models (starter, add-on, end), a starter must always start the run and the end model ends the run. Add-on models are used between the starter and end to add additional seats. Any seat size or arm combination can be ganged together. Ganging hardware is included with the starter, add-on, end, and table models.




- 2) N81SAAY 21" Starter, Arms Poly (2)
- 4) N81AAEY 21" Add-On, Arm Poly (1)
- 2) N81EAEY 21" End, Arm Poly (1)
- 4) N81T12EL Table, 24x12, Laminate Ganging End



- 4) N81SAAY 21" Starter, Arms Poly (2)
- 4) N81EAEY 21" End, Arm Poly (1)
- 6) N81T12EL Table, 24x12, Laminate Ganging End



- 2) N81GCAY 32" Guest Chair, Arms Poly
- 2) N81T36CL Table, 90° Rounded Corner, Laminate Ganging Center
- 1) N81SAAY 21" Starter, Arms Poly (2)
- 1) N81AAEY 21" Add-On, Arm Poly (1)
- 1) N81EAEY 21" End, Arm Poly (1)



- 2) N81GCAY 32" Guest Chair, Arms Poly
- 2) N81T36CL Table, 90° Rounded Corner, Laminate Ganging Center
- 1) N81SAAY 21" Starter, Arms Poly (2)
- 1) N81AAEY 21" Add-On, Arm Poly (1)
- 1) N81EAEY 21" End, Arm Poly (1)

# COM YARDAGE REQUIREMENTS

## COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N81AAES, N81AAEY, N81AAM, N81EAES, N81EAEY, N81EAM, N81GAAS, N81GAAY, N81GAM, N81HAAS, N81HAAY, N81RAAS, N81RAAY, N81SAAS, N81SAAY, N81SAES, N81SAEY, N81SAM, QN81GAAY, QN81GAM	Upholstery	1.50	1.90	3.20	4.70	27.3
N81AAESX, N81AAEYX, N81AAMX, N81EAESX, N81EAEYX, N81EAMX, N81GAASX, N81GAAYX, N81GAMX, N81HAASX, N81HAAYX, N81RAASX, N81RAAYX, N81SAASX, N81SAAYX, N81SAESX, N81SAEYX, N81SAMX, QN81GAAYX, QN81GAMX	Back Seat	1.00 1.00	1.40 1.20	2.30 1.80	2.90 2.70	17.9 17.9
N81PAAS, N81PAAY, N81PAM	Upholstery	1.70	2.40	3.70	4.70	32.2
N81PAASX, N81PAAYX, N81PAMX	Back Seat	1.20 1.00	1.70 1.20	2.80 1.80	3.30 2.70	22.2 17.9
N81T2ACS, N81T2ACY	Upholstery	2.90	3.50	6.60	8.70	54.4
N81T2ACSX, N81T2ACYX	Back Seat	1.80 1.40	2.40 1.50	4.50 2.40	4.90 4.70	32.8 24.5
N81T3ACS, N81T3ACY	Upholstery	4.20	5.30	9.70	12.70	82.1
N81T3ACSX, N81T3ACYX	Back Seat	2.70 2.00	3.40 2.30	6.60 3.30	6.90 6.70	50.1 37.8
N81ABES, N81ABEY, N81ABM, N81EBES, N81EBEY, N81EBM, N81GBAS, N81GBAY, N81GBM, N81HBAS, N81HBAY, N81RBAS, N81RBAY, N81SBAS, N81SBAY, N81SBES, N81SBEY, N81SBM, QN81GBAY, QN81GBM	Upholstery	2.50	2.80	3.50	4.70	47.7
N81ABESX, N81ABEYX, N81ABMX, N81EBESX, N81EBEYX, N81EBMX, N81GBASX, N81GBAYX, N81GBMX, N81HBASX, N81HBAYX, N81RBASX, N81RBAYX, N81SBASX, N81SBAYX, N81SBESX, N81SBEYX, N81SBMX, QN81GBAYX, QN81GBMX	Back Seat	1.60 1.00	1.70 1.30	2.40 1.70	2.90 2.70	30 17.9
N81PBAS, N81PBAY, N81PBM	Upholstery	2.60	3.30	4.10	4.70	50.1
N81PBASX, N81PBAYX, N81PBMX	Back Seat	1.80 1.00	2.30 1.30	3.10 1.70	3.40 2.70	32.2 17.9
N81ACES, N81ACEY, N81ACM, N81ECES, N81ECEY, N81ECM, N81GCAS, N81GCAY, N81GCM, N81RCAS, N81RCAY, N81SCAS, N81SCAY, N81SCEX, N81SCEY, N81SCM, QN81GCAY, QN81GCM	Upholstery	2.50	3.00	3.50	4.70	47.7
N81ACESX, N81ACEYX, N81ACMX, N81ECESX, N81ECEYX, N81ECMX, N81GCASX, N81GCAYX, N81GCMX, N81RCASX, N81RCAYX, N81SCASX, N81SCAYX, N81SCEX, N81SCEYX, N81SCMX, QN81GCAYX, QN81GCMX	Back Seat	1.60 1.00	1.80 1.30	2.40 1.70	3.30 2.70	30.0 17.9

## COM YARDAGE REQUIREMENTS

### COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILOADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N81PCAS, N81PCAY, N81PCM	Upholstery	3.00	3.50	4.50	4.80	57.2
N81PCASX, N81PCAYX, N81PCM	Back	2.10	2.50	3.10	3.80	39.4
N81PCM	Seat	1.00	1.30	1.70	2.70	17.9
N81LP1AAY	Complete	3.80	4.80	6.80	8.80	72.1
N81LP1AAYX	Back		2.00	2.50	3.80	25.6
	Seat		1.10	1.90	2.20	17.3
	Arms		2.70	3.80	4.40	42.2
N81L1AAY	Complete	3.40	4.60	6.00	7.40	66.0
N81L1AAYX	Back		1.70	2.10	3.00	23.3
	Seat		1.10	1.90	3.20	17.3
	Arms		2.70	3.80	4.40	42.2
N81L2AAY	Complete	4.70	5.50	9.10	11.90	90.9
N81L2AAYX	Back		2.50	3.90	6.00	38.3
	Seat		1.60	3.20	4.70	26.1
	Arms		2.70	3.80	4.40	42.2
N81L3AAY	Complete	6.10	7.60	10.50	11.00	118.5
N81L3AAYX	Back		3.40	4.80	5.40	18.2
	Seat		2.20	3.50	4.20	38.9
	Arms		2.70	3.80	4.40	42.2
N81D1A	Complete	1.20	1.30	1.50	2.70	20.1
N81B2M	Complete	1.80	2.00	4.10	4.80	32.8
N81B3M	Complete	2.70	2.90	4.10	6.30	51.6

