
WHIRL

Product Specifications	600
Fabrics and Options	601
Product Pages	602
COM Yardage Requirements	606

WHIRL

WHIRL PRODUCT SPECIFICATIONS

SEAT CONSTRUCTION

- 3" of polyurethane foam covers a 12 mm cross-banded seat panel

BACK CONSTRUCTION

- Injection molded outer frame

MESH

- 65% Elastomer (Hytrel) Nylon + 35% Polyester

LUMBAR

- All models feature a 5" tall lumbar with 4" of adjustability

ARMS

- Encased uprights are made of reinforced glass filled nylon
- Static arm uprights are made of reinforced glass filled nylon with arm pads made from soft polyurethane
- Height adjustable arm adjusts in height with a push button to one of 7 positions with a 2¾" range
- 4D arms have arm pads that adjust in depth, width, pivot, and arm height adjustment all with the touch of a button
 - Arm height range 2¾", 7 positions (outside button)
 - Front to rear adjustment range 2¾" (outside button)
 - Arm pad width adjustment range ¾" (inside button)
 - Arm pad pivot adjustment range 40° (inside button)

CONTROL MECHANISM—3 POSITION LOCK SYNCHRO

- 5 positions available in the seat slide depth adjustment range of 2"
- Synchronous control allows the back and seat to move in a synchronized 2:1 ratio motion
- Free float feature allows the chair to tilt freely
- The back angle can be locked in 1 of 3 positions
- Standard pneumatic gas cylinder lift allows seat to raise and lower 4¾" and provides spring action for added comfort
- The combination gas lift/tilt lock lever allows dual functions with a simple in/out movement for lockout and an up/down movement for height adjustment

CONTROL MECHANISM—4 POSITION LOCK SYNCHRO


- 6 positions available in the seat slide depth adjustment range of 2¼"
- A side activated telescoping tension adjustment handle provides a comfortable way to adjust back tension to meet individual needs
- The back angle can be locked in 1 of 4 positions
- Standard pneumatic gas cylinder lift allows seat to raise and lower 4¾" and provides spring action for added comfort
- The combination gas lift/tilt lock lever allows dual functions with a simple in/out movement for lockout and an up/down movement for height adjustment

BASE AND CASTERS

- Black nylon 5-prong base features glass filled nylon
- Black, hard double wheel casters, which work on multiple surfaces, are standard
- Black, soft double wheel casters are available for use on hard floors; upcharge applies to this option

STOOLS

- 3 position lock synchro control mechanism
- Height adjustable black footring



FABRICS

Grade 1	Cali
	Input
	Plush
	Ridge
	Stardust Vessel
Grade 2	Bliss
	Brilliant
	COM
	Dorset
	Orbit
	Phrase
	Pixie
	Sedona Strand

Grade 3	COL
	Jacks
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
	Mode

Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch Tottori
Grade L7	Davenport
Grade L8	Florence

FRAME COLOR

BK Black

MESH COLORS

BK Black
 BL Blue
 MG Medium Grey
 GN Green
 RD Red
 WH White

**TASK/STOOLS
CASTERS**

STD Hard (standard)
 C74 Soft (add \$30 list)

*Soft caster option only
 available on select models

PACK

Ships KD or Assembled as specified by the model

WHIRL

WHIRL



Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 8 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Mesh Color (when applicable)
3. Seat Fabric Grade Number / Cover Number
4. Casters

• See page 601 for Whirl options
See page 606 for COM fabric yardage

BLACK MESH BACK BLACK SEAT HEIGHT ADJUSTABLE ARMS



MODEL NO. GRADE / LIST PRICE

3 LOCK SYNCHRO

N28BMML33LSS	Black Mesh, Black Seat Only, Seat Slide	\$	619
--------------	---	----	-----

DIMENSIONS

Width	26½	Seat Height with		Arm Height	25¼-31½	Weight	37.3
Depth	26	Seat Slide	16¾-21½	Back Height	24¼	Cubic Ft.	4.6
Height	39¼-43%	Seat Depth	17%	Back Height with			
		Seat Depth with		Seat Slide	24		
		Seat Slide	17½-19%	Back Width	18½		
		Seat Width	18%				

- Specify model number only
- Ships KD, tool included

BLACK MESH BACK HEIGHT ADJUSTABLE ARMS



			1	2/COM	3/COL	4	5	6	7	L7	L8
N28AMML33LSS	3 Lock Synchro, Seat Slide, Black Mesh	\$	723	747	757	775	794	827	870	1075	1142
QN28AMML33LSS	3 Lock Synchro, Seat Slide, Black Mesh		723	747	757	775	794	827	870		
N28AMML34LSS	4 Lock Synchro, Seat Slide, Black Mesh		775	799	809	827	846	879	922	1127	1194
QN28AMML34LSS	4 Lock Synchro, Seat Slide, Black Mesh		775	799	809	827	846	879	922		

DIMENSIONS

Width	26½	Seat Height with		Arm Height (3LSS)	25¼-31½	Weight (3LSS)	28
Depth	26	Seat Slide	16¾-21½	Arm Height (4LSS)	25¼-31½	Weight (4LSS)	33
Height	39¼-43%	Seat Depth	17%	Back Height	24¼	Cubic Ft. (3LSS)	4.6
		Seat Depth with		Back Height with		Cubic Ft. (4LSS)	5.5
		Seat Slide	17½-19%	Seat Slide	24		
		Seat Width	18%	Back Width	18½		

- Personalize seat upholstery
- Caster option not available
- Ships KD, tool included

MESH BACK ARMLESS



			1	2/COM	3/COL	4	5	6	7	L7	L8
3 LOCK SYNCHRO											
N28MML13L		\$	733	757	767	785	804	837	880	1085	1152
N28MML13LSS	Seat Slide		754	778	788	806	825	858	901	1106	1173
4 LOCK SYNCHRO											
N28MML14L		\$	785	809	819	837	856	889	932	1137	1204
N28MML14LSS	Seat Slide		806	830	840	858	877	910	953	1158	1225

DIMENSIONS

Width	26½	Seat Height	16½-21	Back Height	24¼	Weight (3L)	35.7
Depth	26	Seat Height with		Back Height with		Weight (3LSS)	35.7
Height	39¼-43%	Seat Slide	16¾-21½	Seat Slide	24	Weight (4L)	40.8
		Seat Depth	17%	Back Width	18½	Weight (4LSS)	40.8
		Seat Depth with				Cubic Ft. (3L)	15.3
		Seat Slide	17½-19%			Cubic Ft. (3LSS)	15.3
		Seat Width	18%			Cubic Ft. (4L)	15.3
						Cubic Ft. (4LSS)	15.3

- Personalize mesh color and seat upholstery
- Ships fully assembled

TO ORDER, SPECIFY:

1. Model Number
2. Mesh Color
3. Seat Fabric Grade Number / Cover Number
4. Casters

• See page 601 for Whirl options
See page 606 for COM fabric yardage

**MESH BACK
STATIC ARMS**



**MODEL
NO.**

GRADE / LIST PRICE

	1	2/COM	3/COL	4	5	6	7	L7	L8
--	---	-------	-------	---	---	---	---	----	----

3 LOCK SYNCHRO

N28MML23L	\$	759	783	793	811	830	863	906	1111	1178
N28MML23LSS	Seat Slide	775	799	809	827	846	879	922	1127	1194

4 LOCK SYNCHRO

N28MML24L	\$	806	830	840	858	877	910	953	1158	1225
N28MML24LSS	Seat Slide	827	851	861	879	898	931	974	1179	1246

DIMENSIONS

Width	26½	Seat Height	16½-21	Arm Height	25¼-31%	Weight (3L)	40.8
Depth	26	Seat Height with		Arm Height (SS)	25¼-31%	Weight (3LSS)	40.8
Height	39¼-43%	Seat Slide	16¾-21¼	Back Height	24¼	Weight (4L)	43.8
		Seat Depth	17%	Back Height with		Weight (4LSS)	43.8
		Seat Depth with		Seat Slide	24	Cubic Ft. (3L)	15.3
		Seat Slide	17½-19%	Back Width	18½	Cubic Ft. (3LSS)	15.3
		Seat Width	18¾			Cubic Ft. (4L)	15.3
						Cubic Ft. (4LSS)	15.3

- Personalize mesh color and seat upholstery
- Ships fully assembled

**MESH BACK
HEIGHT ADJUSTABLE
ARMS**



	1	2/COM	3/COL	4	5	6	7	L7	L8
--	---	-------	-------	---	---	---	---	----	----

3 LOCK SYNCHRO

N28MML33L	\$	806	830	840	858	877	910	953	1158	1225
N28MML33LSS	Seat Slide	827	851	861	879	898	931	974	1179	1246

4 LOCK SYNCHRO

N28MML34L	\$	858	882	892	910	929	962	1005	1210	1277
N28MML34LSS	Seat Slide	879	903	913	931	950	983	1026	1231	1298

DIMENSIONS

Width	26½	Seat Height	16½-21	Arm Height (3L)	24¼-30%	Weight (3L)	40.8
Depth	26	Seat Height with		Arm Height (3LSS)	25¼-31%	Weight (3LSS)	40.8
Height	39¼-43%	Seat Slide	16¾-21¼	Arm Height (4L)	25¼-31%	Weight (4L)	43.8
		Seat Depth	17%	Arm Height (4LSS)	25¼-31½	Weight (4LSS)	43.8
		Seat Depth with		Back Height	24¼	Cubic Ft. (3L)	15.3
		Seat Slide	17½-19%	Back Height with		Cubic Ft. (3LSS)	15.3
		Seat Width	18¾	Seat Slide	24	Cubic Ft. (4L)	15.3
				Back Width	18½	Cubic Ft. (4LSS)	15.3

- Personalize mesh color and seat upholstery
- Ships fully assembled

WHIRL

WHIRL



Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 8 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Mesh Color (when applicable)
3. Seat Fabric Grade Number / Cover Number
4. Casters

- See page 601 for Whirl options
- See page 606 for COM fabric yardage

MESH BACK 4-D ADJUSTABLE ARMS



MODEL NO.

GRADE / LIST PRICE


	1	2/COM	3/COL	4	5	6	7	L7	L8
3 LOCK SYNCHRO									
N28MML43L	\$ 863	887	897	915	934	967	1010	1215	1282
N28MML43LSS Seat Slide	884	908	918	936	955	988	1031	1236	1303
4 LOCK SYNCHRO									
N28MML44L	\$ 915	939	949	967	986	1019	1062	1267	1334
N28MML44LSS Seat Slide	936	960	970	988	1007	1040	1083	1288	1355

DIMENSIONS

Width	26½	Seat Height	16½-21	Arm Height (3L)	25¼-31½	Weight (3L)	42.8
Depth	26	Seat Height with		Arm Height (3LSS)	26-32½	Weight (3LSS)	42.8
Height	39¼-43¾	Seat Slide	16¼-21¼	Arm Height (4L)	26½-32½	Weight (4L)	45.8
		Seat Depth	17¾	Arm Height (4LSS)	26½-32½	Weight (4LSS)	45.8
		Seat Depth with		Back Height	24¼	Cubic Ft. (3L)	15.3
		Seat Slide	17¾-19¾	Back Height with		Cubic Ft. (3LSS)	15.3
		Seat Width	18¾	Seat Slide	24	Cubic Ft. (4L)	15.3
				Back Width	18½	Cubic Ft. (4LSS)	15.3

- Personalize mesh color and seat upholstery
- Ships fully assembled

HEADREST



48

N28HRB	Black only	\$ 108
--------	------------	--------

DIMENSIONS

Width	10¼	Weight	4
Depth	4	Cubic Ft.	0.42
Height	5¼-9½		

- Can be added to any Whirl task chair, attachment hardware is included
- Adjust up and down 14 places with a range of 4¼"
- Pivots to allow multiple angles

TO ORDER, SPECIFY:

1. Model Number
2. Mesh Color
3. Seat Fabric Grade Number / Cover Number
4. Casters

• See page 601 for Whirl options
 See page 606 for COM fabric yardage

**LOW STOOL
MESH BACK**



N28CML33L

**MODEL
NO.**

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N28CML13L	Armless	\$	889	913	923	941	960	993	1036	1241	1308
N28CML23L	Static Arms		915	939	949	967	986	1019	1062	1267	1334
N28CML33L	Height Adjustable Arms		962	986	996	1014	1033	1066	1109	1314	1381
N28CML43L	4D Arms		1019	1043	1053	1071	1090	1123	1166	1371	1438

DIMENSIONS

Width	27	Seat Height	17¼-26¾	Arm Height - Static	27¾-38¾	Armless Weight	42
Depth	25	Seat Depth	17	Arm Height - Height Adj.	27½-37¾	Arms Weight	45
Height	42-49½	Seat Width	18¾	Arm Height - 4D	28-38¾	Armless Cubic Ft.	16.2
				Back Height	24	Arms Cubic Ft.	16.2
				Back Width	18¾		

- Personalize mesh color and seat upholstery
- Due to stability concerns, we do not recommend adding a headrest to stool models
- Ships fully assembled

**HIGH STOOL
MESH BACK**



N28SML33L

			1	2/COM	3/COL	4	5	6	7	L7	L8
N28SML13L	Armless	\$	889	913	923	941	960	993	1036	1241	1308
N28SML23L	Static Arms		915	939	949	967	986	1019	1062	1267	1334
N28SML33L	Height Adjustable Arms		962	986	996	1014	1033	1066	1109	1314	1381
N28SML43L	4D Arms		1019	1043	1053	1071	1090	1123	1166	1371	1438

DIMENSIONS

Width	27	Seat Height	22¾-30	Arm Height - Static	28¾-38¾	Armless Weight	42
Depth	24¾	Seat Depth	17	Arm Height - Height Adj.	28¾-38¾	Arms Weight	45
Height	45½-52¾	Seat Width	18¾	Arm Height - 4D	31½-41¾	Armless Cubic Ft.	18.9
				Back Height	24	Arms Cubic Ft.	18.9
				Back Width	18¾		

- Personalize mesh color and seat upholstery
- Due to stability concerns, we do not recommend adding a headrest to stool models
- Ships fully assembled

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET	
	Contact customer service 800-482-1717 for ydg requirements		4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL		
N28AMML33LSS, N28AMML34LSS, N28CML13L, N28CML23L, N28CML33L, N28CML43L, N28MML13L, N28MML13LSS, N28MML14L, N28MML14LSS, N28MML23L, N28MML23LSS, N28MML24L, N28MML24LSS, N28MML33L, N28MML33LSS, N28MML34L, N28MML34LSS, N28MML43L, N28MML43LSS, N28MML44L, N28MML44LSS N28SML13L, N28SML23L, N28SML33L, N28SML43L			0.86	1.00	1.30	1.30	17.16